

# PHASE I ENVIRONMENTAL SITE ASSESSMENT



HASLET TEXAS TRACT ESA

2101 AVONDALE-HASLET ROAD  
HASLET, TEXAS 76052

ECS PROJECT NO. 51:3688 (REV.2)

FOR: FORT WORTH DEVELOPMENT GROUP, LLC

SEPTEMBER 7, 2023





September 7, 2023

Eva Newton  
Fort Worth Development Group, LLC  
120 Market Square, Second Floor  
PO Box 3289  
Pinehurst, North Carolina 28374

ECS Project No. 51: 3688 (Rev.2)

Reference: Phase I Environmental Site Assessment Report, Haslet Texas Tract ESA, 2101 Avondale-Haslet Road, Haslet, Tarrant County, Texas 76052

Dear Ms. Newton:

ECS Southwest, LLP (ECS) is pleased to provide you with the results of our Phase I Environmental Site Assessment (ESA) for the referenced site. ECS's services were provided in general accordance with ECS Proposal No. 51:5166 authorized on August 16, 2023 and generally meet the requirements of ASTM E1527-21, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, and in accordance with EPA Standards and Practices for All Appropriate Inquiries contained in 40 CFR Part 312.

On September 12, 2023 ECS revised Sections 4.2 and 9.0 to clarify and include additional information.

If there are questions regarding this report, or a need for further information, please contact the undersigned.

Sincerely,

ECS Southwest, LLP

Quinton Ayers  
Environmental Scientist  
qayers@ecslimited.com  
972-392-3222

Jared Hovland  
Environmental Staff Project  
Manager  
jhovland@ecslimited.com  
972-392-3222

Bridget E. Sedlack  
Regional Manager Environmental  
Services  
bsedlack@ecslimited.com  
972-392-3222

**Project Summary**

Haslet Texas Tract ESA  
2101 Avondale-Haslet Road  
Haslet, Texas 76052

<b>Report Section</b>		<b>No Further Action</b>	<b>REC</b>	<b>CREC</b>	<b>HREC</b>	<b>BER</b>	<b>Comment</b>
<u>4.0</u>	User Provided Information	✓					
<u>5.1</u>	Federal ASTM Databases	✓					
<u>5.2</u>	State ASTM Databases	✓					
<u>5.3</u>	Additional Environmental Record Sources	✓					
<u>6.0</u>	Historical Use Information	✓					
<u>7.0</u>	Site and Area Reconnaissance	✓					
<u>8.0</u>	Additional Services	✓					
<u>9.0</u>	Interviews	✓					

**ENVIRONMENTAL PROFESSIONAL STATEMENT**

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in § 312.10 of 40 CFR 312. We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.



Jared Hovland  
Environmental Staff Project Manager  
September 7, 2023



Bridget E. Sedlack  
Regional Manager Environmental Services  
September 7, 2023



<b>TABLE OF CONTENTS</b>		<b>PAGE</b>
<b>1.0</b>	<b>EXECUTIVE SUMMARY</b> .....	<b>1</b>
1.1	Recommendations .....	2
<b>2.0</b>	<b>INTRODUCTION</b> .....	<b>4</b>
2.1	Purpose and Reason for Performing Phase I ESA .....	4
2.2	Scope of Services .....	4
2.3	Definitions .....	5
2.4	Limitations .....	5
2.5	Data Gaps .....	6
2.6	Limiting Conditions/Deviations .....	6
<b>3.0</b>	<b>SUBJECT PROPERTY DESCRIPTION</b> .....	<b>7</b>
3.1	Subject Property Location and Legal Description .....	7
3.2	Physical Setting and Hydrogeology .....	7
3.3	Current Use and Description of the Site .....	8
<b>4.0</b>	<b>USER PROVIDED INFORMATION</b> .....	<b>9</b>
4.1	Title Information .....	9
4.2	Environmental Liens or Activity and Use Limitations .....	9
4.3	Specialized Knowledge .....	9
4.4	Commonly Known or Reasonably Ascertainable Information .....	9
4.5	Valuation Reduction for Environmental Issues .....	9
4.6	Owner, Property Manager, and Occupant Information .....	9
4.7	Degree of Obviousness .....	10
<b>5.0</b>	<b>RECORDS REVIEW</b> .....	<b>11</b>
5.1	Federal ASTM Databases .....	12
5.2	State ASTM Databases .....	13
5.3	Additional Environmental Record Sources .....	13
5.3.1	Additional Non-ASTM Federal Databases .....	13
5.3.2	Additional Non-ASTM State Databases .....	13
5.3.3	Other Proprietary Databases .....	13
5.3.4	Unmapped (Orphan) Facilities and Sites .....	13
5.4	Regulatory Review Summary .....	13
<b>6.0</b>	<b>HISTORICAL USE INFORMATION</b> .....	<b>14</b>

6.1 Aerial Photograph Review ..... 14

6.2 Sanborn Fire Insurance Map Review ..... 15

6.3 Historical USGS Topographic Maps ..... 15

6.4 City Directory Review ..... 16

6.5 Property Tax Files ..... 17

6.6 Recorded Land Title Records ..... 17

6.7 Building Department Records ..... 17

6.8 Zoning/Land Use Records ..... 17

6.9 Previous Reports ..... 17

6.10 Other Historical Sources ..... 18

6.11 Historical Use Summary ..... 18

**7.0 SITE AND AREA RECONNAISSANCE ..... 19**

7.1 Methodology ..... 19

7.2 On-Site Features ..... 19

7.2.1 Observed Geologic, Hydrogeologic, Hydrologic, and Topographic  
Conditions ..... 19

7.2.2 Past Site Uses ..... 19

7.2.3 Current Uses ..... 19

7.3 Adjoining and Nearby Properties ..... 20

7.4 Site and Area Reconnaissance Summary ..... 21

**8.0 ADDITIONAL SERVICES ..... 22**

**9.0 INTERVIEWS ..... 23**

**10.0 FINDINGS AND CONCLUSIONS ..... 24**

10.1 Findings and Opinions ..... 24

10.2 Significant Data Gaps ..... 24

10.3 De Minimis Conditions ..... 24

10.4 Conclusions ..... 24

10.5 Recommendations ..... 25

**11.0 REFERENCES ..... 26**



## **TABLE OF APPENDICES**

Appendix I: Figures

Appendix II: Interviews, Correspondence and User Questionnaire

Appendix III: Regulatory Records Documentation

Appendix IV: Historical Research Documentation

Appendix V: Site Photographs

Appendix VI: Statement of Qualifications

Appendix VII: Acronyms

## 1.0 EXECUTIVE SUMMARY

ECS Southwest, LLP (ECS) was contracted by Fort Worth Development Group, LLC to perform an ASTM International (ASTM) E1527-21, Phase I Environmental Site Assessment (ESA) of the Haslet Texas Tract ESA located at 2101 Avondale-Haslet Road in Haslet, Tarrant County, Texas (i.e. subject property). This Executive Summary is an integral part of the Phase I ESA report. ECS recommends that the report be read in its entirety.

The subject property is identified by the Tarrant Appraisal District as Parcel ID 42301236 and owned by HUNTER CROSSROADS LP. The approximately 0.932-acre subject property is undeveloped land. The subject property is located in the vicinity of municipal water and sanitary sewer services.

The subject property is located in a suburban, mixed-use area of Haslet, Texas. Based on the review of site topography and conditions observed during the site reconnaissance, it is our professional opinion that properties to the northwest are presumed to be hydrogeologically up-gradient of the subject property. The adjoining properties to the north of the subject property consist of Avondale-Haslet Road with an ABC Supply Co. Inc. distribution warehouse beyond; undeveloped land to the east; undeveloped land to the south; and an O'Reilly Auto Parts retail store to the west. ECS did not identify environmental issues associated with current occupants or activities at adjoining or nearby properties that are believed to present a recognized environmental condition (REC) at the subject property.

Based on the records search, site reconnaissance, and interviews, it appears that the subject property has been undeveloped since 1894. Historical records prior to 1894 were not reasonably ascertainable for the subject property.

Our review of historical information for adjoining or nearby properties identified the area as originally a rural, agricultural area that transitioned to a suburban, mixed-use area.

A regulatory database search report was provided by Environmental Data Resources, Inc. (EDR). The database search involves researching a series of Federal, State, Local, and other databases for facilities and properties that are located within specified minimum search distances from the subject property. The report did not identify the subject property on the databases researched. The EDR report did not identify off-site properties within the minimum ASTM search distances. Based on our review of the regulatory database search report, a REC for the subject property was not identified.

ASTM E1527-21 defines a "*data gap*" as: "a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information." A "*significant data gap*" is "a data gap that affects the ability of the environmental professional to identify a recognized environmental condition." Significant data gaps that would be expected to impact our ability to render a professional opinion concerning the subject property were not identified.

We have performed a Phase I ESA in general conformance with the scope and limitations of ASTM E1527-21 of the Haslet Texas Tract ESA located at 2101 Avondale-Haslet Road in Haslet, Tarrant County, Texas, the subject property. Any exceptions to, or deletions from, this practice are described in Section 2.6 of this report. This assessment has revealed no evidence of RECs, controlled recognized environmental conditions (CRECs), or significant data gaps in connection with the property.

### **1.1 Recommendations**

It is the opinion of ECS Southwest, LLP that additional environmental assessment of the subject property is not warranted at this time.

**Table of Critical Dates**

<b>Item</b>	<b>Date</b>
Report Issuance Date & Declaration by Environmental Professional	September 7, 2023
Date of Interview with Past and Present Owners and Occupants	September 11, 2023
Date of Recorded Environmental Cleanup Lien Search	Not Contracted
Date of Government Record Review Report	August 29, 2023
Date of Visual Inspection of Subject and Adjoining Properties	August 31, 2023
Earliest Date of Interviews, Lien Search, Record Reviews, and Inspections	August 29, 2023
Report Viability Date	February 25, 2024

According to ASTM E1527-21: "...an environmental site assessment meeting or exceeding this practice is presumed to be viable when it is conducted within 180 days prior to the date of acquisition of the subject property (or, for transactions not involving an acquisition such as a lease or refinance, the date of the intended transaction). The dates of the components presented in 4.6.2(i), (iii), (iv), and (v) for interviews, review of government records, visual inspections, and declaration by environmental professional, shall be identified in the report. Completion of searches for recorded environmental cleanup liens (4.6.2(ii)) is a user responsibility; however, if the user has engaged the environmental professional to conduct these searches, then that date shall also be identified in the report." The 180-day viability period begins with the date of the earliest referenced resource noted above.

ECS was provided with a copy of the Commitment for Title Insurance by the User dated August 2, 2023 (GF. No. 1002-384297-RTT). The title information received did not indicate the presence of liens or restrictions of environmental concern. Refer to Section 4.1 for additional information.

## 2.0 INTRODUCTION

ECS was contracted by Fort Worth Development Group, LLC to perform an ASTM E1527-21, ESA of the Haslet Texas Tract ESA located at 2101 Avondale-Haslet Road in Haslet, Tarrant County, Texas (i.e. subject property). A Site Location Map is provided in [Appendix I](#).

### 2.1 Purpose and Reason for Performing Phase I ESA

The purpose of the ESA was to:

- identify the presence or likely presence of hazardous substances and/or petroleum in, on, or at the subject property due to a release (defined by 42 United States Code (USC) 9601.22) and/or likely release; or under conditions that pose a material threat of a future release in accordance with ASTM E1527-21. (Note: presence or likely presence of hazardous substances or petroleum in, on, or at the subject property may originate from onsite or offsite sources);
- conduct all appropriate inquiries as defined by ASTM E1527-21 and 40 Code of Federal Regulations (CFR) Part 312; and,
- provide a professional opinion regarding Recognized Environmental Conditions (RECs), Controlled Recognized Environmental Conditions (CRECs), and Historical Recognized Environmental Conditions (HRECs), as defined by ASTM E1527-21, in, on, or at the subject property.

The ESA should allow the Users the opportunity to qualify for landowner liability protection under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) provided certain stipulations are met. The landowner liability protections are: an innocent landowner, a contiguous property owner, or a bona fide prospective purchaser. The User must meet the protection stipulations detailed in CERCLA to qualify as well as meet the User Obligations contained within the ASTM E1527-21 standard.

This ESA was requested by Fort Worth Development Group, LLC in anticipation of pending a real estate transaction. Therefore, ECS understands that the purpose of the ESA is to perform all appropriate inquiries into the uses and prior ownership of the subject property as required for CERCLA limited liability defenses in accordance with 40 CFR Part 312, and/or provide information as needed for the financial/business decisions of the User.

### 2.2 Scope of Services

The environmental assessment was conducted in general accordance with ASTM E1527-21, which is in accordance with EPA Standards and Practices for All Appropriate Inquiry (40 CFR §312.10). The environmental assessment was conducted under the supervision or responsible charge of an individual that qualifies as an environmental professional, as defined in 40 CFR §312.10.

ECS was contracted by Fort Worth Development Group, LLC to perform an ASTM E1527-21, Phase I ESA of the Haslet Texas Tract ESA located at 2101 Avondale-Haslet Road in Haslet, Tarrant County, Texas. ECS was not contracted to conduct additional services beyond the scope of a base ASTM E1527-21 Phase I ESA as part of this assessment.



## 2.3 Definitions

ASTM E1527-21 defines a "*recognized environmental condition (REC)*" as "(1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment." For the purposes of this definition, "likely" is that which is neither certain nor proved, but can be expected or believed by a reasonable observer based on the logic and/or experience of the environmental professional, and/or available evidence, as stated in the report to support the opinions given therein.

ASTM E1527-21 defines a "*historical recognized environmental condition (HREC)*" as "a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls (for example, activity and use limitations or other property use limitations). A historical recognized environmental condition is not a recognized environmental condition."

ASTM E1527-21 defines a "*controlled recognized environmental condition (CREC)*" as "recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls (for example, activity and use limitations or other property use limitations)."

ASTM E1527-21 defines a "*business environmental risk (BER)*" as "a risk that can have a material environmental or environmentally-driven impact on the business associated with the current or planned use of commercial real estate, not necessarily related to those environmental issues required to be investigated in this practice." This assessment does not include ASTM Non-Scope items or identify business environmental risks unless specifically requested by the Client, and included in [Section 8.0](#) of this report.

ASTM E1527-21 defines a "*de minimis condition*" as "a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. A condition determined to be a *de minimis* condition is not a recognized environmental condition nor a controlled recognized environmental condition."

## 2.4 Limitations

The ESA involved a reconnaissance of the subject property and contiguous properties and a review of regulatory and historical information in general accordance with the ASTM standard and EPA regulation referenced herein. No non-scope considerations or additional issues such as asbestos, radon, wetlands or mold were investigated, unless otherwise described in Section 8.0 of this report.



Note: Although potential vapor migration was considered as part of this ASTM E1527-21 Phase I ESA, the Phase I ESA was not intended to fully meet the requirements of the Vapor Encroachment Screen per the ASTM E2600 guide, which is beyond the scope of an ASTM E1527-21 Phase I ESA.

The conclusions and/or recommendations presented within this report are based upon a level of investigation consistent with the standard of care and skill exercised by members of the same profession currently practicing in the same locality under similar conditions. The intent of this assessment is to identify the potential for recognized environmental conditions in connection with the subject property; however, no environmental site assessment can completely eliminate uncertainty regarding the potential for recognized environmental conditions in connection with the subject property. The findings of this ESA are not intended to serve as an audit for health and safety compliance issues pertaining to improvements or activities at the subject property. ECS is not liable for the discovery or elimination of hazards that may potentially cause damage, accidents or injury.

Observations, conclusions and/or recommendations pertaining to environmental conditions at the subject property are necessarily limited to conditions observed, and or materials reviewed at the time this study was undertaken. It was not the purpose of this study to determine the actual presence, degree or extent of contamination, if any, at this subject property. This could require additional exploratory work, including sampling and laboratory analysis. No warranty, expressed or implied, is made with regard to the conclusions and/or recommendations presented within this report.

This report is provided for the exclusive use of Fort Worth Development Group, LLC. This report is not intended to be used or relied upon in connection with other projects or by other unidentified third parties. The use of this report by any undesignated third party or parties will be at such party's sole risk and ECS disclaims liability for any such third party use or reliance. The use of this report is subject to the same terms, conditions and scope of work reflected in this report and the associated proposal.

## 2.5 Data Gaps

ASTM E1527-21 defines a "*data gap*" as: "a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information." A "*significant data gap*" is "a data gap that affects the ability of the environmental professional to identify a recognized environmental condition."

Significant data gaps that would be expected to limit our ability to identify RECs or render a professional opinion concerning the subject property were not identified during this assessment.

## 2.6 Limiting Conditions/Deviations

ASTM E1527-21 requires that the Environmental Professional identify limiting conditions, deletions, and deviations from the ASTM E1527-21 standard, if any, including client-imposed constraints.

Conditions that limited our ability to observe the subject property and/or identify RECs in, on, or at the subject property were not encountered while conducting this Phase I ESA. The scope of this assessment was not intended to deviate from the ASTM E1527-21 Standard Practice unless otherwise noted within this report.

### 3.0 SUBJECT PROPERTY DESCRIPTION

A general description of the Subject Property is provided in the following Section. A Site Location Map is provided as **Figure 1**, a Topographic Map is provided as **Figure 2**, and a Site Layout/Vicinity Map is provided as **Figure 3** located in [Appendix I](#).

#### 3.1 Subject Property Location and Legal Description

<b>Site Name</b>	Haslet Texas Tract ESA
<b>Property Address</b>	2101 Avondale-Haslet Road
<b>Property City, State</b>	Haslet, Texas
<b>Property County</b>	Tarrant County
<b>Number of Parcels</b>	One (1)
<b>Property ID Number(s)</b>	42301236
<b>Property Size</b>	0.932 Acres
<b>Property Owner of Record</b>	HUNTER CROSSROADS LP
<b>Property Legal Description</b>	VISTA CROSSROADS ADDN Block 2 Lot 4

#### 3.2 Physical Setting and Hydrogeology

<b>United States Geological Survey (USGS) Topographic Map</b>	
<b>Quad Designation</b>	Avondale, Texas
<b>Date</b>	2019
<b>Subject Property Settings</b>	
<b>Geologic Province</b>	Washita Group
<b>Average Subject Property Elevation (in feet or meters)</b>	847 feet above mean sea level.
<b>General Sloping Direction</b>	The subject property generally slopes to the southeast.
<b>Bodies of Water</b>	Bodies of water were not observed on the subject property.
<b>Presumed Direction of Groundwater Flow</b>	Groundwater flow is expected to flow southeast based on predicted groundwater flow data and USGS Topographic Maps provided by Environmental Data Resources, Inc.

<b>Presumed Hydrogeological Up-gradient Direction</b>	Northwest
---	-----------

<b>Nearby Properties' Setting</b>	
<b>General Sloping Direction</b>	Nearby properties generally slope to the southeast.
<b>Bodies of Water</b>	Bodies of water were not observed on nearby properties.
<b>General Directions of Surface Flow</b>	Surface waters are generally expected to flow to the southeast.
<b>Presumed Direction of Groundwater Flow</b>	Groundwater flow is expected to flow southeast based on predicted groundwater flow data and USGS Topographic Maps provided by Environmental Data Resources, Inc.

Regional influences may have an impact on groundwater flow. The actual groundwater flow direction cannot be determined without site-specific information obtained through the gauging of groundwater monitoring wells.

### 3.3 Current Use and Description of the Site

The subject property consists of an approximately 0.932-acre parcel of land that is currently undeveloped. The subject property is located in an area that can generally be described as a suburban, mixed-use area.

## 4.0 USER PROVIDED INFORMATION

The ASTM standard includes disclosure and obligations of the User to help the Environmental Professional identify the potential for Recognized Environmental Conditions associated with the subject property. The ASTM E1527-21 User Questionnaire was submitted to and completed by Eva Newton, representing Fort Worth Development Group, LLC (User of the report). Section 4.0 is based on the completed User Questionnaire. A copy of the completed User Questionnaire is included in Appendix II.

### 4.1 Title Information

ECS was contracted by the User to obtain a 1940 Chain of Title and was provided with a Title Commitment. According to the information provided by EDR, and information received from the user information related to the possible presence of a REC was not identified in the documents received and reviewed.

### 4.2 Environmental Liens or Activity and Use Limitations

ECS was neither contracted to obtain information on environmental liens or activity and use limitations (AULs). However, ECS was contracted by the User to obtain a 1940 Chain of Title. According to the information provided by EDR, information related to the possible presence of a REC, or the presence of environmental liens or AULs on the subject property was not found in the Chain of Title received and reviewed.

ECS was provided a copy of the Commitment for Title Insurance (T-7) by the User dated August 2, 2023 (GF. No. 1002-384297-RTT). The title information received did not indicate the presence of liens or restrictions of environmental concern. Refer to Section 4.1 for additional information.

### 4.3 Specialized Knowledge

The User indicated that they did not possess specialized knowledge of the subject property.

### 4.4 Commonly Known or Reasonably Ascertainable Information

The User indicated that they were not aware of commonly known environmental concerns related to the subject property.

### 4.5 Valuation Reduction for Environmental Issues

According to the User, the purchase price being paid for the subject property reasonably reflects its fair market value.

### 4.6 Owner, Property Manager, and Occupant Information

The User indicated that Hunter Crossroads, LP was the owner of the property.

#### **4.7 Degree of Obviousness**

The User stated that they were not aware of obvious indicators that point to the presence or likely presence of contamination at the subject property.

## 5.0 RECORDS REVIEW

A regulatory records search of ASTM standard and supplemental databases was conducted for the subject property and is included in Appendix III. The regulatory search report in the appendix includes additional details about the regulatory databases that were reviewed. The regulatory records search involves searching a series of databases for facilities that are located within a specified distance from the subject property. The ASTM standard specifies an approximate minimum search distance from the subject property for each database. Pursuant to ASTM, the approximate minimum search distance may be reduced for each standard environmental record except for Federal NPL site list, and Federal RCRA TSD list. According to ASTM, government information obtained from nongovernmental sources may be considered current if the source updates the information at least every 90 days or, for information that is updated less frequently than quarterly by the government agency, within 90 days of the date the government agency makes the information available to the public. The following table indicates the standard environmental record sources and the approximate minimum search distances for each record.

<b>Standard Environmental Record Sources</b>	<b>Approximate Minimum Search Distance Per ASTM (miles)</b>	<b>Subject Property</b>	<b>Off-Site Properties</b>
Federal NPL	1.0	No	0
Federal Delisted NPL	0.5	No	0
Federal CERCLIS	0.5	No	0
Federal CERCLIS NFRAP	0.5	No	0
Federal RCRA CORRACTS	1.0	No	0
Federal RCRA non-CORRACTS TSD	0.5	No	0
Federal RCRA Generators	Subject Site and Adjoining Properties	No	0
Federal IC/EC	Subject Site Only	No	N/A
Federal ERNS	Subject Site Only	No	N/A
State and Tribal Hazardous Waste Sites (NPL Equivalent)	1.0	No	0

<b>Standard Environmental Record Sources</b>	<b>Approximate Minimum Search Distance Per ASTM (miles)</b>	<b>Subject Property</b>	<b>Off-Site Properties</b>
State and Tribal Hazardous Waste Sites (CERCLIS Equivalent)	0.5	No	0
State and Tribal Landfill and/or solid waste disposal sites	0.5	No	0
State and Tribal Leaking Tanks	0.5	No	0
State and Tribal Registered UST and AST	Subject Site and Adjoining Properties	No	0
State and Tribal IC/EC	Subject Site Only	No	N/A
State and Tribal Voluntary Cleanup (VCP)	0.5	No	0
State and Tribal Brownfield Sites	0.5	No	0

Based on our knowledge of the subject property and the surrounding area, ECS attempts to verify and interpret this data. While this attempt at verification is made with due diligence, ECS cannot guarantee the accuracy of the record(s) search beyond that of information provided by the regulatory report(s). ECS makes no warranty regarding the accuracy of the database report information included within the regulatory report(s).

The regulatory database search was performed by EDR, and their report is dated August 29, 2023. ECS did not reduce the minimum ASTM search distances stipulated in the standard. The regulatory databases reviewed by ECS included supplemental databases researched by EDR.

### 5.1 Federal ASTM Databases

Neither the subject property nor properties within the designated search radii were identified on the federal databases researched for this assessment.



## **5.2 State ASTM Databases**

Neither the subject property nor properties within the designated search radii were identified on the state databases researched for this assessment.

## **5.3 Additional Environmental Record Sources**

### **5.3.1 Additional Non-ASTM Federal Databases**

Neither the subject property nor properties within the designated search radii were identified on the additional non-ASTM federal databases researched for this assessment.

### **5.3.2 Additional Non-ASTM State Databases**

Neither the subject property nor properties within the designated search radii were identified on the additional non-ASTM state databases researched for this assessment.

### **5.3.3 Other Proprietary Databases**

Neither the subject property nor properties within the designated search radii were identified on the additional proprietary databases researched for this assessment.

### **5.3.4 Unmapped (Orphan) Facilities and Sites**

Orphan properties are those that cannot be geocoded due to inaccurate or insufficient address information in the databases searched. No properties were identified on the Orphan Summary List in the EDR report.

## **5.4 Regulatory Review Summary**

A regulatory database search report was provided by EDR. The database search involves researching a series of Federal, State, Local, and other databases for facilities and properties that are located within specified minimum search distances from the subject property. The report did not identify the subject property on the databases researched. The EDR report did not identify off-site properties within the minimum ASTM search distances. Based on our review of reasonably ascertainable public records, ECS does not consider there to be potential sources of soil, groundwater, or vapor impact on the subject property. Therefore, ECS does not believe that there would be issues that result in RECs for the subject property.



## 6.0 HISTORICAL USE INFORMATION

### 6.1 Aerial Photograph Review

ECS reviewed aerial photographs of the subject property and immediately surrounding properties for evidence of former usage which may indicate potential environmental issues. The aerial photographs were obtained from EDR. The aerial photographs reviewed were dated 1942, 1950, 1968, 1973, 1979, 1984, 1990, 1995, 2005, 2008, 2012, 2016, and 2020. Aerial photographs dated prior to 1942 were not available for review. The ECS review is dependent on the quality and scale of the photographs.

The following is a description of relevant information from the aerial photographs:

Year(s)	Subject Property	Adjoining Properties	REC? (yes or no)
1942, 1950, 1968, 1973, 1979, 1984, and 1990	The subject property appeared to be arable, agricultural land. Avondale-Haslet Road appeared along the north boundary of the subject property.	The adjoining properties appeared to be arable, agricultural land.	No
1995	The subject property appeared to be arable, agricultural land. Avondale-Haslet Road appeared along the north boundary of the subject property.	The adjoining property to the north appeared to be under development. The adjoining properties to the east, south, and west appeared to be arable, agricultural land.	No
2005, 2008, 2012, and 2016	The subject property appeared to be undeveloped. Avondale-Haslet Road appeared along the north boundary of the subject property.	The adjoining property to the north appeared to be a distribution warehouse. The adjoining properties to the east, south, and west appeared to be arable, agricultural land.	No
2020	The subject property appeared to be undeveloped. Avondale-Haslet Road appeared along the north boundary of the subject property.	The adjoining property to the north appeared to be a distribution warehouse. The adjoining properties to the east and south appeared to be arable, agricultural land. The adjoining property to the west appeared to be developed with a retail building.	No

## 6.2 Sanborn Fire Insurance Map Review

In an effort to identify past uses, ECS utilized EDR to search for historical Sanborn Fire Insurance Maps (Sanborn) for the subject property and surrounding area. Sanborn maps were not available for this area. The absence of such maps generally indicates that the subject property is located in an area where Sanborn maps were not produced because the area was rural or it was not economically feasible. ECS does not expect the lack of Sanborn maps to impact our ability to render a professional opinion concerning the subject property given the amount of historical information obtained from our research, the USGS topographic map, aerial photographs, city directories, and other historical records obtained. A copy of the Unmapped Property report is included within Appendix IV.

## 6.3 Historical USGS Topographic Maps

Topographic maps are produced by the USGS for various time periods. ECS reviewed topographic maps of the subject property and immediately surrounding properties for evidence of former usage that may indicate potential environmental issues. The topographic maps were obtained from EDR and were dated 1894, 1955, 1968, 1972, 1982, 2012, 2016, and 2019. Topographic maps dated prior to 1894 were not available for review.

The following is a description of relevant information from the topographic maps:

Year(s)	Subject Property	Adjoining Properties	REC? (yes or no)
1894 and 1955	Structures were not depicted on the subject property. Avondale-Haslet Road was depicted along the north boundary of the subject property.	Structures were not depicted on the adjoining properties.	No
1968, 1972, and 1982	Structures were not depicted on the subject property. Avondale-Haslet Road was depicted along the north boundary of the subject property.	Structures were not depicted on the adjoining properties to the east, south, and west. One (1) structure was depicted on the adjoining property to the north.	No
2012, 2016, and 2019	Structures were not depicted on the 2012, 2016, or 2019 USGS Topographic Map. Avondale-Haslet Road was depicted along the north boundary of the subject property.	Structures were not depicted on the 2012, 2016, or 2019 USGS Topographic Map.	No

## 6.4 City Directory Review

One of the ASTM standard historical sources to be reviewed for previous subject property uses is local street directories, commonly known as City Directories. The purpose of the directory review is to identify past occupants of the subject property, adjoining properties, or nearby properties. In some rural areas, street directories information is limited.

ECS reviewed city directories obtained from EDR. The subject property address utilized for the research was 2101 Avondale-Haslet Road. The directories reviewed were dated 1974, 1979, 1984, 1989, 1992, 1995, 2000, 2005, 2010, 2014, 2017, and 2020. Directories dated prior to 1974 were not available for review. A copy of the city directory report is included in Appendix IV.

The following is a description of relevant information from the city directories:

<b>Year(s)</b>	<b>Subject Property</b>	<b>Adjoining Properties</b>	<b>REC? (yes or no)</b>
1974, 1979, 1984, 1989, 1992, and 1995	No Listings	No Listings	No
2000	No Listings	2100 Avondale-Haslet Road - Bulkmatic Transport Co	No
2005 and 2010	No Listings	No Listings	No
2014	No Listings	2100 Avondale-Haslet Road - Bulkmatic Transport Co	No
2017	No Listings	2100 Avondale-Haslet Road - S&S Concrete Contractors of Texas 2150 Avondale-Haslet Road - Car Heart Autocare	No
2020	No Listings	2100 Avondale-Haslet Road - S&S Concrete Contractors Inc, TDH Manufacturing, and A+ Dent Removal 2129 Avondale-Haslet Road - O'Reilly Auto Parts 2150 Avondale-Haslet Road - Car Heart Autocare and Yummy Cafe & Sweets	No

## 6.5 Property Tax Files

Property tax files may include records of past ownership, appraisals, maps, sketches, photos, or other information kept by the local jurisdiction for property tax assessment purposes. According to the Tarrant County tax assessor online information, the subject property is owned by HUNTER CROSSROADS LP. The subject property is listed as a 0.932-acre parcel with an identification number of 42301236.

## 6.6 Recorded Land Title Records

Recorded land title records may include leases, land contracts, and AULs recorded by the local jurisdiction. Land title records may provide only a list of the names of previous owners and may be of limited use; however, they may provide useful information about uses or occupancy of the property when employed in combination with other sources.

ECS was contracted by the User to obtain a 1940 Chain of Title. According to the information provided by EDR, information related to the possible presence of a REC was not identified in the documents received and reviewed. ECS was provided with a copy of the Commitment for Title Insurance by the User dated August 2, 2023 (GF. No. 1002-384297-RTT). The title information received did not indicate the presence of liens or restrictions of environmental concern. Refer to Section 4.1 for additional information.

## 6.7 Building Department Records

The term building department records refers to those records of the local government indicating the permissions of the local government to construct, alter, or demolish improvements on the property.

ECS contacted the City of Haslet Building Department to determine if they had historical information regarding construction dates, inspections, or other information regarding the subject property. A Freedom of Information Act (FOIA) request was submitted to the Building Department on August 29, 2023. No information has been received at the time of the report completion. If information is received that changes the conclusions or recommendations of this report, ECS will forward the information to the Client.

## 6.8 Zoning/Land Use Records

The term zoning/land use records refer to records of the local government indicating the uses permitted by the government in particular zones within its jurisdictions. ECS reviewed zoning/land use records obtained from the City of Haslet Zoning Map. The subject property is currently zoned for commercial use.

## 6.9 Previous Reports

ECS has not been provided with environmental or engineering assessment reports for the subject property completed by others, nor has ECS completed similar studies or prior assessments of the subject property.



### **6.10 Other Historical Sources**

Other credible historical sources may be reviewed to identify past uses of the subject property. These sources may include websites, county or state road maps, historical society documents, or local library information.

ECS contacted the City of Haslet to determine if they had regulatory or historical information regarding environmental issues concerning the subject property. A FOIA request was submitted to the City of Haslet on August 29, 2023. No information has been received at the time of the report completion. If information is received that changes the conclusions or recommendations of this report, ECS will forward the information to the Client.

### **6.11 Historical Use Summary**

According to historical research, the subject property has been undeveloped since 1894.

The surrounding area has developed slowly from a primarily rural, agricultural area that transitioned to a suburban, mixed-use area.

No obvious indications of RECs were identified in the historical data review.

## 7.0 SITE AND AREA RECONNAISSANCE

### 7.1 Methodology

Quinton Ayers of ECS conducted the field reconnaissance on August 31, 2023. The weather at the time of the reconnaissance was 85 degrees Fahrenheit and clear. Observations were made from a walking reconnaissance around the perimeter and along several transects across the subject property. Access or visibility limitations, if any, are discussed in Section 2.6. Subject property photographs are included in Appendix V.

### 7.2 On-Site Features

#### 7.2.1 Observed Geologic, Hydrogeologic, Hydrologic, and Topographic Conditions

The subject property was observed to generally slope southeast.

#### 7.2.2 Past Site Uses

During the site reconnaissance, ECS observed the subject property for evidence of past occupancy or usage that could indicate the presence of environmental concerns. Based on current site conditions observed during the site reconnaissance, ECS did not identify evidence of past uses or occupancy that would indicate the presence of a REC for the subject property.

#### 7.2.3 Current Uses

The subject property is approximately 0.932 acres in size and consists of undeveloped land. Water and sewer services are available in the vicinity of the subject property through the City of Haslet. Evidence of structures associated with the subject property was not noted. There was a sanitary sewer clean-out located near the northwest corner of the property and a storm drain located near the southeast corner of the subject property.

Pertinent features of environmental concern were not observed during the site reconnaissance.

Feature	Yes	No
Hazardous Substances and Petroleum Products in Connection with Identified Uses		✓
Hazardous Substance and Petroleum Product Containers Not in Connection with Identified Uses		✓
Drums, Totes, and Intermediate Bulk Containers		✓
Unidentified Substance Containers		✓
Underground or Aboveground Storage Tanks		✓
Strong, Pungent or Noxious Odors		✓

Feature	Yes	No
Standing Surface Water and Pools or Sumps Containing Liquids Likely to be Hazardous Substances or Petroleum Products		✓
Known or Suspect PCB-containing Equipment		✓
Stains or Corrosion to Floors, Walls or Ceilings		✓
Stained Soil or Pavement		✓
Floor Drains and Sump Pumps		✓
Pits, Ponds or Lagoons		✓
Stressed Vegetation		✓
Solid Waste Mounds or Non-natural Fill Materials		✓
Water/Wastewater Discharge		✓
Groundwater Wells		✓
Septic Systems or Cesspools		✓
Hydraulic Equipment (Elevators, Lifts, Compactors, Etc.)		✓
Dry Cleaning		✓
Specialized Industrial Equipment		✓
Onsite Electrical Generators		✓
Oil-water Separators		✓

### 7.3 Adjoining and Nearby Properties

Contiguous and nearby properties were observed during a walking and vehicular reconnaissance of the subject property boundary and public places. The subject property is located in a suburban, mixed-use area of Haslet, Tarrant County, Texas.

Direction	Description	Relative Gradient	REC
North	Avondale-Haslet Road with an ABC Supply Co. Inc. distribution warehouse beyond	Cross-gradient	No
East	Undeveloped land	Down-gradient	No
South	Undeveloped land	Cross-gradient	No
West	O'Reilly Auto Parts retail store	Up-gradient	No

Pertinent features of environmental concern were not observed on adjoining or nearby properties during the site reconnaissance.

#### **7.4 Site and Area Reconnaissance Summary**

According to site observations and a review of adjoining and nearby properties, the subject property is currently undeveloped. The subject property is located in a suburban, mixed-use area. Details pertaining to the on-site and off-site observations are referenced previously. ECS did not identify RECs associated with the subject property or neighboring properties and businesses during the reconnaissance.



## 8.0 ADDITIONAL SERVICES

ASTM guidelines identify non-scope issues, which are beyond the scope of this practice. Non-scope issues have the potential to be business environmental risks. Some of these non-scope issues include; asbestos-containing building materials, radon, lead-based paint, lead in drinking water, wetlands, and suspected microbial growth.

ECS was not authorized to assess non-scope issues in conjunction with this assessment.

## 9.0 INTERVIEWS

Scott Rohrman, the owner of the subject property, completed the Owners Questionnaire on September 11, 2023. Mr. Rohrman indicated he has been associated with the subject property for over 12 years, and has significant knowledge related to the subject property and associated activities. He indicated the subject property has been undeveloped and utilized for farming.

Additionally, Mr. Rohrman indicated that he is not aware of 1) any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, at, or from the subject property; 2) any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on or from the subject property; or 3) any notices from any governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products.

Copies of interview documentation are included in Appendix II.

ECS interviewed local government officials and agencies via written Freedom of Information Act requests. The information gained from such sources is included in [Section 6.10](#).

## 10.0 FINDINGS AND CONCLUSIONS

### 10.1 Findings and Opinions

The subject property is identified by the Tarrant Appraisal District as Parcel ID 42301236 and owned by HUNTER CROSSROADS LP. The approximately 0.932-acre subject property is undeveloped land. The subject property is located in the vicinity of municipal water and sanitary sewer services.

The subject property is located in a suburban, mixed-use area of Haslet, Texas. Based on our review of site topography and conditions observed during the site reconnaissance, it is our professional opinion that properties to the southeast are presumed to be hydrogeologically up-gradient of the subject property. The adjoining properties to the north of the subject property consist of Avondale-Haslet Road with an ABC Supply Co. Inc. distribution warehouse beyond; undeveloped land to the east; undeveloped land to the south; and an O'Reilly Auto Parts retail store to the west. ECS did not identify environmental issues associated with current occupants or activities at adjoining or nearby properties that are believed to present a REC at the subject property.

Based on the records search, site reconnaissance, and interviews, it appears that the subject property has been undeveloped since 1894. Historical records prior to 1894 were not reasonably ascertainable for the subject property.

Our review of historical information for adjoining or nearby properties identified the area as originally a rural, agricultural area that transitioned to a suburban, mixed-use area.

A regulatory database search report was provided by EDR. The database search involves researching a series of Federal, State, Local, and other databases for facilities and properties that are located within specified minimum search distances from the subject property. The report did not identify the subject property on the databases researched. The EDR report did not identify off-site properties within the minimum ASTM search distances. Based on our review of the regulatory database search report, a REC for the subject property was not identified.

### 10.2 Significant Data Gaps

Significant data gaps that would be expected to impact our ability to render a professional opinion concerning the subject property were not identified.

### 10.3 De Minimis Conditions

ECS did not identify *de minimis* conditions associated with the subject property during this assessment.

### 10.4 Conclusions

We have performed a Phase I Environmental Site Assessment in general conformance with the scope and limitations of ASTM E1527-21 of the Haslet Texas Tract ESA located at 2101 Avondale-Haslet Road in Haslet, Tarrant County, Texas, the subject property. Any exceptions to, or deletions from,

this practice are described in Section 2.6 of this report. This assessment has revealed no evidence of recognized environmental conditions, controlled recognized environmental conditions, or significant data gaps in connection with the property.

### **10.5 Recommendations**

It is the opinion of ECS Southwest, LLP that additional environmental assessment of the subject property is not warranted at this time.

## 11.0 REFERENCES

ASTM E1527-21. Standard Practice for Environmental Site Assessment, Phase I Environmental Site Assessment Process.

City of Haslet Zoning Information Retrieved from City of Haslet Planning & Zoning Website <https://haslet.org/DocumentCenter/View/701/Zoning-Map>

Environmental Data Resources, Inc. (2023). Certified Sanborn® Map Report (Report No. 7429838.3). 2023, August 29.

Environmental Data Resources, Inc. (2023). EDR 1940 Chain of Title (Report No. 7429838.10S). 2023, September 5.

Environmental Data Resources, Inc. (2023). EDR Aerial Photo Decade Package (Report No. 7429838.8). 2023, August 29.

Environmental Data Resources, Inc. (2023). EDR City Directory Abstract (Report No. 7429838.5). 2023, August 31.

Environmental Data Resources, Inc. (2023). EDR Historical Topographic Map Report (Report No. 7429838.4). 2023, August 29.

Environmental Data Resources, Inc. (2023). EDR Radius Map™ Report with GeoCheck® (Report No. 7429838.2s). 2023, August 29.


Newton, Eva. (2023, August 16). Environmental Questionnaire for User.

Rohrman, Scott. (2023, September 11). Interview Questionnaire for Owner.

Tarrant Appraisal District. (n.d.). Appraisal Information Retrieved from TAD website <https://tad.maps.arcgis.com/apps/webappviewer/index.html?id=89623a2c35ff41f5b409d28a306e3b51>

USGS Texas Geologic Map Data. (n.d.). Texas Geology Retrieved from USGS website <http://mrddata.usgs.gov/sgmc/tx.html>

# **Appendix I: Figures**




**Figure 1: Subject Property Location Map**

Haslet Texas Tract ESA  
 2101 Avondale-Haslet Road  
 Haslet, Texas 76052  
 ECS Project No. 51:3688







**Figure 2: USGS Topographic Map**

Haslet Texas Tract ESA  
 Avondale, Texas Quadrangle 2019  
 2101 Avondale-Haslet Road  
 Haslet, Texas 76052  
 ECS Project No. 51:3688







**Figure 3: Subject Property Map**

Haslet Texas Tract ESA  
2101 Avondale-Haslet Road  
Haslet, Texas 76052  
ECS Project No. 51:3688



# **Appendix II: Interviews, Correspondence and User Questionnaire**



Environmental Questionnaire for User

Completion required for conformance with ASTM E 1527-21. Failure to provide this information may preclude CERCLA liability protections for the property purchaser. Please return answered form to ECS.

Site Name: Sherwin Williams: Haslet, TX

Name and Title of Person Completing Questionnaire (Please Print):
Eva S. Newton, Director of Project Management

Signature of Person Completing Questionnaire:
[Eva S. Newton signature]

Date: August 16, 2023

Name of Your Company and Your Contact Number (Please Print):
Fort Worth Development Group, LLC Mobile: 910-691-2258 Office: 910-695-3694

ASTM E 1527-21 indicates that, "Either the user shall make known to the environmental professional the reason why the user wants to have the Phase I Environmental Site Assessment performed or, if the user does not identify the purpose of the Phase I Environmental Site Assessment, the environmental professional shall assume the purpose is to qualify for an LLP to CERCLA liability and state this in the report." As the user of this ESA, what is the reason for conducting the Phase I ESA? If this question is unanswered, ECS will assume that the user's reason for the ESA is to qualify for landowner liability protections to CERCLA liability.

Please state reason for having ESA performed: purchase of property

Will you provide Property Title Records and a Legal Description to ECS?

Please select one: NO [X] YES [ ]

Will you provide a 50-year chain of title abstract to ECS?

Please select one: NO [ ] YES [ ]

ECS to provide price for chain of title back to 1940's

Please Send Information Promptly

(1a.) Environmental liens that are filed or recorded against the site (40 CFR 312.25). ASTM E 1527-21 states that the user should perform a review of recorded land title records and judicial records for environmental liens or activity and use limitations for the site. Please forward the results of the land title record and judicial record review. If you would prefer, ECS can obtain this information from a third party provider for an additional fee. Please let ECS know if you would like to contract ECS for this service.

Please select one: Client to Provide [ ] ECS to Provide for Additional Fee [ ]

use chain of title and title commitment report

# ENVIRONMENTAL QUESTIONNAIRE

(1b.) **Activity and use limitations that are in place on the site or that have been filed or recorded in a registry (40 CFR 312.26).** Are you aware of any activity and use limitations (AULs), such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law?

Please select one:                      NO                       YES   
If yes, please explain: \_\_\_\_\_

(2.) **Specialized knowledge** - As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business?

Please select one:                      NO                       YES   
If yes, please explain: \_\_\_\_\_

(3.) **Commonly known or reasonably ascertainable information about the property (40 CFR 312.30).** Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example:

(a.) Do you know the past uses of the property?

Please select one:                      NO                       YES   
If yes, please state uses: \_\_\_\_\_

(b.) Do you know of specific chemicals that are present or once were present at the property?

Please select one:                      NO                       YES   
If yes, please explain: \_\_\_\_\_

(c.) Do you know of spills or other chemical releases that have taken place at the property?

Please select one:                      NO                       YES   
If yes, please explain: \_\_\_\_\_

# ENVIRONMENTAL QUESTIONNAIRE

(d.) Do you know of any environmental cleanups that have taken place at the property?

Please select one: NO  YES

If yes, please explain: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(4.) Relationship of the purchase price to the fair market value of the property if it were not contaminated (40 CFR 312.29). Does the purchase price being paid for this property reasonably reflect the fair market value of the property?

Please select one: NO  YES

If no, please explain: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

If you are aware that there is a difference, is the lower purchase price because contamination is known or believed to be present at the property?

Please select one: NO  YES

If yes, please explain: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(5.) Parcel Property Owner(s) & Contact Number(s):

- A. Hunter Crossroads, LP Pete Moore: pmoore@windridgerealestate.com
- B. Scott Rohrman: sr@42realestate.com
- C. \_\_\_\_\_
- D. \_\_\_\_\_

Property Manager and Occupant(s) & Contact Number(s)

Property Manager: \_\_\_\_\_

Occupant/Tenant: \_\_\_\_\_

Occupant/Tenant: \_\_\_\_\_

(6.) The degree of obviousness of the presence or likely presence of contamination at the property, and the ability to detect the contamination by appropriate investigation (40 CFR 312.31). As the user of this ESA, based on your knowledge and experience related to the property, are there any obvious indicators that point to the presence or likely presence of contamination at the property?

Please select one: NO  YES

If yes, please explain: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**HASLET TEXAS TRACT**  
2101 AVONDALE HASLET ROAD  
HASLET, TX 76052

**Inquiry Number: 7429838.10S**  
SEPTEMBER 5, 2023

## The EDR 1940 Chain of Title



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

## EDR Chain of Title

The EDR Chain of Title Report tracks a line of successive owners from the present back to 1940 of a particular parcel of property, linked together by recorded transactions which pass title. Available nationwide, this report provides a summary of a property's ownership history and is a valuable source for determining the prior uses of a property.

A network of professional abstractors following established procedures, uses client supplied address information to locate:

- Historical Chain of Title research

**Thank you for your business.**

Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer – Copyright and Trademark Notice

This report was prepared for the use of Environmental Data Resources, Inc. and AFX Research LLC, exclusively. This report is neither a guarantee of title, a commitment to insure, nor a policy of title insurance. **NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.** Environmental Data Resources, Inc. (EDR) and AFX Research LLC specifically disclaim the making of any such warranties, including without limitation, merchantability or fitness for a particular use or purpose. The information contained in this report is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EDR Chain of Title

### TARGET PROPERTY INFORMATION

#### ADDRESS

HASLET TEXAS TRACT  
2101 AVONDALE HASLET ROAD  
HASLET, TX 76052

### RESEARCH SOURCE

SOURCE 1: TARRANT COUNTY RECORDER'S OFFICE

SOURCE 2: TARRANT COUNTY ASSESSOR'S OFFICE

EXAMINER'S NOTE: PUBLIC RECORDS OF TARRANT COUNTY, TX WERE SEARCHED FROM JANUARY 1, 1940 TO AUGUST 29, 2023, AND NO OTHER DEEDS VESTING TITLE IN THE SUBJECT PROPERTY WERE FOUND OF RECORD DURING THE PERIOD SEARCHED.

### PROPERTY DESCRIPTION

CURRENT OWNER: HUNTER CROSSROADS LD  
LEGAL DESCRIPTION: AS RECORDED IN THE DEED ATTACHED.  
PROPERTY IDENTIFIERS: 42301236  
44731A24  
GENERAL COMMENTS: NA

### HISTORICAL CHAIN OF TITLE

SEE EXHIBIT "A"

### MISCELLANEOUS

SEE EXHIBIT "B"



**EDR Chain of Title**

**CHAIN OF TITLE**

**EXHIBIT "A"**

## EDR Chain of Title

### HISTORICAL CHAIN OF TITLE

#### PARCEL 42301236

##### CHAIN 1

TYPE OF DEED:	SPECIAL WARRANTY DEED
TITLE IS VESTED IN:	HUNTER CROSSROADS LD
TITLE RECEIVED FROM:	VISTA CROSSROADS I LTD
DATE EXECUTED:	08/17/2007
DATE RECORDED:	08/20/2007
BOOK:	NA
PAGE:	NA
VOLUME:	NA
INSTRUMENT #:	D207294400
DOCKET:	NA
LAND RECORD COMMENTS:	NA

##### CHAIN 2

TYPE OF DEED:	SPECIAL WARRANTY DEED
TITLE IS VESTED IN:	VISTA CROSSROADS I LTD
TITLE RECEIVED FROM:	OCEANVIEW INC, 120 LAND CORPORATION, WJH ENERGY INC, LOANGE EQUITIES LC, KURT W HANEY, KELCY L WARREN, MADISON CORKWOOD LTD, VINCENT J STAGLIANO AND PEGGY S STAGLIANO, JOHN D GOURLEY, EDWARD C COPPOLA, EC COPPOLA FAMILY LP, PROPERTIES LTD
DATE EXECUTED:	10/22/2004
DATE RECORDED:	10/26/2004
BOOK:	NA
PAGE:	NA
VOLUME:	NA
INSTRUMENT #:	D204335429
DOCKET:	NA
LAND RECORD COMMENTS:	NA

## EDR Chain of Title

### CHAIN 3

TYPE OF DEED: CORRECTION WARRANTY DEED  
TITLE IS VESTED IN: OCEAN VIEW INC, 120 LAND CORPORATION, WJH ENERGY INC, LANGE EQUITIES, L.C. KURT W HANEY, KELCY L WARREN, MADISON CORKWOOD LTD, VINCENT J STAGLIANO AND PEGGY S STAGLIANO, JOHN D GOURLEY, EDWARD C COPPOLA, EC COPPOLA FAMILY LP, LDJ PROPERTIES LTD  
TITLE RECEIVED FROM: LOIS PRICE WITSCHORKE, K.C. PRICE JR AND EULALIA PRICE WALSH, AND EULALIA PRICE WALSH, ADMINISTRATRIX OF THE ESTATE OF KEES CORNWELL PRICE, DECEASED  
DATE EXECUTED: 04/02/2001  
DATE RECORDED: 05/21/2001  
BOOK: 14896  
PAGE: 470  
VOLUME: NA  
INSTRUMENT #: NA  
DOCKET: NA  
LAND RECORD COMMENTS: NA

### CHAIN 4

TYPE OF DEED: WARRANTY DEED  
TITLE IS VESTED IN: OCEAN VIEW INC, 120 LAND CORPORATION, WJH ENERGY INC, LANGE EQUITIES, L.C. KURT W HANEY, KELCY L WARREN, MADISON CORKWOOD LTD, VINCENT J STAGLIANO AND PEGGY S STAGLIANO, JOHN D GOURLEY, EDWARD C GOURLEY, EDWARD C COPPOLA, E.C. COPPOLA FAMILY LP, LDJ PROPERTIES LTD  
TITLE RECEIVED FROM: LOIS PRICE WITSCHORKE, K.C. PRICE JR AND EULALIA PRICE WALSH, AND EULALIA PRICE WALSH,, ADMINISTRATRIX OF TEH ESTATE OF KEES CORNWELL PRICE, DECEASED  
DATE EXECUTED: 04/02/2001  
DATE RECORDED: 04/11/2001  
BOOK: 14821  
PAGE: 416  
VOLUME: NA  
INSTRUMENT #: NA  
DOCKET: NA  
LAND RECORD COMMENTS: NA

## EDR Chain of Title

### CHAIN 5

TYPE OF DEED: INDEPENDENT EXECUTOR'S SPECIAL WARRANTY DEED  
TITLE IS VESTED IN: EULALIA PRICE WALSH, LOIS PRICE WITSCHORKE, AND K.C. PRICE JR  
TITLE RECEIVED FROM: KEES CORNWELL PRICE, AKA K.C. PRICE, INDEPENDENT EXECUTOR OF THE ESTATE OF VELMA PEARL PRICE, DECEASED  
DATE EXECUTED: 11/28/1994  
DATE RECORDED: 12/02/1994  
BOOK: 11809  
PAGE: 1313  
VOLUME: NA  
INSTRUMENT #: NA  
DOCKET: NA  
LAND RECORD COMMENTS: NA

### CHAIN 6

TYPE OF DEED: WARRANTY DEED  
TITLE IS VESTED IN: K.C. PRICE AND VELMA PRICE  
TITLE RECEIVED FROM: C. P. SHIRLEY, ADMINISTRATOR OF THE ESTATE OF ALICE SHIRLEY, DECEASED, AND NOLIA SHIRLEY; E. BASS CLAY, ADMINISTRATOR OF THE ESTATE OF ALICE SHIRLEY, DECEASED AND WIFE ETHEL CLAY, ET AL  
DATE EXECUTED: 06/29/1950  
DATE RECORDED: 07/20/1950  
BOOK: 2216  
PAGE: 536  
VOLUME: NA  
INSTRUMENT #: NA  
DOCKET: NA  
LAND RECORD COMMENTS: NA

## EDR Chain of Title

### CHAIN 7

TYPE OF DEED:	UNKNOWN. NOT FOUND IN GRANTOR/GRANTEE INDEX 01/01/1940 to 07/20/1950.
TITLE IS VESTED IN:	C. P. SHIRLEY, ADMINISTRATOR OF THE ESTATE OF ALICE SHIRLEY, DECEASED, AND NOLIA SHIRLEY; E. BASS CLAY, ADMINISTRATOR OF THE ESTATE OF ALICE SHIRLEY, DECEASED AND WIFE ETHEL CLAY, ET AL
TITLE RECEIVED FROM:	UNKNOWN. NOT FOUND IN GRANTOR/GRANTEE INDEX 01/01/1940 to 07/20/1950.
DATE EXECUTED:	UNKNOWN. NOT FOUND IN GRANTOR/GRANTEE INDEX 01/01/1940 to 07/20/1950.
DATE RECORDED:	UNKNOWN. NOT FOUND IN GRANTOR/GRANTEE INDEX 01/01/1940 to 07/20/1950.
BOOK:	NA
PAGE:	NA
VOLUME:	NA
INSTRUMENT #:	NA
DOCKET:	NA
LAND RECORD COMMENTS:	NA

**EDR Chain of Title**

**MISCELLANEOUS**

**EXHIBIT "B"**

**EDR Chain of Title**

**MISCELLANEOUS**

COMMENTS:

NONE IDENTIFIED.

2107-8038 LBW

13

**AFTER RECORDING RETURN TO:**  
Chicago Title Insurance Company  
Attn: Leslie B. Wheeler  
2001 Bryan Street, Suite #1700  
Dallas, TX 75201

FILED  
TARRANT COUNTY TEXAS  
2007 AUG 20 PM 2:31  
SUZAN PETERSON  
COUNTY CLERK

**NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OF THE FOLLOWING INFORMATION FROM THIS INSTRUMENT BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.**

**SPECIAL WARRANTY DEED**

STATE OF TEXAS           §  
  §           KNOW ALL MEN BY THESE PRESENTS:  
COUNTY OF TARRANT   §

VISTA CROSSROADS I, LTD., a Texas limited partnership (“Grantor”), for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, has GRANTED, BARGAINED, SOLD and CONVEYED, and by these presents does GRANT, BARGAIN, SELL and CONVEY unto HUNTER CROSSROADS, LP, a Texas limited partnership (“Grantee”), whose mailing address is 3890 W. Northwest Highway, Suite 100, Dallas, Texas 75220, that certain tract of land located in TARRANT County, Texas more particularly described in Exhibit “A” attached hereto and made a part hereof, together with all improvements located thereon and all privileges, easements, rights and appurtenances pertaining thereto (the “Property”).

For the same consideration, Grantor hereby GRANTS, BARGAINS, SELLS and CONVEYS, without warranty express or implied, all interest, if any, of Grantor in (i) strips or gores, if any, between the Property and abutting properties, and (ii) any land lying in or under the bed of any street, alley, road or right-of-way, opened or proposed, abutting or adjacent to the Property.

Texas Capital Bank, National Association (“Lender”) has made a loan (the “Loan”) to Grantee in the amount of \$17,939,019.00 to facilitate Grantee’s purchase of the Property from Grantor and the construction of improvements thereon. In consideration of Lender’s advance of funds pursuant to the Loan, and at the request of Grantee, Grantor hereby retains a vendor’s lien and superior title against the Property and assigns and conveys such vendor’s lien and superior title to Lender as security for repayment by Grantee of the Loan, in addition to such security for repayment of the Loan as may be granted by Grantee.



This conveyance is made by Grantor and accepted by Grantee subject to the matters set forth in Exhibit "B" attached hereto and made a part hereof (the "Permitted Exceptions").

TO HAVE AND TO HOLD the Property, subject to the Permitted Exceptions, unto Grantee, and its successors and assigns, and Grantor does hereby bind itself, and its successors and assigns, to WARRANT and FOREVER DEFEND all and singular the Property unto Grantee, and its successors and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof, by through, or under Grantor but, not otherwise.

**[Remainder of Page Left Intentionally Blank]**


EXECUTED as of the 17 day of August, 2007


GRANTOR:

**VISTA CROSSROADS I, LTD.,  
a Texas limited partnership**

**By: GLC Vista Crossroads, LLC,  
its general partner**

**By: Granite Land Company,  
its sole member**

By:   
Name: SCOTT D. WOLCOTT  
Title: PRESIDENT  
GRANITE LAND COMPANY

By:   
Name: William E. Barton  
Title: Sr. Vice President  
Granite Land Company



STATE OF California §

COUNTY OF Sacramento §

On Aug. 14, 2007 before me P.A. O'Halloran, Notary Public personally appeared William E. Boston, Sr. Vice President of Granite Land Company, a California corporation, on behalf of said company acting in its capacity as the sole member of **GLC Vista Crossroads, LLC**, the general partner of **VISTA CROSSROADS I, LTD.**, a Texas limited partnership, personally known to me to be the person whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his authorized capacity, and that by his signature on the instrument the entity upon behalf of which the person acted, executed the instrument.

WITNESS my hand and official seal

P.A. O'Halloran  
Notary Public

My Commission Expires: Jan. 1, 2009



P.A. O'Halloran  
Notary's Name-Typed or Printed

**EXHIBIT "A"**

Legal Description

**TRACT I:**

BEING a 9.619 acre tract of land situated in the M.E.P. & P.R.R. Co. Survey, Abstract No. 1131, and the B.R. Lacy Survey, Abstract No. 990, and being a portion of that certain tract of land called 61.798 acre tract of land, described in deed to Vista Crossroads I, Ltd., recorded in Instrument No. D204335429, Deed Records, Tarrant County, Texas. The bearings for this survey are based on the northeasterly line U.S. Highway No. 287, as recorded in Instrument No. D204335429, Deed Records, Tarrant County, Texas. Said 9.619 acre tract being described by metes and bounds as follows:

BEGINNING at a 1/2" iron rod found on the northeasterly right of way line of said U.S. Highway No. 287 at the most westerly northwest corner of the said 61.798 acre tract of land;

THENCE North 25°50'37" East, along the said northeasterly right of way line of U.S. Highway No. 287, a distance of 78.75 Feet to a 1/2" iron rod found;

THENCE North 0°13'31" West, continuing along the said northeasterly right of way line, a distance of 24.99 to a 1/2" iron rod with plastic cap stamped RPLS 4818 set, by deed call in the center of Avondale Haslet Road;

THENCE South 89°57'44" East, by deed call along the center of said Avondale Haslet Road, a distance of 741.84 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set;

THENCE leaving the centerline of said Avondale Haslet Road and continuing over and across the said 61.798 acre tract the following courses and distances:

South 1°00'46" West, a distance of 8.62 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set at the point of curvature of a non-tangent curve, concave to the north, having a radius of 958.00 Feet a central angle of 15°51'09", and a chord of 264.21 Feet bearing South 79°55'38" West;

West along said curve, a distance of 265.06 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

South 3°00'14" East, a distance of 199.86 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set at the point of curvature of a tangent curve, concave to the west, having a radius of 100.00 Feet, a central angle of 7°46'34", a chord of 13.56 Feet bearing South 0°53'03" West;

South along said curve, a distance of 13.57 Feet, curving to the right to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North  $81^{\circ}36'16''$  East, a distance of 276.11 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

South  $14^{\circ}23'44''$  East, a distance of 78.58 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set at the point of curvature of a tangent curve, concave to the northeast, having a radius of 528.00 Feet, a central angle of  $28^{\circ}22'06''$ , a chord of 258.76 Feet bearing South  $28^{\circ}34'46''$  East;

Southerly along said curve, a distance of 261.42 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set at the beginning of a reverse curve, concave to the southwest, having a radius of 190.00 Feet a central angle of  $28^{\circ}22'05''$ , and a chord of 93.11 Feet bearing South  $28^{\circ}34'46''$  East;

Southeasterly along the arc of said curve, a distance of 94.07 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set;

South  $14^{\circ}23'44''$  East, a distance of 11.41 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set;

South  $22^{\circ}13'33''$  West, a distance of 24.92 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set at the beginning of a curve, concave to the southeast, having a radius of 191.00 Feet a central angle of  $42^{\circ}18'51''$ , and a chord of 137.87 Feet bearing South  $58^{\circ}08'25''$  West;

Westerly along said curve, a distance of 141.06 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set;

South  $37^{\circ}27'00''$  West, a distance of 158.98 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set;

South  $82^{\circ}27'00''$  West, a distance of 34.89 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set on the said northeasterly right of way line of U.S. Highway No. 287;

THENCE continuing along the said northeasterly right of way line the following courses and distances:

North  $52^{\circ}33'00''$  West, a distance of 126.84 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set at the beginning of a curve, concave to the northeast, having a radius of 2837.82 Feet, a central angle of  $9^{\circ}43'38''$ , and a chord of 481.21 Feet bearing North  $47^{\circ}30'17''$  West;

Northwesterly along said curve, a distance of 481.79 Feet to a 1/2" iron rod with plastic cap stamped RPLS 4818 set;

North  $38^{\circ}05'23''$  West, a distance of 448.38 Feet to the POINT OF BEGINNING; and containing a computed area of 9.619 Acres, more or less.

**TRACT II:**

BEING a 32.334 acre tract of land situated in the M.E.P. & P.R.R. Co. Survey, Abstract No. 1131, and being a portion of that certain called 61.798 acre tract of land, described in deed to Vista Crossroads I, Ltd., recorded in Instrument No. D204335429, Real Public Records, Tarrant County, Texas, and a portion of that certain called 88.475 acre tract of land, described in deed to Vista Crossroads I, Ltd., recorded in Instrument No. D204335429, Real Public Records, Tarrant County, Texas. The bearings for this survey are based on the southwesterly line of said 61.798 acre tract of land, recorded in Instrument No. D204335429, Real Public Records, Tarrant County, Texas. Said 32.334 acre tract being described by metes and bounds as follows:

BEGINNING at a 1/2" iron rod found at the southwest corner of the said Vista Crossroads I, Ltd. tract, being in the northeasterly right of way line of U.S. Highway No. 287;

THENCE North  $52^{\circ}33'00''$  West, continuing along the northeasterly right of way line of said U.S. Highway No. 287 a distance of 1,643.32 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE departing the northeasterly line of said U.S. Highway No. 287 and continuing over and across said Vista Crossroads I, Ltd. tract the following courses and distances;

North  $7^{\circ}33'00''$  West, a distance of 34.89 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North  $37^{\circ}27'00''$  East, a distance of 158.98 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set at the point of curvature of a non-tangent curve, concave to the southeast, having a radius of 145.00 Feet a central angle of  $44^{\circ}49'23''$ , and a chord of 110.56 Feet bearing North  $59^{\circ}01'11''$  East;

Northeast along said curve, a distance of 113.44 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North  $75^{\circ}36'16''$  East, a distance of 451.03 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North  $83^{\circ}49'53''$  East, a distance of 83.86 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North 75°36'16" East, a distance of 241.87 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

South 14°23'44" East, a distance of 41.46 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North 75°36'22" East, at a distance of 18.81 Feet passing the west line of said called Tract 3, in all a total distance of 305.62 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE continuing over and across said Tract 3 the following courses and distances;

South 0°44'39" West, a distance of 348.26 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

South 52°33'00" East, a distance of 609.13 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

South 0°05'21" East, a distance of 714.77 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set in the south line of said called Tract 3;

THENCE South 89°54'39" West, at a distance of 50.32 Feet passing the east line of said called Tract 2, in all a total distance of 423.30 Feet to the POINT OF BEGINNING; and containing a computed area of 32.334 Acres, more or less.

### **TRACT III:**

BEING a 76.773 acre tract of land situated in the M.E.P. & P.R.R. Co. Survey, Abstract No. 1131, and the B.R. Lacy Survey, Abstract No. 990, and being a portion of that certain called 88.475 acre tract of land, described in deed to Vista Crossroads I, Ltd., recorded in Instrument No. D204335429, Real Public Records, Tarrant County, Texas. The bearings for this survey are based on the easterly line U.S. Highway No. 287, as recorded in Instrument No. D204335429, Real Public Records, Tarrant County, Texas. Said 76.773 acre tract being described by metes and bounds as follows:

BEGINNING at a 1/2" iron rod with plastic cap stamped "RPLS 4818" set in Avondale Haslet road, being on the north line of said 88.475 acre tract;

THENCE South 89°45'20" East, in and generally along the center of said Avondale Haslet Road, a distance of 1377.63 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE South 1°09'29" East, departing said Avondale Haslet Road and continuing over and across said 88.475 acre tract, a distance of 473.14 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;



THENCE South 89°45'20" East, continuing over and across said 88.475 acre tract, a distance of 368.37 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set on the west right of way line of the Fort Worth and Denver Railroad;

THENCE South 1°09'29" East, along the west right of way line of said Fort Worth and Denver Railroad, a distance of 1100.32 Feet to a 1/2" iron rod found at the beginning of a curve, concave to the northwest, having a radius of 2399.18 Feet a central angle of 18°17'54", and a chord of 762.96 Feet bearing South 23°51'52" West;

THENCE southerly continuing along the said west railroad right of way line and along the arc of the said curve, a distance of 766.22 Feet to a 1/2" iron rod found on the north line of that certain tract of land described in deed to Prosperity Properties Ltd., Instrument No. D206332982, Deed Records, Tarrant County, Texas;

THENCE South 89°54'39" West, along the north line of the said Tom Waltz tract, a distance of 999.93 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE leaving the said north line and continuing over and across the said 88.475 acre tract the following courses and distances:

North 0°05'21" West, a distance of 714.77 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North 52°33'00" West, a distance of 609.13 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North 0°44'39" East, a distance of 1194.82 Feet to the POINT OF BEGINNING; and containing a computed area of 76.773 Acres, more or less.

#### **TRACT IV:**

BEING a 37.589 acre tract of land situated in the M.E.P. & P.R.R. Co. Survey, Abstract No. 1131, and being all of that certain tract of land called Tract 1, described in deed to Vista Crossroads I, Ltd., recorded in Instrument No. D204335429, Deed Records, Tarrant County, Texas. The bearings for this survey are based on the northeasterly line of said Tract 1, recorded in Instrument No. D204335429, Deed Records, Tarrant County, Texas. Said 37.589 acre tract being described by metes and bounds as follows:

BEGINNING at a 1/2" iron rod found at the southwest corner of the said Vista Crossroads I, Ltd., being in the east right of way line of U.S. Business Highway No. 287;

THENCE continuing along the east right of way line of said U.S. Business Highway No. 287 the following courses and distances;

North 0°36'50" East, a distance of 214.67 Feet to a 1/2" iron rod found;

North 5°33'18" East, a distance of 1,046.10 Feet to a 1/2" iron rod found;

North 12°26'33" East, a distance of 91.10 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

North 8°16'00" East, a distance of 106.43 Feet to a 1/2" iron rod found at the intersection of the east right of way line of said U.S. Business Highway No. 287 and the south right of way line of Avondale-Haslet Road;

THENCE North 89°53'51" East, departing the east right of way line of said U.S. Business Highway No. 287 and continuing along the south line of said Avondale-Haslet Road a distance of 100.10 Feet to a 1/2" iron rod found;

THENCE departing the south right of way line of said Avondale-Haslet Road and continuing along the southwesterly line of U.S. Highway No. 287, a variable width public right of way, the following courses and distances;

South 43°19'26" East, a distance of 60.46 Feet to a highway monument found at the point of curvature of a non-tangent curve, concave to the northeast, having a radius of 1,945.20 Feet, a central angle of 14°39'46", and a chord of 496.45 Feet bearing South 50°38'17" East;

Southeast along said curve, a distance of 497.80 Feet to a fence corner;

South 58°02'32" East, a distance of 632.04 Feet to a highway monument found at the point of curvature of a non-tangent curve, concave to the southwest, having a radius of 5,703.58 Feet, a central angle of 2°03'27", and a chord of 204.80 Feet bearing North 53°35'56" West;

Southeast along said curve, a distance of 204.81 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

South 52°33'00" East, a distance of 1,068.22 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set at the southeast corner of said Vista Crossroads I, Ltd. tract;

THENCE North 89°38'01" West, departing the southwesterly line of said U.S. Highway No. 287 and continuing along the south line of the said Vista Crossroads I, Ltd. tract, a distance of 535.08 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE North 37°27'00" East, continuing along the southeast line of a 1.20 acre tract described in the save and except in Volume 16778, Page 85, Deed Records, Tarrant County, Texas, a distance of 73.79 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE North 52°33'00" West, departing the said southeast line and continuing along the northeast line of said 1.20 acre tract, a distance of 324.90 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE South 37°27'00" West, departing the said northeast line and continuing along the northwest line of said 1.20 acre tract, a distance of 100.00 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE South 0°21'59" West, departing the said northwest line and continuing along the west line of said 1.20 acre tract, a distance of 175.00 Feet to a 1/2" iron rod with plastic cap stamped "RPLS 4818" set;

THENCE North 89°38'01" West, departing the west line of said 1.20 acre tract and continuing along the south line of the said Vista Crossroads I, Ltd. tract, a distance of 1,403.01 Feet to the POINT OF BEGINNING; and containing a computed area of 37.589 Acres, more or less.

## EXHIBIT "B"

### Permitted Exceptions

1. Rights of tenants in possession, as tenants only, under that certain Agricultural Lease dated October 1, 2006 by and between Vista Crossroads I, Ltd. and Joe Knox Reed.
2. Easement for right-of-Way granted to TEXAS ELECTRIC SERVICE COMPANY by instrument recorded in Volume 1328, Page 293, Deed Records of Tarrant County, Texas, and as noted on survey prepared by Johnny D. L. Williams, RPLS #4818, dated January 25, 2007, last revised August 13, 2007. (Affects tracts 1 through 3)
3. An undivided interest in all oil, gas, and other minerals as reserved in deed recorded in Volume 14821, Page 416, Deed Records of Tarrant County, Texas, as corrected in Warranty Deed recorded in Volume 14896, Page 470, Deed Records of Tarrant County, Texas.
4. An undivided one-half (1/2) interest in all oil, gas, and other minerals as conveyed in deed recorded in Volume 15151, Page 373, Deed Records of Tarrant County, Texas.
5. Terms, conditions, and stipulations of Oil, Gas and Mineral Lease dated September 14, 2001, recorded in Volume 15171, Page 318, Deed Records of Tarrant County, Texas, by and between LOIS PRICE WITSCHORKE, K.C. PRICE, and EULALIA PRICE WALSH, as Lessor, and CALTO OIL COMPANY, as Lessee, as affected by instruments recorded in Volume 15755, Page 350; in Volume 15928, Page 213; in Volume 16108, Page 353; in Volume 16138, Page 320; in Volume 16175, Page 453; in Volume 16336, Page 15; in Volume 16336, Page 17; in Volume 16361, Page 252; in Volume 16546, Page 33; in Volume 17204, Page 309; in Volume 17371, Page 381, Deed Records of Tarrant County, Texas.
6. Easement for ingress and egress granted to HOLLIS R. SULLIVAN, INC., recorded in Volume 16778, Page 85, Deed Records of Tarrant County, Texas, as affected by Deed and Conveyance, dated August 22, 2003, recorded in Volume 17204, Page 311, Deed Records of Tarrant County, Texas, and as noted on survey prepared by Johnny D. L. Williams, RPLS #4818, dated January 25, 2007, last revised August 13, 2007. (as to Tract 4 only)
7. An undivided interest in all oil, gas, and other minerals as conveyed in deed filed for record under Clerk's File No. D205152123, Deed Records of Tarrant County, Texas.



CHICAGO TITLE INS CO  
2001 BRYAN STR  
STE 1700  
DALLAS TX 75201

Submitter: CHICAGO TITLE INS CO

---

SUZANNE HENDERSON  
TARRANT COUNTY CLERK  
TARRANT COUNTY COURTHOUSE  
100 WEST WEATHERFORD  
FORT WORTH, TX 76196-0401

**DO NOT DESTROY**  
**WARNING - THIS IS PART OF THE OFFICIAL RECORD.**

Filed For Registration: 08/20/2007 02:29 PM  
Instrument #: D207294400  
WD 14 PGS \$64.00

By: \_\_\_\_\_



**D207294400**

ANY PROVISION WHICH RESTRICTS THE SALE, RENTAL OR USE  
OF THE DESCRIBED REAL PROPERTY BECAUSE OF COLOR OR  
RACE IS INVALID AND UNENFORCEABLE UNDER FEDERAL LAW.

# WARNING! WIRE FRAUD ADVISORY

**DON'T FALL VICTIM TO CYBER CRIMINALS!** Wire fraud and email/phishing attacks are on the rise! Cyber criminals are hacking email accounts and sending emails with fraudulent wiring instructions to parties in real estate transactions. These emails are often sophisticated and convincing, resulting in the diversion of wired funds to the fraudster's account. Losses due to this type of fraud are staggering – don't fall victim!

## BUYERS:

- Once requested by you, we will send our wiring instructions directly to you in a secure email with **[rtt-secure]** in the subject line. **THESE INSTRUCTIONS WILL NEVER CHANGE!!!**
- If you receive an email containing NEW or REVISED wiring instructions, DO NOT RESPOND to the email. Instead, **call** your Republic Title closing team member immediately, using a previously known and trusted phone number. DO NOT use any contact information provided in the suspected phishing email!
- Before you initiate your purchase money wire, please call your closing team using a number you have called before or can otherwise verify to confirm the wiring instructions.

**If you are ever in doubt about an email or wiring instructions, please call your closing team at Republic Title using a previously verified number. For contact information, please go to [www.republictitle.com](http://www.republictitle.com).**

## SELLERS:

- Bring your banking information to the closing table. We will give you a wiring instructions form for your completion and for your signature. We will only wire your sales proceeds based on those written instructions.
- If you do not attend closing in person, please include your original signed wiring instructions form along with the fully executed closing documents when you return your closing package to us.


The following resources can provide additional tips or assist you in reporting an incident of wire fraud:

### FEDERAL BUREAU OF INVESTIGATION:

<http://www.fbi.gov>

### INTERNET CRIME COMPLAINT CENTER

<http://www.ic3.gov>





*First American Title*™

# Commitment

Commitment For Title Insurance T-7

ISSUED BY

**First American Title Insurance Company**

THE FOLLOWING COMMITMENT FOR TITLE INSURANCE IS NOT VALID UNLESS YOUR NAME AND THE POLICY AMOUNT ARE SHOWN IN SCHEDULE A, AND OUR AUTHORIZED REPRESENTATIVE HAS COUNTERSIGNED BELOW.

We FIRST AMERICAN TITLE INSURANCE COMPANY will issue our title insurance policy or policies (the Policy) to You (the proposed insured) upon payment of the premium and other charges due, and compliance with the requirements in Schedule C. Our Policy will be in the form approved by the Texas Department of Insurance at the date of issuance, and will insure your interest in the land described in Schedule A. The estimated premium for our Policy and applicable endorsements is shown on Schedule D. There may be additional charges such as recording fees, and expedited delivery expenses.

This Commitment ends ninety (90) days from the effective date, unless the Policy is issued sooner, or failure to issue the Policy is our fault. Our liability and obligations to you are under the express terms of this Commitment and end when this Commitment expires.

---

**First American Title Insurance Company**

Kenneth D. DeGiorgio, President

Lisa W. Comehl, Secretary

By its issuing agent, Republic Title of Texas, Inc.

Authorized Signatory  
Linda Williams, Escrow Officer



**REPUBLIC TITLE®**  
2626 Howell Street, 10th Floor  
Dallas, TX 75204  
(214)855-8888  
(214)855-8848

## TEXAS TITLE INSURANCE INFORMATION

Title insurance insures you against loss resulting from certain risks to your title.

The commitment for Title Insurance is the title insurance company's promise to issue the title insurance policy. The commitment is a legal document. You should review it carefully to completely understand it before your closing date.

El seguro de título le asegura en relación a pérdidas resultantes de ciertos riesgos que pueden afectar el título de su propiedad.

El Compromiso para Seguro de Título es la promesa de la compañía aseguradora de títulos de emitir la póliza de seguro de título. El Compromiso es un documento legal. Usted debe leerlo cuidadosamente y enterderlo completamente antes de la fecha para finalizar su transacción.

Your Commitment for Title Insurance is a legal contract between you and us. The Commitment is not an opinion or report of your title. It is a contract to issue you a policy subject to the Commitment's terms and requirements.

Before issuing a Commitment for Title Insurance (the Commitment) or a Title Insurance Policy (the Policy), the Title Insurance Company (the Company) determines whether the title is insurable. This determination has already been made. Part of that determination involves the Company's decision to insure the title except for certain risks that will not be covered by the Policy. Some of these risks are listed in Schedule B of the attached Commitment as Exceptions. Other risks are stated in the Policy as Exclusions. These risks will not be covered by the Policy. The Policy is not an abstract of title nor does a Company have an obligation to determine the ownership of any mineral interest.

- **MINERALS AND MINERAL RIGHTS** may not be covered by the Policy. The Company may be unwilling to insure title unless there is an exclusion or an exception as to Minerals and Mineral Rights in the Policy. Optional endorsements insuring certain risks involving minerals, and the use of improvements (excluding lawns, shrubbery and trees) and permanent buildings may be available for purchase. If the title insurer issues the title policy with an exclusion or exception to the minerals and mineral rights, neither this Policy, nor the optional endorsements, ensure that the purchaser has title to the mineral rights related to the surface estate.

Another part of the determination involves whether the promise to insure is conditioned upon certain requirements being met. Schedule C of the Commitment lists these requirements that must be satisfied or the Company will refuse to cover them. You may want to discuss any matters shown in Schedules B and C of the Commitment with an attorney. These matters will affect your title and your use of the land.

When your Policy is issued, the coverage will be limited by the Policy's Exceptions, Exclusions and Conditions, defined below.

- **EXCEPTIONS** are title risks that a Policy generally covers but does not cover in a particular instance. Exceptions are shown on Schedule B or discussed in Schedule C of the Commitment. They can also be added if you do not comply with the Conditions section of the Commitment. When the Policy is issued, all Exceptions will be on Schedule B of the Policy.
- **EXCLUSIONS** are title risks that a Policy generally does not cover. Exclusions are contained in the Policy but not shown or discussed in the Commitment.
- **CONDITIONS** are additional provisions that qualify or limit your coverage. Conditions include your responsibilities and those of the Company. They are contained in the Policy but not shown or discussed in the Commitment. The Policy Conditions are not the same as the Commitment Conditions.

You can get a copy of the policy form approved by the Texas Department of Insurance by calling the Title Insurance Company at 1-888-632-1642 or by calling the title insurance agent that issued the Commitment. The Texas Department of Insurance may revise the policy form from time to time.

You can also get a brochure that explains the policy from the Texas Department of Insurance by calling 1-800-252-3439.

Before the Policy is issued, you may request changes in the policy. Some of the changes to consider are:

- Request amendment of the "area and boundary" exception (Schedule B, paragraph 2). To get this amendment, you must furnish a survey and comply with other requirements of the Company. On the Owner's Policy, you must pay an additional premium for the amendment. If the survey is acceptable to the Company and if the Company's other requirements are met, your Policy will insure you against loss because of discrepancies or conflicts in boundary lines, encroachments or protrusions, or overlapping of improvements. The Company may then decide not to insure against specific boundary or survey problems by making special exceptions in the Policy. Whether or not you request amendment of the "area and boundary" exception, you should determine whether you want to purchase and review a survey if a survey is not being provided to you.
- Allow the Company to add an exception to "rights of parties in possession." If you refuse this exception, the Company or the title insurance agent may inspect the property. The Company may except to and not insure you against the rights of specific persons, such as renters, adverse owners or easement holders who occupy the land. The Company may charge you for the inspection. If you want to make your own inspection, you must sign a Waiver of Inspection form and allow the Company to add this exception to your Policy.

The entire premium for a Policy must be paid when the Policy is issued. You will not owe any additional premiums unless you want to increase your coverage at a later date and the Company agrees to add an Increased Value Endorsement.

### CONDITIONS AND STIPULATIONS

1. If you have actual knowledge of any matter which may affect the title or mortgage covered by this Commitment, that is not shown in Schedule B, you must notify us in writing. If you do not notify us in writing, our liability to you is ended or reduced to the extent that your failure to notify us affects our liability. If you do notify us, or we learn of such matter, we may amend Schedule B, but we will not be relieved of liability already incurred.
2. Our liability is only to you, and others who are included in the definition of Insured in the Policy to be issued. Our liability is only for actual loss incurred in your reliance on this Commitment to comply with its requirements or to acquire the interest in the land. Our liability is limited to the amount shown in Schedule A of this Commitment and will be subject to the following terms of the Policy: Insuring Provisions, Conditions and Stipulations, and Exclusions.





*First American Title*<sup>TM</sup>

# SCHEDULE A

Commitment For Title Insurance T-7

ISSUED BY

**First American Title Insurance Company**

Effective Date: **August 02, 2023** at 8:00 a.m.

GF No. **1002-384297-RTT**

Commitment No. **1002-384297-RTT**, issued **August 11, 2023**, at 8:00 a.m.

1. The policy or policies to be issued are:

- (a) OWNER'S POLICY OF TITLE INSURANCE (Form T-1)  
(Not applicable for improved one-to-four family residential real estate)  
Policy Amount: \$795,242.00  
PROPOSED INSURED: Fort Worth Development Group, LLC, a North Carolina limited liability company
- (b) TEXAS RESIDENTIAL OWNER'S POLICY OF TITLE INSURANCE  
ONE-TO-FOUR FAMILY RESIDENCES (Form T-1R)  
Policy Amount: \$  
PROPOSED INSURED:
- (c) LOAN POLICY OF TITLE INSURANCE (Form T-2)  
Policy Amount: \$  
PROPOSED INSURED:  
Proposed Borrower:
- (d) TEXAS SHORT FORM RESIDENTIAL LOAN POLICY OF TITLE INSURANCE (Form T-2R)  
Policy Amount \$  
PROPOSED INSURED:  
Proposed Borrower:
- (e) LOAN TITLE POLICY BINDER ON INTERIM CONSTRUCTION LOAN (Form T-13)  
Binder Amount: \$  
PROPOSED INSURED:  
Proposed Borrower:
- (f) OTHER  
Policy Amount: \$  
PROPOSED INSURED:

2. The interest in the land covered by this Commitment is:

**FEE SIMPLE**

3. Record title to the land on the Effective Date appears to be vested in:

**HUNTER CROSSROADS, LP, a Texas limited partnership**

4. Legal description of land:

See Exhibit "A" attached hereto and made a part hereof.

**EXHIBIT "A"**

Being Lot 4, Block 2, of LOTS 2, 3 & 4, BLOCK 2, VISTA CROSSROADS ADDITION, an Addition to the City of Fort Worth, Tarrant County, Texas according to the plat thereof recorded in cc# [D217048919](#), Real Property Records, Tarrant County, Texas.



*First American Title*™

## SCHEDULE B

Commitment For Title Insurance T-7

ISSUED BY

**First American Title Insurance Company**

G.F. No. or File No. **1002-384297-RTT**

### EXCEPTIONS FROM COVERAGE

In addition to the Exclusions and Conditions and Stipulations, your Policy will not cover loss, costs, attorney's fees, and expenses resulting from:

1. The following restrictive covenants of record itemized below (We must either insert specific recording data or delete this exception):

Restrictive covenants described in instrument filed 10/03/2017, recorded in cc# [D217230160](#), Real Property Records, Tarrant County, Texas. Any covenant, condition or restriction indicating a preference, limitation or discrimination based on race, color, religion, sex, handicap, familial status, or national origin to the extent such covenants, conditions or restrictions violate 42 USC 3604(c), is deleted.

2. Any discrepancies, conflicts, or shortages in area or boundary lines, or any encroachments or protrusions, or any overlapping of improvements.
3. Homestead or community property or survivorship rights, if any, of any spouse of any insured. (Applies to the Owner's Policy only.)
4. Any titles or rights asserted by anyone, including, but not limited to, persons, the public, corporations, governments or other entities,
  - a. to tidelands, or lands comprising the shores or beds of navigable or perennial rivers and streams, lakes, bays, gulfs or oceans, or
  - b. to lands beyond the line of the harbor or bulkhead lines as established or changed by any government, or
  - c. to filled-in lands, or artificial islands, or
  - d. to statutory water rights, including riparian rights, or
  - e. to the area extending from the line of mean low tide to the line of vegetation, or the rights of access to that area or easement along and across that area.

(Applies to the Owner's Policy only.)

5. Standby fees, taxes and assessments by any taxing authority for the year 2023, and subsequent years; and subsequent taxes and assessments by any taxing authority for prior years due to change in land usage or ownership, but not those taxes or assessments for prior years because of an exemption granted to a previous owner of the property under Section 11.13, Texas Tax Code, or because of improvements not assessed for a previous tax year. (If Texas Short Form Residential Loan Policy of Title Insurance (T-2R) is issued, that policy will substitute "which become due and payable subsequent to Date of Policy" in lieu of "for the year 2023 and subsequent years.")
6. The terms and conditions of the documents creating your interest in the land.

7. Materials furnished or labor performed in connection with planned construction before signing and delivering the lien document described in Schedule A, if the land is part of the homestead of the owner. (Applies to the Loan Title Policy Binder on Interim Construction Loan only, and may be deleted if satisfactory evidence is furnished to us before a binder is issued.)
8. Liens and leases that affect the title to the land, but that are subordinate to the lien of the insured mortgage. (Applies to Loan Policy (T-2) only.)
9. The Exceptions from Coverage and Express Insurance in Schedule B of the Texas Short Form Residential Loan Policy of Title Insurance (T-2R). (Applies to Texas Short Form Residential Loan Policy of Title Insurance (T-2R) only). Separate exceptions 1 through 8 of this Schedule B do not apply to the Texas Short Form Residential Loan Policy of Title Insurance (T-2R).
10. The following matters and all terms of the documents creating or offering evidence of the matters (We must insert matters or delete this exception):
  - a. All leases, grants, exceptions or reservations of coal, lignite, oil, gas and other minerals, together with all rights, privileges, and immunities relating thereto, appearing in the Public Records whether listed in Schedule B or not. There may be leases, grants, exceptions or reservations of mineral interest that are not listed.
  - b. This item has been intentionally deleted.
  - c. This item has been intentionally deleted.
  - d. Rights of parties in possession and rights of tenants under any unrecorded leases or rental agreements. (May be amended or deleted upon execution of satisfactory affidavit with respect to parties in possession and tenants at closing.)
  - e. This item has been intentionally deleted.
  - f. Easement granted by Hunter Crossroad, LP, to Hollis R. Sullivan, Inc., filed 10/16/2008, recorded in cc# [D208395432](#), Real Property Records, Tarrant County, Texas. Affected by Assignment filed 06/02/2009, recorded in cc# [D209146058](#), Real Property Records, Tarrant County, Texas.
  - g. Easement granted by Hunter Crossroads, LP, to XTO Energy Inc., filed 02/09/2011, recorded in cc# [D211032410](#), Real Property Records, Tarrant County, Texas.
  - h. This item has been intentionally deleted.
  - i. Terms, provisions, conditions, and easements contained in Public Utility Easement, filed 02/22/2013, recorded in cc# [D213045761](#), Real Property Records, Tarrant County, Texas.
  - j. This item has been intentionally deleted.
  - k. Easement granted by Hunter Crossroads, LP, to the City of Fort Worth, filed 04/12/2016, recorded in cc# [D216074427](#), Real Property Records, Tarrant County, Texas.
  - l. The following easements and/or building lines, as shown on plat recorded in filed 03/03/2017, recorded in cc# [D217048919](#), Plat Records, Tarrant County, Texas:
    - Portion of a 225' well pad setback;
    - 10' building line;
    - Variable width public access easement.

- m. Title to all coal, lignite, oil, gas and other minerals in, under and that may be produced from the land, together with all rights, privileges, and immunities relating thereto, all of such interest, to the extent not previously reserved or conveyed being described in instrument filed 04/11/2001, recorded in [Volume 14821, Page 416](#), Real Property Records, Tarrant County, Texas, as corrected and refiled 05/21/2001, recorded in [Volume 14896, Page 470](#), Real Property Records, Tarrant County, Texas. Company makes no representation as to the present ownership of any such interests.
- n. Mineral lease together with all rights, privileges and immunities incident thereto, to Calto Oil Company, from Lois Price Witschorke, et al, described in instrument filed 10/03/2001, recorded in Volume 15171, Page 318, Real Property Records, Tarrant County, Texas. Company makes no representation as to the present ownership of any such interests.
- o. Easement rights and rights, if any, of third parties with respect to the cleanouts and grate drain as shown on survey prepared by David F. McCullah, RPLS #4023, dated 05/30/2023, last revised 06/28/2023.



*First American Title*™

## SCHEDULE C

Commitment For Title Insurance T-7

ISSUED BY

**First American Title Insurance Company**

G.F. No. or File No. **1002-384297-RTT**

Your Policy will not cover loss, costs, attorney's fees, and expenses resulting from the following requirements that will appear as Exceptions in Schedule B of the Policy, unless you dispose of these matters to our satisfaction, before the date the Policy is issued:

1. Documents creating your title or interest must be approved by us and must be signed, notarized and filed for record.
2. Satisfactory evidence must be provided that:
  - no person occupying the land claims any interest in that land against the persons named in paragraph 3 of Schedule A,
  - all standby fees, taxes, assessments and charges against the property have been paid,
  - all improvements or repairs to the property are completed and accepted by the owner, and that all contractors, sub-contractors, laborers, and suppliers have been fully paid, and that no mechanic's, laborer's or materialmen's liens have attached to the property,
  - there is legal right of access to and from the land,
  - (on a Loan Policy only) restrictions have not been and will not be violated that affect the validity and priority of the insured mortgage.
3. You must pay the seller or borrower the agreed amount for your property or interest.
4. Any defect, lien or other matter that may affect title to the land or interest insured, that arises or is filed after the effective date of this Commitment.
5. With respect to item 2 of Schedule C above, the Company will not except in any policies to be issued pursuant to this commitment to 'Lack of a right of access to and from the land'.
6. Require Affidavit as to Debts and Liens and Parties in Possession executed by owner at or prior to closing.
7. In accordance with Section 11.008 of the Texas Property Code, all deeds and deeds of trust transferring an interest in real property to or from an individual and disclosing that individual's social security number or driver's license number must include the following notice on the top of the first page of the instrument in 12 point bold or uppercase font: NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.
8. Additional exceptions and/or requirements may be added when Company is advised of the exact nature and details of the subject transaction.
9. Require satisfactory evidence of authority to act on behalf of record owner.

10. Deed of Trust, Security Agreement, Financing Statement and Assignment of Rents from Hunter Crossroads, LP, a Texas limited partnership to PLA Services, Inc., Trustee(s), dated 04/13/2020, filed 04/16/2020, recorded in cc# [D220087750](#), Real Property Records, Tarrant County, Texas, securing a promissory note in the principal sum of \$9,550,000.00, payable to Happy State Bank, a Texas banking association, and securing other indebtedness as described therein, if any.



First American Title™

Commitment For Title Insurance T-7

ISSUED BY

**First American Title Insurance Company**

**SCHEDULE D**

File No.: 1002-384297-RTT

The following disclosures are made pursuant to Procedural Rule P-21 promulgated by the Texas Department of Insurance:

**UNDERWRITER:** First American Title Insurance Company, a Nebraska Corporation.

Shareholder owning or controlling, directly or indirectly, ten percent or more of the share of the Underwriter: First American Title Insurance Company is a wholly owned subsidiary of First American Financial Corporation, a public Company formed in Delaware.

Directors: Kenneth D. DeGiorgio, Kurt P. Pfothenauer, Lisa W. Cornel, Mark E. Seaton, David J. Proksel

Officers: President, Chief Executive Officer: Kenneth D. DeGiorgio; Senior Vice President, Secretary: Lisa W. Cornehl; Chief Financial Officer: Mark E. Seaton.

**TITLE INSURANCE AGENCY: Republic Title of Texas, Inc. (Dallas, TX)**

Shareholder, owner, partner or other person having, owning or controlling ten percent (10%) or more of the Title Insurance Title Agent: First American Financial Corporation 100%

Shareholder, owner, partner or other person having, owning or controlling ten percent (10%) or more of an entity that has, owns or controls one percent (1%) or more Title Insurance Agent:

NONE

If the Title Insurance Agent is a corporation the following is a list of the members of the Board of Directors:

Sally French Tyler, William A. Kramer, David A. Shuttee, Ward Willford, Bo Feagin, Peter Graf, David Kramer

If the Title Insurance Agent is a corporation, the following is a list of its officers:

Collin Chase Evans, Director; William A. Kramer, Executive Chairman; David A. Shuttee, Executive Chairman; Ward Willford, Vice Chairman; Bo Feagin, President; Peter Graf, Executive Vice President and General Counsel; David Kramer, Executive Vice President; Lisa Murray, Executive Vice President and Chief Financial Officer.

You are entitled to receive advance disclosure of settlement charges in connection with the proposed transaction to which this commitment relates. Upon your request, such disclosure will be made to you. Additionally, the name of any person, firm or corporation receiving any sum from the settlement of this transaction will be disclosed on the closing or settlement statement.

You are further advised that the estimated title premium \* is:

Owner Policy	\$	4,496.00
Loan Policy	\$	0.00
Endorsement Charges	\$	TBD
Other	\$	
Total	\$	4,496.00

Of this total amount \$ or 15.00% will be paid to the policy issuing Title Insurance Company; \$ or 85.00% will be retained by the issuing Title Insurance Agent, and the remainder of the estimated premium will be paid to other parties as follows:

<u>Amount</u>	<u>To Whom</u>	<u>For Services</u>
\$		
\$		
\$		

\*The estimated premium is based upon information furnished to us as of the date of this Commitment for Title Insurance. Final determination of the amount of the premium will be made at closing in accordance with the Rules and Regulations adopted by the Commissioner of Insurance.





## FIRST AMERICAN TITLE INSURANCE COMPANY

### Commitment for Title Insurance Form (T-7)

#### DELETION OF ARBITRATION PROVISION

(Not applicable to the Texas Residential Owner's Policy)

ARBITRATION is a common form of alternative dispute resolution. It can be a quicker and cheaper means to settle a dispute with your Title Insurance Company. However, if you agree to arbitrate, you give up your right to take the Title Company to court and your rights to discovery of evidence may be limited in the arbitration process. In addition, you cannot usually appeal an arbitrator's award.

**Your policy contains an arbitration provision (shown below). It allows you or the Company to require arbitration if the amount of insurance is \$2,000,000 or less. If you want to retain your right to sue the Company in case of a dispute over a claim, you must request deletion of the arbitration provision before the policy is issued. You can do this by signing this form and returning it to the Company at or before the closing of your real estate transaction or by writing to the Company. The arbitration provision in the Policy is as follows:**

"Either the Company or the Insured may demand that the claim or controversy shall be submitted to arbitration pursuant to the Title Insurance Arbitration Rules of the American Land Title Association ("Rules"). Except as provided in the Rules, there shall be no joinder or consolidation with claims or controversies of other persons. Arbitrable matters may include, but are not limited to, any controversy or claim between the Company and the Insured arising out of or relating to this policy, any service in connection with its issuance or the breach of a policy provision, or to any other controversy or claim arising out of the transaction giving rise to this policy. All arbitrable matters when the Amount of Insurance is \$2,000,000 or less shall be arbitrated at the option of either the Company or the Insured, unless the Insured is an individual person (as distinguished from an Entity). All arbitrable matters when the Amount of Insurance is in excess of \$2,000,000 shall be arbitrated only when agreed to by both the Company and the Insured. Arbitration pursuant to this policy and under the Rules shall be binding upon the parties. Judgment upon the award rendered by the Arbitrator(s) may be entered in any court of competent jurisdiction."

---

SIGNATURE

---

DATE



Republic Title of Texas, Inc.

PRIVACY STATEMENT



First American Title™

Effective: October 1, 2019

Notice Last Updated: January 19, 2023

This Privacy Notice describes how First American Financial Corporation, Republic Title of Texas, Inc. and their subsidiaries and affiliates (together referred to as "Republic," "we," "us," or "our") collect, use, store, and share your information. This Privacy Notice applies to information we receive from you offline only, as well as from third parties, when you interact with us and/or use and access our services and products ("Products"). For more information about our privacy practices, including our online practices, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy)

This Policy applies to information we collect from or about you: (1) when you access or use our mobile applications ("Applications"), websites ("Websites"), or products and/or services ("Products"); (2) when you communicate with us in any manner, including by email, telephone, and/or in person; and (3) from third party sources.

**Acknowledgement**

Please read this Policy carefully. The practices described herein are subject to the laws in the places in which we operate.

**BY ACCESSING AND/OR USING OUR APPLICATIONS, WEBSITES, AND/OR PRODUCTS, OR BY COMMUNICATING WITH US IN ANY MANNER, YOU REPRESENT THAT YOU HAVE READ AND UNDERSTOOD THIS POLICY.**

**What Type of Information Do We Collect About You?** We collect a variety of categories of information about you. To learn more about the categories of information we collect, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**How Do We Collect Your Information?** We collect your information: (1) directly from you; (2) automatically when you interact with us; and (3) from third parties, including business parties and affiliates, to learn more, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**How Do We Use Your Information?** We may use your information in a variety of ways, including but not limited to providing the services you have requested, fulfilling your transactions, comply with relevant laws and our policies, and handling a claim. To learn more about how we may use your information, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy)

**How Do We Share Your Information?** We do not sell your personal information. We only share your information, including to subsidiaries, affiliates, and to unaffiliated third parties: (1) with your consent; (2) in a business transfer; (3) to service providers; and (4) for legal process and protection. To learn more about how we share your information, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**How Do We Store and Protect Your Information?** The security of your information is important to us. Although no system can guarantee the complete security of your information, we take all commercially reasonable steps to insure your information is protected in alignment with all applicable laws and regulations, as appropriate to the sensitivity of your information, to learn more, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**How Long Do We Keep Your Information?** We keep your information for as long as necessary in accordance with the purpose for which it was collected, our business needs, and our legal and regulatory obligations. If we dispose of your information, we will do so in a way that is secure and appropriate to the nature of the information subject to disposal, to learn more, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**Your Choices** We provide you the ability to exercise certain controls and choices regarding our collection, use, storage, and sharing of your information. You can learn more about your choices by visiting [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy)

**International Jurisdictions:** Our Products are offered in the United States of America (US), and are subject to US federal, state, and local law. If you are accessing the Products from another country, please be advised that you may be transferring your information to us in the US, and you consent to that transfer and use of your information in accordance with this Privacy Notice. You also agree to abide by the applicable laws of applicable US federal, state, and local laws concerning your use of the Products, and your agreements with us.

We may change this Privacy Notice from time to time. Any and all changes to this Privacy Notice will be reflected on this page, and where appropriate provided in person or by another electronic method. **YOUR CONTINUED USE, ACCESS, OR INTERACTION WITH OUR PRODUCTS OR YOUR CONTINUED COMMUNICATIONS WITH US AFTER THIS NOTICE HAS BEEN PROVIDED TO YOU WILL REPRESENT THAT YOU HAVE READ AND UNDERSTOOD THIS PRIVACY NOTICE.**

**For California Residents**

If you are a California resident, you may have certain rights under California law, including but not limited to the California Consumer Privacy Act of 2018 ("CCPA"). All phrases used in this section shall have the same meaning as those phrases are used under California law, including the CCPA, to learn more, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**Right to Know.** You have a right to request that we disclose the following information to you: (1) the categories of personal information we have collected about or from you; (2) the categories of sources from which the personal information was collected; (3) the business or commercial purpose for such collection and/or disclosure; (4) the categories of third parties with whom we have shared your personal information; and (5) the specific pieces of your personal information we have collected. To submit a verified request for this information, you may email us at [dataprivacy@republictitle.com](mailto:dataprivacy@republictitle.com) or call Peter Graf at 1-214-855-8888. You may also designate an authorized agent to submit a request on your behalf by emailing [dataprivacy@republictitle.com](mailto:dataprivacy@republictitle.com) or by calling Peter Graf at 1-214-855-8888.

**Right of Deletion.** You also have a right to request that we delete the personal information we have collected from and about you. This right is subject to certain exceptions available under the CCPA and other applicable law. To submit a verified request for deletion, you may email us at [dataprivacy@republictitle.com](mailto:dataprivacy@republictitle.com) or call Peter Graf at 1-214-855-8888. You may also designate an authorized agent to submit a request on your behalf by emailing [dataprivacy@republictitle.com](mailto:dataprivacy@republictitle.com) or by calling Peter Graf at 1-214-855-8888.

**Verification Process.** For either a request to know or delete, we will verify your identity before responding to your request. To verify your identity, we will generally match the identifying information provided in your request with the information we have on file about you. Depending on the sensitivity of the information requested, we may also utilize more stringent verification methods to verify your identity, including but not limited to requesting additional information from you and/or requiring you to sign a declaration under penalty of perjury.

**Notice of Sale.** We do not sell California resident information, nor have we sold California resident information in the past 12 months. We have no actual knowledge of selling the information of minors under the age of 16.

**Right of Non-Discrimination.** You have a right to exercise your rights under California law, including under the CCPA, without suffering discrimination. Accordingly, Republic will not discriminate against you in any way if you choose to exercise your rights under the CCPA, to learn more, please visit [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**Notice of Collection.** To learn more about the categories of personal information we have collected about California residents over the last 12 months, please see "What Information Do We Collect About You" in [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy). To learn about the sources from which we have collected that information, the business and commercial purpose for its collection, and the categories of third parties with whom we have shared that information, please see "How Do We Collect Your Information", "How Do We Use Your Information", and "How Do We Share Your Information" in [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).

**Notice of Sale.** We have not sold the personal information of California residents in the past 12 months.

**Notice of Disclosure.** To learn more about the categories of personal information we may have disclosed about California residents in the past 12 months, please see "How Do We Use Your Information" and "How Do We Share Your Information" in [www.republictitle.com/privacy-policy](http://www.republictitle.com/privacy-policy).



*First American Title*™

## Important Notice

ISSUED BY

**First American Title Insurance Company**

### **IMPORTANT NOTICE**

*To obtain information or make a complaint:*

*You may call First American Title Insurance Company's toll-free telephone number for information or to make a complaint at:*

**1-888-632-1642**

*You may also write to First American Title Insurance Company at:*

**1 First American Way  
Santa Ana, California 92707**

*You may contact the Texas Department of Insurance to obtain information on companies, coverages, rights or complaints at:*

**1-800-252-3439**

*You may write the Texas Department of Insurance:*

*P.O. Box 149104  
Austin, TX 78714-9104  
Fax: (512) 490-1007  
Web: <http://www.tdi.texas.gov>  
E-mail: [ConsumerProtection@tdi.texas.gov](mailto:ConsumerProtection@tdi.texas.gov)*

#### **PREMIUM OR CLAIM DISPUTES:**

*Should you have a dispute concerning your premium or about a claim you should contact First American Title Insurance Company first. If the dispute is not resolved, you may contact the Texas Department of Insurance.*

#### **ATTACH THIS NOTICE TO YOUR POLICY:**

*This notice is for information only and does not become a part or condition of the attached document.*

### **AVISO IMPORTANTE**

*Para obtener información o para presentar una queja:*

*Usted puede llamar al número de teléfono gratuito de First American Title Insurance Company's para información o para presentar una queja al:*

**1-888-632-1642**

*Usted también puede escribir a First American Title Insurance Company:*

**1 First American Way  
Santa Ana, California 92707**

*Usted puede comunicarse con el Departamento de Seguros de Texas para obtener información sobre compañías, coberturas, derechos, o quejas al:*

**1-800-252-3439**

*Usted puede escribir al Departamento de Seguros de Texas a:*

*P.O. Box 149104  
Austin, TX 78714-9104  
Fax: (512) 490-1007  
Web: <http://www.tdi.texas.gov>  
E-mail: [ConsumerProtection@tdi.texas.gov](mailto:ConsumerProtection@tdi.texas.gov)*

#### **DISPUTAS POR PRIMAS DE SEGUROS O RECLAMACIONES:**

*Si tiene una disputa relacionada con su prima de seguro con una reclamación, usted debe comunicarse con el First American Title Insurance Company primero. Si la disputa no es resuelta, usted puede comunicarse con el Departamento de Seguros de Texas.*

#### **ADJUNTE ESTE AVISO A SU PÓLIZA:**

*Este aviso es solamente para propósitos informativos y no se convierte en parte o en condición del documento adjunto.*

Form 50-TXNOTICE (5-27-15)

Page 1 of 1

Mandatory Complaint Notice (6-1-15)  
Texas



## Interview Documentation

Contact Name:	Date:
Company Name (if applicable):	
Relationship to Property (select all that apply): <input type="checkbox"/> Owner <input type="checkbox"/> Key Site Manager <input type="checkbox"/> Occupant <input type="checkbox"/> Other: _____	Utility Providers Electricity: _____ Water: _____ Sewer: _____ Natural Gas: _____
Years of knowledge related to the Subject Property: _____	Years you/your company have owned the property: _____

1. Was the site developed or undeveloped when you purchased/acquired the property?
2. When was the site parcel(s) first developed?
3. What were the former uses of the site parcel(s)?
4. Who were former tenants of the site parcels, if any?
5. What is the current use of the site parcel(s)
6. Who are the current tenants of the site parcels, if any?
7. Who were the previous property owners? Please provide contact information if available.

## Interview Part II

ASTM 1527-21 requires that interviewees be asked about the presence of the following specific environmental features:

Feature	Yes	No	Unknown	Details
Hazardous Substances and Petroleum Products in Connection with Identified Uses				
Hazardous Substance and Petroleum Product Containers Not in Connection with Identified Uses				
Drums, Totes, and Intermediate Bulk Containers				
Unidentified Substance Containers				
Underground or Aboveground Storage Tanks				
Strong, Pungent or Noxious Odors				
Standing Surface Water and Pools or Sumps Containing Liquids Likely to be Hazardous Substances or Petroleum Products				
Known or Suspect PCB- containing Equipment (i.e. transformers)				
Stains or Corrosion to Floors, Walls or Ceilings				
Stained Soil or Pavement				
Floor Drains and Sump Pumps				
Pits, Ponds or Lagoons				
Stressed Vegetation				
Solid Waste Mounds or Non-natural Fill Materials				
Water/Wastewater Discharge				
Groundwater Wells				
Septic Systems or Cesspools				
Elevators				
Dry cleaning				
Specialized Industrial Equipment				
Onsite Emergency Electrical Generators				
Oil-water Separators				
Hydraulic Lifts				
<i>Are there any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, at, or from the subject property?</i>	Yes	No		
<i>Are there any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on or from the subject property?</i>	Yes	No		
<i>Are there any notices from any governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products?</i>	Yes	No		

**Interview Part III:**

*Are there any of the following environmentally significant documents available:*

<b>Feature</b>	<b>Yes</b>	<b>No</b>	<b>Unknown</b>	<b>Details</b>
Environmental Site Assessment Reports				
Site Investigation Reports				
Environmental Compliance Audit Reports				
Environmental Permits (solid waste disposal, hazardous waste disposal, wastewater, NPDES, underground injections, or air permits)				
Registrations for underground storage tanks or aboveground storage tanks				
Safety Data Sheets				
Community Right-to-know Plans				
Safety Plans				
Geologic or hydrogeologic reports				
Reports related to self-directed or other cleanup activities at the subject property				
Notices or other correspondence from any government agency relating to past or current violations of environmental laws with respect to the subject property				
Environmental liens encumbering the property				
Hazardous waste generator notices or reports (i.e. EPA ID Number, RCRA reporting)				
Geotechnical Studies				

*If “yes” to any of the above, please provide copies of relevant reports. If copies are unavailable, please provide the approximate year the report was completed and original report format (paper copy only, digital copy only, both, etc) in the “Details” section.*

# **Appendix III: Regulatory Records Documentation**

**Haslet Texas Tract**

2101 Avondale Haslet Road  
Haslet, TX 76052

Inquiry Number: 7429838.2s  
August 29, 2023

**The EDR Radius Map™ Report with GeoCheck®**



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)



# TABLE OF CONTENTS

SECTION	PAGE
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	9
Government Records Searched/Data Currency Tracking .....	GR-1
<b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting SSURGO Soil Map .....	A-5
Physical Setting Source Map .....	A-19
Physical Setting Source Map Findings .....	A-21
Physical Setting Source Records Searched .....	PSGR-1

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

2101 AVONDALE HASLET ROAD  
HASLET, TX 76052

#### COORDINATES

Latitude (North): 32.9683640 - 32° 58' 6.11"  
Longitude (West): 97.4062250 - 97° 24' 22.41"  
Universal Transverse Mercator: Zone 14  
UTM X (Meters): 648948.1  
UTM Y (Meters): 3648716.2  
Elevation: 847 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 12969192 AVONDALE, TX  
Version Date: 2019

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20201011  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
2101 AVONDALE HASLET ROAD  
HASLET, TX 76052

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
--------	-----------	---------	-------------------	--------------------	----------------------------

NO MAPPED SITES FOUND

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

## STANDARD ENVIRONMENTAL RECORDS

### ***Lists of Federal NPL (Superfund) sites***

NPL..... National Priority List  
Proposed NPL..... Proposed National Priority List Sites  
NPL LIENS..... Federal Superfund Liens

### ***Lists of Federal Delisted NPL sites***

Delisted NPL..... National Priority List Deletions

### ***Lists of Federal sites subject to CERCLA removals and CERCLA orders***

FEDERAL FACILITY..... Federal Facility Site Information listing  
SEMS..... Superfund Enterprise Management System

### ***Lists of Federal CERCLA sites with NFRAP***

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

### ***Lists of Federal RCRA facilities undergoing Corrective Action***

CORRACTS..... Corrective Action Report

### ***Lists of Federal RCRA TSD facilities***

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

### ***Lists of Federal RCRA generators***

RCRA-LQG..... RCRA - Large Quantity Generators  
RCRA-SQG..... RCRA - Small Quantity Generators  
RCRA-VSQG..... RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

### ***Federal institutional controls / engineering controls registries***

LUCIS..... Land Use Control Information System

## EXECUTIVE SUMMARY

US ENG CONTROLS..... Engineering Controls Sites List  
US INST CONTROLS..... Institutional Controls Sites List

### ***Federal ERNS list***

ERNS..... Emergency Response Notification System

### ***Lists of state- and tribal (Superfund) equivalent sites***

SHWS..... State Superfund Registry

### ***Lists of state and tribal landfills and solid waste disposal facilities***

SWF/LF..... Permitted Solid Waste Facilities  
DEBRIS..... Approved Debris Management Sites Locations  
CLI..... Closed Landfill Inventory  
WASTE MGMT..... Commercial Hazardous & Solid Waste Management Facilities

### ***Lists of state and tribal leaking storage tanks***

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land  
LPST..... Leaking Petroleum Storage Tank Listing  
RDR..... Release Determination Report Listing

### ***Lists of state and tribal registered storage tanks***

FEMA UST..... Underground Storage Tank Listing  
UST..... Petroleum Storage Tank Database  
AST..... Petroleum Storage Tank Database  
INDIAN UST..... Underground Storage Tanks on Indian Land  
TANKS..... Petroleum Storage Tanks Listing

### ***State and tribal institutional control / engineering control registries***

AUL..... Sites with Controls

### ***Lists of state and tribal voluntary cleanup sites***

VCP..... Voluntary Cleanup Program Database  
INDIAN VCP..... Voluntary Cleanup Priority Listing

### ***Lists of state and tribal brownfield sites***

BROWNFIELDS..... Brownfields Site Assessments

## **ADDITIONAL ENVIRONMENTAL RECORDS**

### ***Local Brownfield lists***

US BROWNFIELDS..... A Listing of Brownfields Sites

### ***Local Lists of Landfill / Solid Waste Disposal Sites***

SWRCY..... Recycling Facility Listing

## EXECUTIVE SUMMARY

HIST LF.....	Historical Information About Municipal Solid Waste Facilities
INDIAN ODI.....	Report on the Status of Open Dumps on Indian Lands
ODI.....	Open Dump Inventory
DEBRIS REGION 9.....	Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS.....	Open Dumps on Indian Land

### **Local Lists of Hazardous waste / Contaminated Sites**

US HIST CDL.....	Delisted National Clandestine Laboratory Register
CDL.....	CDL
PRIORITYCLEANERS.....	Dry Cleaner Remediation Program Prioritization List
DEL SHWS.....	Deleted Superfund Registry Sites
US CDL.....	National Clandestine Laboratory Register
CENTRAL REGISTRY.....	CENTRAL REGISTRY

### **Local Lists of Registered Storage Tanks**

NON REGIST PST.....	Petroleum Storage Tank Non Registered
---------------------	---------------------------------------

### **Local Land Records**

HIST LIENS.....	Environmental Liens Listing
LIENS.....	Environmental Liens Listing
LIENS 2.....	CERCLA Lien Information

### **Records of Emergency Release Reports**

HMIRS.....	Hazardous Materials Information Reporting System
SPILLS.....	Spills Database
SPILLS 90.....	SPILLS 90 data from FirstSearch
SPILLS 80.....	SPILLS 80 data from FirstSearch

### **Other Ascertainable Records**

RCRA NonGen / NLR.....	RCRA - Non Generators / No Longer Regulated
FUDS.....	Formerly Used Defense Sites
DOD.....	Department of Defense Sites
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR.....	Financial Assurance Information
EPA WATCH LIST.....	EPA WATCH LIST
2020 COR ACTION.....	2020 Corrective Action Program List
TSCA.....	Toxic Substances Control Act
TRIS.....	Toxic Chemical Release Inventory System
SSTS.....	Section 7 Tracking Systems
ROD.....	Records Of Decision
RMP.....	Risk Management Plans
RAATS.....	RCRA Administrative Action Tracking System
PRP.....	Potentially Responsible Parties
PADS.....	PCB Activity Database System
ICIS.....	Integrated Compliance Information System
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS.....	Material Licensing Tracking System
COAL ASH DOE.....	Steam-Electric Plant Operation Data
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List

## EXECUTIVE SUMMARY

PCB TRANSFORMER.....	PCB Transformer Registration Database
RADINFO.....	Radiation Information Database
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS.....	Incident and Accident Data
CONSENT.....	Superfund (CERCLA) Consent Decrees
INDIAN RESERV.....	Indian Reservations
FUSRAP.....	Formerly Utilized Sites Remedial Action Program
UMTRA.....	Uranium Mill Tailings Sites
LEAD SMELTERS.....	Lead Smelter Sites
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
US MINES.....	Mines Master Index File
ABANDONED MINES.....	Abandoned Mines
FINDS.....	Facility Index System/Facility Registry System
DOCKET HWC.....	Hazardous Waste Compliance Docket Listing
ECHO.....	Enforcement & Compliance History Information
UXO.....	Unexploded Ordnance Sites
FUELS PROGRAM.....	EPA Fuels Program Registered Listing
PFAS NPL.....	Superfund Sites with PFAS Detections Information
PFAS FEDERAL SITES.....	Federal Sites PFAS Information
PFAS TSCA.....	PFAS Manufacture and Imports Information
PFAS RCRA MANIFEST.....	PFAS Transfers Identified In the RCRA Database Listing
PFAS ATSDR.....	PFAS Contamination Site Location Listing
PFAS WQP.....	Ambient Environmental Sampling for PFAS
PFAS NPDES.....	Clean Water Act Discharge Monitoring Information
PFAS ECHO.....	Facilities in Industries that May Be Handling PFAS Listing
PFAS ECHO FIRE TRAINING.....	Facilities in Industries that May Be Handling PFAS Listing
PFAS PART 139 AIRPORT.....	All Certified Part 139 Airports PFAS Information Listing
AQUEOUS FOAM NRC.....	Aqueous Foam Related Incidents Listing
PFAS.....	PFAS Contamination Site Location Listing
AQUEOUS FOAM.....	AFFF Sites Listing
AIRS.....	Current Emission Inventory Data
APAR.....	Affected Property Assessment Report Site Listing
ASBESTOS.....	ASBESTOS
COAL ASH.....	Coal Ash Disposal Sites
DRYCLEANERS.....	Drycleaner Registration Database Listing
ED AQUIF.....	Edwards Aquifer Permits
ENF.....	Notice of Violations Listing
Financial Assurance.....	Financial Assurance Information Listing
GCC.....	Groundwater Contamination Cases
IOP.....	Innocent Owner/Operator Program
LEAD.....	LEAD
Ind. Haz Waste.....	Industrial & Hazardous Waste Database
MSD.....	Municipal Settings Designations Database
NPDES.....	NPDES Facility List
RWS.....	Radioactive Waste Sites
TIER 2.....	Tier 2 Chemical Inventory Reports
UIC.....	Underground Injection Wells Database Listing
IHW CORR ACTION.....	Industrial and Hazardous Waste Corrective Action Information
PST STAGE 2.....	PST Stage 2
COMP HIST.....	Compliance History Listing
MINES MRDS.....	Mineral Resources Data System
PFAS TRIS.....	List of PFAS Added to the TRI

### **EDR HIGH RISK HISTORICAL RECORDS**

#### ***EDR Exclusive Records***

EDR MGP..... EDR Proprietary Manufactured Gas Plants

## EXECUTIVE SUMMARY

EDR Hist Auto..... EDR Exclusive Historical Auto Stations  
EDR Hist Cleaner..... EDR Exclusive Historical Cleaners

### EDR RECOVERED GOVERNMENT ARCHIVES

#### *Exclusive Recovered Govt. Archives*

RGA HWS..... Recovered Government Archive State Hazardous Waste Facilities List  
RGA LF..... Recovered Government Archive Solid Waste Facilities List

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were not identified.


Unmappable (orphan) sites are not considered in the foregoing analysis.
















## EXECUTIVE SUMMARY

There were no unmapped sites in this report.

# OVERVIEW MAP - 7429838.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Power transmission lines
-  Pipelines
-  Special Flood Hazard Area (1%)
-  0.2% Annual Chance Flood Hazard
-  National Wetland Inventory
-  State Wetlands


This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.








SITE NAME: Haslet Texas Tract  
 ADDRESS: 2101 Avondale Haslet Road  
 Haslet TX 76052  
 LAT/LONG: 32.968364 / 97.406225





CLIENT: ECS Southwest, LLP  
 CONTACT: Quinton Ayers  
 INQUIRY #: 7429838.2s  
 DATE: August 29, 2023 10:05 am



# DETAIL MAP - 7429838.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Power transmission lines
-  National Wetland Inventory
-  State Wetlands



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Haslet Texas Tract  
 ADDRESS: 2101 Avondale Haslet Road  
 Haslet TX 76052  
 LAT/LONG: 32.968364 / 97.406225

CLIENT: ECS Southwest, LLP  
 CONTACT: Quinton Ayers  
 INQUIRY #: 7429838.2s  
 DATE: August 29, 2023 10:06 am

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Lists of Federal NPL (Superfund) sites</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal Delisted NPL sites</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal CERCLA sites with NFRAP</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA facilities undergoing Corrective Action</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Lists of Federal RCRA TSD facilities</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Lists of Federal RCRA generators</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>Lists of state- and tribal (Superfund) equivalent sites</i></b>								
SHWS	1.000		0	0	0	0	NR	0
<b><i>Lists of state and tribal landfills and solid waste disposal facilities</i></b>								
SWF/LF	0.500		0	0	0	NR	NR	0
DEBRIS	0.500		0	0	0	NR	NR	0
CLI	0.500		0	0	0	NR	NR	0
WASTE MGMT	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><i>Lists of state and tribal leaking storage tanks</i></b>								
INDIAN LUST	0.500		0	0	0	NR	NR	0
LPST	0.500		0	0	0	NR	NR	0
RDR	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal registered storage tanks</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		0	0	NR	NR	NR	0
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
TANKS	0.500		0	0	0	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
AUL	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal voluntary cleanup sites</i></b>								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
<b><i>Lists of state and tribal brownfield sites</i></b>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
SWRCY	0.500		0	0	0	NR	NR	0
HIST LF	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
CDL	TP		NR	NR	NR	NR	NR	0
PRIORITYCLEANERS	0.500		0	0	0	NR	NR	0
DEL SHWS	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
CENTRAL REGISTRY	TP		NR	NR	NR	NR	NR	0
<b><i>Local Lists of Registered Storage Tanks</i></b>								
NON REGIST PST	0.250		0	0	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
HIST LIENS	TP		NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b>Records of Emergency Release Reports</b>								
HMIRS	TP		NR	NR	NR	NR	NR	0
SPILLS	TP		NR	NR	NR	NR	NR	0
SPILLS 90	TP		NR	NR	NR	NR	NR	0
SPILLS 80	TP		NR	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

NO SITES FOUND



Count: 0 records.

ORPHAN SUMMARY

<u>City</u>	<u>EDR ID</u>	<u>Site Name</u>	<u>Site Address</u>	<u>Zip</u>	<u>Database(s)</u>
NO SITES FOUND					

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## **STANDARD ENVIRONMENTAL RECORDS**

### ***Lists of Federal NPL (Superfund) sites***

#### **NPL: National Priority List**

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: N/A
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

#### **NPL Site Boundaries**

##### **Sources:**

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 7  
Telephone: 913-551-7247

EPA Region 4  
Telephone 404-562-8033

EPA Region 8  
Telephone: 303-312-6774

EPA Region 5  
Telephone 312-886-6686

EPA Region 9  
Telephone: 415-947-4246

EPA Region 10  
Telephone 206-553-8665

#### **Proposed NPL: Proposed National Priority List Sites**

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: N/A
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

#### **NPL LIENS: Federal Superfund Liens**

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991  
Date Data Arrived at EDR: 02/02/1994  
Date Made Active in Reports: 03/30/1994  
Number of Days to Update: 56

Source: EPA  
Telephone: 202-564-4267  
Last EDR Contact: 08/15/2011  
Next Scheduled EDR Contact: 11/28/2011  
Data Release Frequency: No Update Planned

## ***Lists of Federal Delisted NPL sites***

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/22/2023  
Date Data Arrived at EDR: 07/06/2023  
Date Made Active in Reports: 07/24/2023  
Number of Days to Update: 18

Source: EPA  
Telephone: N/A  
Last EDR Contact: 08/02/2023  
Next Scheduled EDR Contact: 10/09/2023  
Data Release Frequency: Quarterly

## ***Lists of Federal sites subject to CERCLA removals and CERCLA orders***

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 03/26/2023  
Date Data Arrived at EDR: 03/28/2023  
Date Made Active in Reports: 05/30/2023  
Number of Days to Update: 63

Source: Environmental Protection Agency  
Telephone: 703-603-8704  
Last EDR Contact: 06/23/2023  
Next Scheduled EDR Contact: 10/09/2023  
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/22/2023  
Date Data Arrived at EDR: 07/06/2023  
Date Made Active in Reports: 07/24/2023  
Number of Days to Update: 18

Source: EPA  
Telephone: 800-424-9346  
Last EDR Contact: 08/02/2023  
Next Scheduled EDR Contact: 10/23/2023  
Data Release Frequency: Quarterly

## ***Lists of Federal CERCLA sites with NFRAP***

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: 800-424-9346
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Quarterly

## ***Lists of Federal RCRA facilities undergoing Corrective Action***

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 07/24/2023	Source: EPA
Date Data Arrived at EDR: 07/31/2023	Telephone: 800-424-9346
Date Made Active in Reports: 08/14/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## ***Lists of Federal RCRA TSD facilities***

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 07/24/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/31/2023	Telephone: 214-665-6444
Date Made Active in Reports: 08/14/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## ***Lists of Federal RCRA generators***

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 07/24/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/31/2023	Telephone: 214-665-6444
Date Made Active in Reports: 08/14/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 07/24/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/31/2023	Telephone: 214-665-6444
Date Made Active in Reports: 08/14/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 07/24/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/31/2023	Telephone: 214-665-6444
Date Made Active in Reports: 08/14/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## ***Federal institutional controls / engineering controls registries***

### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/25/2023	Source: Department of the Navy
Date Data Arrived at EDR: 05/31/2023	Telephone: 843-820-7326
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 54	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Varies

### US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 05/22/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/23/2023	Telephone: 703-603-0695
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/21/2023
Number of Days to Update: 62	Next Scheduled EDR Contact: 12/04/2023
	Data Release Frequency: Varies

### US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 05/22/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/23/2023	Telephone: 703-603-0695
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/21/2023
Number of Days to Update: 62	Next Scheduled EDR Contact: 12/04/2023
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ***Federal ERNS list***

### **ERNS: Emergency Response Notification System**

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/12/2023

Source: National Response Center, United States Coast Guard

Date Data Arrived at EDR: 06/20/2023

Telephone: 202-267-2180

Date Made Active in Reports: 08/14/2023

Last EDR Contact: 06/20/2023

Number of Days to Update: 55

Next Scheduled EDR Contact: 10/02/2023

Data Release Frequency: Quarterly

## ***Lists of state- and tribal (Superfund) equivalent sites***

### **SHWS: State Superfund Registry**

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 03/23/2023

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 03/29/2023

Telephone: 512-239-5680

Date Made Active in Reports: 06/20/2023

Last EDR Contact: 06/14/2023

Number of Days to Update: 83

Next Scheduled EDR Contact: 10/02/2023

Data Release Frequency: Semi-Annually

## ***Lists of state and tribal landfills and solid waste disposal facilities***

### **SWF/LF: Permitted Solid Waste Facilities**

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 04/19/2023

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 04/20/2023

Telephone: 512-239-6706

Date Made Active in Reports: 07/12/2023

Last EDR Contact: 07/12/2023

Number of Days to Update: 83

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Quarterly

### **DEBRIS: Approved Debris Management Sites Locations**

A listing of temporary debris management sites and MSW landfills for debris resulting from Hurricane Harvey.

Date of Government Version: 03/27/2018

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 04/04/2018

Telephone: 512-239-6840

Date Made Active in Reports: 06/08/2018

Last EDR Contact: 06/01/2023

Number of Days to Update: 65

Next Scheduled EDR Contact: 09/18/2023

Data Release Frequency: Varies

### **CLI: Closed Landfill Inventory**

Closed and abandoned landfills (permitted as well as unauthorized) across the state of Texas. For current information regarding any of the sites included in this database, contact the appropriate Council of Governments agency.

Date of Government Version: 08/30/1999

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 09/28/2000

Telephone: N/A

Date Made Active in Reports: 10/30/2000

Last EDR Contact: 06/26/2023

Number of Days to Update: 32

Next Scheduled EDR Contact: 10/09/2023

Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## H-GAC CLI: Houston-Galveston Closed Landfill Inventory

Closed Landfill Inventory for the Houston-Galveston Area Council Region. In 1993, the Texas Legislature passed House Bill (HB) 2537, which required Councils of Governments (COGs) to develop an inventory of closed municipal solid waste landfills for their regional solid waste management plans.

Date of Government Version: 03/27/2023	Source: Houston-Galveston Area Council
Date Data Arrived at EDR: 03/29/2023	Telephone: 832-681-2518
Date Made Active in Reports: 06/13/2023	Last EDR Contact: 06/27/2023
Number of Days to Update: 76	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

## WASTE MGMT: Commercial Hazardous & Solid Waste Management Facilities

This list contains commercial recycling facilities and facilities permitted or authorized (interim status) by the Texas Natural Resource Conservation Commission.

Date of Government Version: 10/16/2019	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 01/10/2020	Telephone: 512-239-2920
Date Made Active in Reports: 03/18/2020	Last EDR Contact: 06/29/2023
Number of Days to Update: 68	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

## ***Lists of state and tribal leaking storage tanks***

### INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/20/2023	Source: EPA Region 4
Date Data Arrived at EDR: 05/09/2023	Telephone: 404-562-8677
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 05/09/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

### INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/14/2023	Source: EPA, Region 5
Date Data Arrived at EDR: 05/09/2023	Telephone: 312-886-7439
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

### INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/26/2023	Source: EPA Region 6
Date Data Arrived at EDR: 05/09/2023	Telephone: 214-665-6597
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

### INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/20/2023	Source: EPA Region 10
Date Data Arrived at EDR: 05/09/2023	Telephone: 206-553-2857
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/20/2023	Source: EPA Region 1
Date Data Arrived at EDR: 05/09/2023	Telephone: 617-918-1313
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/19/2023	Source: EPA Region 8
Date Data Arrived at EDR: 05/09/2023	Telephone: 303-312-6271
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/25/2023	Source: EPA Region 7
Date Data Arrived at EDR: 05/09/2023	Telephone: 913-551-7003
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/19/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/09/2023	Telephone: 415-972-3372
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## LPST: Leaking Petroleum Storage Tank Database

An inventory of reported leaking petroleum storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 03/28/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-2200
Date Made Active in Reports: 04/04/2023	Last EDR Contact: 06/14/2023
Number of Days to Update: 6	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## RDR: Release Determination Report Listing

An owner-operator permanently removing an underground storage tank system from service must determine whether a release of a stored regulated substance has occurred. Assemble and submit documentation of tank removal and release determination including the details of all excavation, removal, and sampling activities to the TCEQ using the PST Program's Release Determination Report form (TCEQ-00621).

Date of Government Version: 03/29/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/30/2023	Telephone: 512-239-2081
Date Made Active in Reports: 04/04/2023	Last EDR Contact: 06/14/2023
Number of Days to Update: 5	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Varies

## ***Lists of state and tribal registered storage tanks***



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 03/08/2023	Source: FEMA
Date Data Arrived at EDR: 03/09/2023	Telephone: 202-646-5797
Date Made Active in Reports: 05/30/2023	Last EDR Contact: 06/27/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

## UST: Petroleum Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 03/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/22/2023	Telephone: 512-239-2160
Date Made Active in Reports: 06/07/2023	Last EDR Contact: 06/20/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## AST: Petroleum Storage Tank Database

Registered Aboveground Storage Tanks.

Date of Government Version: 03/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/22/2023	Telephone: 512-239-2160
Date Made Active in Reports: 06/07/2023	Last EDR Contact: 06/20/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 04/20/2023	Source: EPA Region 4
Date Data Arrived at EDR: 05/09/2023	Telephone: 404-562-9424
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/19/2023	Source: EPA Region 9
Date Data Arrived at EDR: 05/09/2023	Telephone: 415-972-3368
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/20/2023	Source: EPA Region 8
Date Data Arrived at EDR: 05/09/2023	Telephone: 303-312-6137
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/25/2023	Source: EPA Region 7
Date Data Arrived at EDR: 05/09/2023	Telephone: 913-551-7003
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/20/2023	Source: EPA, Region 1
Date Data Arrived at EDR: 05/09/2023	Telephone: 617-918-1313
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/14/2023	Source: EPA Region 5
Date Data Arrived at EDR: 05/09/2023	Telephone: 312-886-6136
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/26/2023	Source: EPA Region 6
Date Data Arrived at EDR: 05/09/2023	Telephone: 214-665-7591
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/20/2023	Source: EPA Region 10
Date Data Arrived at EDR: 05/09/2023	Telephone: 206-553-2857
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

## TANKS: Petroleum Storage Tanks Listing

A list of facilities included on the Petroleum Storage Tank database that have no association as either underground or aboveground tanks.

Date of Government Version: 03/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/22/2023	Telephone: 512-239-0985
Date Made Active in Reports: 06/07/2023	Last EDR Contact: 06/20/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ***State and tribal institutional control / engineering control registries***

### **AUL: Sites with Controls**

Activity and use limitations include both engineering controls and institutional controls.

Date of Government Version: 04/06/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/06/2023	Telephone: 512-239-5891
Date Made Active in Reports: 06/21/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 76	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

## ***Lists of state and tribal voluntary cleanup sites***

### **INDIAN VCP R7: Voluntary Cleanup Priority Listing**

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 07/08/2021
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

### **INDIAN VCP R1: Voluntary Cleanup Priority Listing**

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 06/13/2023
Number of Days to Update: 142	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Varies

### **VCP RRC: Voluntary Cleanup Program Sites**

The Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.

Date of Government Version: 04/01/2023	Source: Railroad Commission of Texas
Date Data Arrived at EDR: 04/12/2023	Telephone: 512-463-6969
Date Made Active in Reports: 06/29/2023	Last EDR Contact: 07/11/2023
Number of Days to Update: 78	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Varies

### **VCP TCEQ: Voluntary Cleanup Program Database**

The Texas Voluntary Cleanup Program was established to provide administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas.

Date of Government Version: 06/23/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 06/27/2023	Telephone: 512-239-5891
Date Made Active in Reports: 07/11/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

## ***Lists of state and tribal brownfield sites***

### **BROWNFIELDS: Brownfields Site Assessments**

Brownfield site assessments that are being cleaned under EPA grant monies.

Date of Government Version: 03/27/2023	Source: TCEQ
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-5872
Date Made Active in Reports: 04/03/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 5	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Semi-Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ADDITIONAL ENVIRONMENTAL RECORDS

### **Local Brownfield lists**

#### US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 04/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/13/2023	Telephone: 202-566-2777
Date Made Active in Reports: 04/19/2023	Last EDR Contact: 06/08/2023
Number of Days to Update: 6	Next Scheduled EDR Contact: 09/25/2023
	Data Release Frequency: Semi-Annually

### **Local Lists of Landfill / Solid Waste Disposal Sites**

#### CAPCOG LI: Capitol Area Landfill Inventory

Permitted and unpermitted landfills for the CAPCOG region. Serving Bastrop, Blanco, Burnet, Caldwell, Fayette, Hays, Lee, Llano, Travis, and Williamson Counties.

Date of Government Version: 11/11/2022	Source: Capital Area Council of Governments
Date Data Arrived at EDR: 05/23/2023	Telephone: 512-916-6000
Date Made Active in Reports: 06/05/2023	Last EDR Contact: 06/29/2023
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

#### NCTCOG LI: North Central Landfill Inventory

North Central Texas Council of Governments landfill database.

Date of Government Version: 03/27/2023	Source: North Central Texas Council of Governments
Date Data Arrived at EDR: 03/29/2023	Telephone: 817-695-9223
Date Made Active in Reports: 06/14/2023	Last EDR Contact: 06/27/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

#### SWRCY: Recycling Facility Listing

A listing of recycling facilities in the state.

Date of Government Version: 05/08/2023	Source: TCEQ
Date Data Arrived at EDR: 05/10/2023	Telephone: 512-239-6700
Date Made Active in Reports: 08/03/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 85	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Varies

#### HIST LF: Historical Information About Municipal Solid Waste Facilities

An historical information listing old, closed unnumbered MSW landfills that were operated before permits were required, as well as unauthorized landfills and miscellaneous illegal dumps and disposal sites.

Date of Government Version: 02/01/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 09/28/2022	Telephone: 512-239-2335
Date Made Active in Reports: 05/24/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 238	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998  
Date Data Arrived at EDR: 12/03/2007  
Date Made Active in Reports: 01/24/2008  
Number of Days to Update: 52

Source: Environmental Protection Agency  
Telephone: 703-308-8245  
Last EDR Contact: 07/19/2023  
Next Scheduled EDR Contact: 11/06/2023  
Data Release Frequency: Varies

## ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985  
Date Data Arrived at EDR: 08/09/2004  
Date Made Active in Reports: 09/17/2004  
Number of Days to Update: 39

Source: Environmental Protection Agency  
Telephone: 800-424-9346  
Last EDR Contact: 06/09/2004  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009  
Date Data Arrived at EDR: 05/07/2009  
Date Made Active in Reports: 09/21/2009  
Number of Days to Update: 137

Source: EPA, Region 9  
Telephone: 415-947-4219  
Last EDR Contact: 07/11/2023  
Next Scheduled EDR Contact: 10/30/2023  
Data Release Frequency: No Update Planned

## IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014  
Date Data Arrived at EDR: 08/06/2014  
Date Made Active in Reports: 01/29/2015  
Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service  
Telephone: 301-443-1452  
Last EDR Contact: 07/27/2023  
Next Scheduled EDR Contact: 11/13/2023  
Data Release Frequency: Varies

## **Local Lists of Hazardous waste / Contaminated Sites**

### US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 05/22/2023  
Date Data Arrived at EDR: 05/23/2023  
Date Made Active in Reports: 07/10/2023  
Number of Days to Update: 48

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 08/21/2023  
Next Scheduled EDR Contact: 12/04/2023  
Data Release Frequency: No Update Planned

### CDL: Clandestine Drug Site Locations Listing

A listing of former clandestine drug site locations

Date of Government Version: 09/07/2021  
Date Data Arrived at EDR: 12/09/2021  
Date Made Active in Reports: 03/01/2022  
Number of Days to Update: 82

Source: Department of Public Safety  
Telephone: 512-424-2144  
Last EDR Contact: 07/19/2023  
Next Scheduled EDR Contact: 11/06/2023  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PRIORITY CLEANERS: Dry Cleaner Remediation Program Prioritization List

A listing of dry cleaner related contaminated sites.

Date of Government Version: 03/01/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 05/30/2023	Telephone: 512-239-5658
Date Made Active in Reports: 08/18/2023	Last EDR Contact: 05/30/2023
Number of Days to Update: 80	Next Scheduled EDR Contact: 09/11/2023
	Data Release Frequency: Varies

## DEL SHWS: Deleted Superfund Registry Sites

Sites have been deleted from the state Superfund registry in accordance with the Act, 361.189

Date of Government Version: 03/23/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-0666
Date Made Active in Reports: 06/20/2023	Last EDR Contact: 06/14/2023
Number of Days to Update: 83	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

## US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/22/2023	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 05/23/2023	Telephone: 202-307-1000
Date Made Active in Reports: 07/10/2023	Last EDR Contact: 08/21/2023
Number of Days to Update: 48	Next Scheduled EDR Contact: 12/04/2023
	Data Release Frequency: Quarterly

## CENTRAL REGISTRY: The Central Registry

The Central Registry, a common record area of the TCEQ, maintains information about TCEQ customers and regulated activities, such as company names, addresses, and telephone numbers. This information is commonly referred to as "core data". The Central Registry provides the regulated community with a central access point within the agency to check core data and make changes when necessary.

Date of Government Version: 09/30/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 10/04/2022	Telephone: 512-239-5175
Date Made Active in Reports: 12/27/2022	Last EDR Contact: 06/22/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

### **Local Lists of Registered Storage Tanks**

## NON REGIST PST: Petroleum Storage Tank Non Registered

A listing of non-registered petroleum storage tank site locations.

Date of Government Version: 03/31/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/04/2023	Telephone: 512-239-2081
Date Made Active in Reports: 06/22/2023	Last EDR Contact: 07/27/2023
Number of Days to Update: 79	Next Scheduled EDR Contact: 11/13/2023
	Data Release Frequency: Quarterly

### **Local Land Records**

## HIST LIENS: Environmental Liens Listing

This listing contains information fields that are no longer tracked in the LIENS database.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/23/2007  
Date Data Arrived at EDR: 03/23/2007  
Date Made Active in Reports: 05/02/2007  
Number of Days to Update: 40

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2209  
Last EDR Contact: 12/17/2007  
Next Scheduled EDR Contact: 03/17/2008  
Data Release Frequency: No Update Planned

## LIENS: Environmental Liens Listing

The listing covers TCEQ liens placed against either State Superfund sites or Federal Superfund sites to recover cost incurred by TCEQ.

Date of Government Version: 03/27/2023  
Date Data Arrived at EDR: 03/29/2023  
Date Made Active in Reports: 04/03/2023  
Number of Days to Update: 5

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2209  
Last EDR Contact: 06/22/2023  
Next Scheduled EDR Contact: 10/09/2023  
Data Release Frequency: Varies

## LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 06/22/2023  
Date Data Arrived at EDR: 07/06/2023  
Date Made Active in Reports: 07/24/2023  
Number of Days to Update: 18

Source: Environmental Protection Agency  
Telephone: 202-564-6023  
Last EDR Contact: 08/02/2023  
Next Scheduled EDR Contact: 10/09/2023  
Data Release Frequency: Semi-Annually

## **Records of Emergency Release Reports**

### HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/19/2023  
Date Data Arrived at EDR: 03/21/2023  
Date Made Active in Reports: 05/30/2023  
Number of Days to Update: 70

Source: U.S. Department of Transportation  
Telephone: 202-366-4555  
Last EDR Contact: 06/20/2023  
Next Scheduled EDR Contact: 10/02/2023  
Data Release Frequency: Quarterly

### SPILLS: Spills Database

Spills reported to the Emergency Response Division.

Date of Government Version: 04/10/2023  
Date Data Arrived at EDR: 04/12/2023  
Date Made Active in Reports: 06/29/2023  
Number of Days to Update: 78

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5100  
Last EDR Contact: 07/12/2023  
Next Scheduled EDR Contact: 10/23/2023  
Data Release Frequency: Quarterly

### SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 10/23/2012  
Date Data Arrived at EDR: 01/03/2013  
Date Made Active in Reports: 03/07/2013  
Number of Days to Update: 63

Source: FirstSearch  
Telephone: N/A  
Last EDR Contact: 01/03/2013  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

### SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/15/2005  
Date Data Arrived at EDR: 01/03/2013  
Date Made Active in Reports: 03/07/2013  
Number of Days to Update: 63

Source: FirstSearch  
Telephone: N/A  
Last EDR Contact: 01/03/2013  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## **Other Ascertainable Records**

### **RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated**

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 07/24/2023  
Date Data Arrived at EDR: 07/31/2023  
Date Made Active in Reports: 08/14/2023  
Number of Days to Update: 14

Source: Environmental Protection Agency  
Telephone: 214-665-6444  
Last EDR Contact: 07/31/2023  
Next Scheduled EDR Contact: 10/02/2023  
Data Release Frequency: Quarterly

### **FUDS: Formerly Used Defense Sites**

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 05/08/2023  
Date Data Arrived at EDR: 05/16/2023  
Date Made Active in Reports: 07/10/2023  
Number of Days to Update: 55

Source: U.S. Army Corps of Engineers  
Telephone: 202-528-4285  
Last EDR Contact: 08/15/2023  
Next Scheduled EDR Contact: 11/27/2023  
Data Release Frequency: Varies

### **DOD: Department of Defense Sites**

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021  
Date Data Arrived at EDR: 07/13/2021  
Date Made Active in Reports: 03/09/2022  
Number of Days to Update: 239

Source: USGS  
Telephone: 888-275-8747  
Last EDR Contact: 07/10/2023  
Next Scheduled EDR Contact: 10/23/2023  
Data Release Frequency: Varies

### **FEDLAND: Federal and Indian Lands**

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018  
Date Data Arrived at EDR: 04/11/2018  
Date Made Active in Reports: 11/06/2019  
Number of Days to Update: 574

Source: U.S. Geological Survey  
Telephone: 888-275-8747  
Last EDR Contact: 07/05/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: N/A

### **SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing**

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/30/2021  
Date Data Arrived at EDR: 02/03/2023  
Date Made Active in Reports: 02/10/2023  
Number of Days to Update: 7

Source: Environmental Protection Agency  
Telephone: 615-532-8599  
Last EDR Contact: 08/01/2023  
Next Scheduled EDR Contact: 11/20/2023  
Data Release Frequency: Varies

## US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/19/2023  
Date Data Arrived at EDR: 06/20/2023  
Date Made Active in Reports: 08/14/2023  
Number of Days to Update: 55

Source: Environmental Protection Agency  
Telephone: 202-566-1917  
Last EDR Contact: 06/20/2023  
Next Scheduled EDR Contact: 10/02/2023  
Data Release Frequency: Quarterly

## EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013  
Date Data Arrived at EDR: 03/21/2014  
Date Made Active in Reports: 06/17/2014  
Number of Days to Update: 88

Source: Environmental Protection Agency  
Telephone: 617-520-3000  
Last EDR Contact: 07/31/2023  
Next Scheduled EDR Contact: 11/13/2023  
Data Release Frequency: Quarterly

## 2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017  
Date Data Arrived at EDR: 05/08/2018  
Date Made Active in Reports: 07/20/2018  
Number of Days to Update: 73

Source: Environmental Protection Agency  
Telephone: 703-308-4044  
Last EDR Contact: 08/03/2023  
Next Scheduled EDR Contact: 11/13/2023  
Data Release Frequency: Varies

## TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020  
Date Data Arrived at EDR: 06/14/2022  
Date Made Active in Reports: 03/24/2023  
Number of Days to Update: 283

Source: EPA  
Telephone: 202-260-5521  
Last EDR Contact: 06/16/2023  
Next Scheduled EDR Contact: 09/25/2023  
Data Release Frequency: Every 4 Years

## TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2021  
Date Data Arrived at EDR: 02/16/2023  
Date Made Active in Reports: 05/02/2023  
Number of Days to Update: 75

Source: EPA  
Telephone: 202-566-0250  
Last EDR Contact: 08/18/2023  
Next Scheduled EDR Contact: 11/27/2023  
Data Release Frequency: Annually

## SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 04/17/2023  
Date Data Arrived at EDR: 04/18/2023  
Date Made Active in Reports: 07/10/2023  
Number of Days to Update: 83

Source: EPA  
Telephone: 202-564-4203  
Last EDR Contact: 07/18/2023  
Next Scheduled EDR Contact: 10/30/2023  
Data Release Frequency: Annually

## ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 06/22/2023  
Date Data Arrived at EDR: 07/06/2023  
Date Made Active in Reports: 07/24/2023  
Number of Days to Update: 18

Source: EPA  
Telephone: 703-416-0223  
Last EDR Contact: 08/02/2023  
Next Scheduled EDR Contact: 09/11/2023  
Data Release Frequency: Annually

## RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/27/2022  
Date Data Arrived at EDR: 05/04/2022  
Date Made Active in Reports: 05/10/2022  
Number of Days to Update: 6

Source: Environmental Protection Agency  
Telephone: 202-564-8600  
Last EDR Contact: 06/12/2023  
Next Scheduled EDR Contact: 10/30/2023  
Data Release Frequency: Varies

## RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995  
Date Data Arrived at EDR: 07/03/1995  
Date Made Active in Reports: 08/07/1995  
Number of Days to Update: 35

Source: EPA  
Telephone: 202-564-4104  
Last EDR Contact: 06/02/2008  
Next Scheduled EDR Contact: 09/01/2008  
Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: 202-564-6023
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 11/13/2023
	Data Release Frequency: Quarterly

## PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/20/2023	Source: EPA
Date Data Arrived at EDR: 04/04/2023	Telephone: 202-566-0500
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/07/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Annually

## ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 06/27/2023
Number of Days to Update: 79	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Quarterly

## FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

## FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

## MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/15/2023	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 03/21/2023	Telephone: 301-415-7169
Date Made Active in Reports: 05/30/2023	Last EDR Contact: 07/12/2023
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2021	Source: Department of Energy
Date Data Arrived at EDR: 04/14/2023	Telephone: 202-586-8719
Date Made Active in Reports: 07/10/2023	Last EDR Contact: 05/25/2023
Number of Days to Update: 87	Next Scheduled EDR Contact: 09/11/2023
	Data Release Frequency: Varies

## COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/05/2019	Telephone: N/A
Date Made Active in Reports: 11/11/2019	Last EDR Contact: 08/28/2023
Number of Days to Update: 251	Next Scheduled EDR Contact: 12/11/2023
	Data Release Frequency: Varies

## PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2019	Telephone: 202-566-0517
Date Made Active in Reports: 02/10/2020	Last EDR Contact: 08/03/2023
Number of Days to Update: 96	Next Scheduled EDR Contact: 11/13/2023
	Data Release Frequency: Varies

## RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/01/2019	Telephone: 202-343-9775
Date Made Active in Reports: 09/23/2019	Last EDR Contact: 06/22/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

## HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

## HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006  
Date Data Arrived at EDR: 03/01/2007  
Date Made Active in Reports: 04/10/2007  
Number of Days to Update: 40

Source: Environmental Protection Agency  
Telephone: 202-564-2501  
Last EDR Contact: 12/17/2008  
Next Scheduled EDR Contact: 03/17/2008  
Data Release Frequency: No Update Planned

## DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020  
Date Data Arrived at EDR: 01/28/2020  
Date Made Active in Reports: 04/17/2020  
Number of Days to Update: 80

Source: Department of Transportation, Office of Pipeline Safety  
Telephone: 202-366-4595  
Last EDR Contact: 07/25/2023  
Next Scheduled EDR Contact: 11/06/2023  
Data Release Frequency: Quarterly

## CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 03/31/2023  
Date Data Arrived at EDR: 04/20/2023  
Date Made Active in Reports: 07/10/2023  
Number of Days to Update: 81

Source: Department of Justice, Consent Decree Library  
Telephone: Varies  
Last EDR Contact: 06/27/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Varies

## BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2021  
Date Data Arrived at EDR: 03/09/2023  
Date Made Active in Reports: 03/20/2023  
Number of Days to Update: 11

Source: EPA/NTIS  
Telephone: 800-424-9346  
Last EDR Contact: 07/31/2023  
Next Scheduled EDR Contact: 10/02/2023  
Data Release Frequency: Biennially

## INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014  
Date Data Arrived at EDR: 07/14/2015  
Date Made Active in Reports: 01/10/2017  
Number of Days to Update: 546

Source: USGS  
Telephone: 202-208-3710  
Last EDR Contact: 07/05/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Semi-Annually

## FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023  
Date Data Arrived at EDR: 03/03/2023  
Date Made Active in Reports: 06/09/2023  
Number of Days to Update: 98

Source: Department of Energy  
Telephone: 202-586-3559  
Last EDR Contact: 07/26/2023  
Next Scheduled EDR Contact: 11/13/2023  
Data Release Frequency: Varies

## UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2019  
Date Data Arrived at EDR: 11/15/2019  
Date Made Active in Reports: 01/28/2020  
Number of Days to Update: 74

Source: Department of Energy  
Telephone: 505-845-0011  
Last EDR Contact: 08/10/2023  
Next Scheduled EDR Contact: 11/27/2023  
Data Release Frequency: Varies

## LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 06/22/2023  
Date Data Arrived at EDR: 07/06/2023  
Date Made Active in Reports: 07/24/2023  
Number of Days to Update: 18

Source: Environmental Protection Agency  
Telephone: 703-603-8787  
Last EDR Contact: 08/02/2023  
Next Scheduled EDR Contact: 10/09/2023  
Data Release Frequency: Varies

## LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001  
Date Data Arrived at EDR: 10/27/2010  
Date Made Active in Reports: 12/02/2010  
Number of Days to Update: 36

Source: American Journal of Public Health  
Telephone: 703-305-6451  
Last EDR Contact: 12/02/2009  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016  
Date Data Arrived at EDR: 10/26/2016  
Date Made Active in Reports: 02/03/2017  
Number of Days to Update: 100

Source: EPA  
Telephone: 202-564-2496  
Last EDR Contact: 09/26/2017  
Next Scheduled EDR Contact: 01/08/2018  
Data Release Frequency: Annually

## US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016  
Date Data Arrived at EDR: 10/26/2016  
Date Made Active in Reports: 02/03/2017  
Number of Days to Update: 100

Source: EPA  
Telephone: 202-564-2496  
Last EDR Contact: 09/26/2017  
Next Scheduled EDR Contact: 01/08/2018  
Data Release Frequency: Annually

## US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/01/2023  
Date Data Arrived at EDR: 05/24/2023  
Date Made Active in Reports: 07/24/2023  
Number of Days to Update: 61

Source: Department of Labor, Mine Safety and Health Administration  
Telephone: 303-231-5959  
Last EDR Contact: 08/22/2023  
Next Scheduled EDR Contact: 12/04/2023  
Data Release Frequency: Semi-Annually

## MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/03/2023  
Date Data Arrived at EDR: 04/04/2023  
Date Made Active in Reports: 06/09/2023  
Number of Days to Update: 66

Source: DOL, Mine Safety & Health Admi  
Telephone: 202-693-9424  
Last EDR Contact: 07/05/2023  
Next Scheduled EDR Contact: 11/20/2023  
Data Release Frequency: Quarterly

## US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 01/07/2022  
Date Data Arrived at EDR: 02/24/2023  
Date Made Active in Reports: 05/17/2023  
Number of Days to Update: 82

Source: USGS  
Telephone: 703-648-7709  
Last EDR Contact: 08/24/2023  
Next Scheduled EDR Contact: 12/04/2023  
Data Release Frequency: Varies

## US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011  
Date Data Arrived at EDR: 06/08/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 97

Source: USGS  
Telephone: 703-648-7709  
Last EDR Contact: 08/24/2023  
Next Scheduled EDR Contact: 12/04/2023  
Data Release Frequency: Varies

## ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 06/13/2023  
Date Data Arrived at EDR: 06/14/2023  
Date Made Active in Reports: 08/14/2023  
Number of Days to Update: 61

Source: Department of Interior  
Telephone: 202-208-2609  
Last EDR Contact: 06/13/2023  
Next Scheduled EDR Contact: 09/18/2023  
Data Release Frequency: Quarterly

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 05/04/2023  
Date Data Arrived at EDR: 05/25/2023  
Date Made Active in Reports: 07/24/2023  
Number of Days to Update: 60

Source: EPA  
Telephone: (214) 665-2200  
Last EDR Contact: 05/25/2023  
Next Scheduled EDR Contact: 09/11/2023  
Data Release Frequency: Quarterly

## ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 03/25/2023  
Date Data Arrived at EDR: 03/31/2023  
Date Made Active in Reports: 06/09/2023  
Number of Days to Update: 70

Source: Environmental Protection Agency  
Telephone: 202-564-2280  
Last EDR Contact: 06/29/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 11/09/2021	Source: Department of Defense
Date Data Arrived at EDR: 10/20/2022	Telephone: 703-704-1564
Date Made Active in Reports: 01/10/2023	Last EDR Contact: 07/06/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Varies

## DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/21/2021	Telephone: 202-564-0527
Date Made Active in Reports: 08/11/2021	Last EDR Contact: 08/15/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 12/04/2023
	Data Release Frequency: Varies

## FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 05/15/2023	Source: EPA
Date Data Arrived at EDR: 05/17/2023	Telephone: 800-385-6164
Date Made Active in Reports: 07/10/2023	Last EDR Contact: 08/15/2023
Number of Days to Update: 54	Next Scheduled EDR Contact: 11/27/2023
	Data Release Frequency: Quarterly

## PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 06/07/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2023	Telephone: 703-603-8895
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 1	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

## PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 04/07/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 8	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

## PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 71	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies



## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST\_HANDLING\_INSTR), Non-hazardous waste description (NON\_HAZ\_WASTE\_DESCRIPTION), DOT printed information (DOT\_PRINTED\_INFORMATION), Waste line handling instructions (WASTE\_LINE\_HANDLING\_INSTR), Waste residue comments (WASTE\_RESIDUE\_COMMENTS).

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

### PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 06/24/2020	Source: Department of Health & Human Services
Date Data Arrived at EDR: 03/17/2021	Telephone: 202-741-5770
Date Made Active in Reports: 11/08/2022	Last EDR Contact: 07/19/2023
Number of Days to Update: 601	Next Scheduled EDR Contact: 11/06/2023
	Data Release Frequency: Varies

### PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

### PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 04/07/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 8	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

### PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/30/2023  
Date Data Arrived at EDR: 03/30/2023  
Date Made Active in Reports: 04/03/2023  
Number of Days to Update: 4

Source: Environmental Protection Agency  
Telephone: 202-272-0167  
Last EDR Contact: 07/05/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Varies

### PFAS ECHO FIRE TRAINING: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facility's name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 03/30/2023  
Date Data Arrived at EDR: 03/30/2023  
Date Made Active in Reports: 04/03/2023  
Number of Days to Update: 4

Source: Environmental Protection Agency  
Telephone: 202-272-0167  
Last EDR Contact: 07/05/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Varies

### PFAS PART 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration's document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 03/30/2023  
Date Data Arrived at EDR: 03/30/2023  
Date Made Active in Reports: 04/03/2023  
Number of Days to Update: 4

Source: Environmental Protection Agency  
Telephone: 202-272-0167  
Last EDR Contact: 07/05/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Varies

### AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 04/27/2023  
Date Data Arrived at EDR: 04/27/2023  
Date Made Active in Reports: 05/02/2023  
Number of Days to Update: 5

Source: Environmental Protection Agency  
Telephone: 202-272-0167  
Last EDR Contact: 07/06/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Varies

### PFAS: PFAS Contamination Site Location Listing

PFOS and PFOA stand for perfluorooctane sulfonate and perfluorooctanoic acid, respectively. Both are fluorinated organic chemicals, part of a larger family of compounds referred to as perfluoroalkyl substances (PFASs).

Date of Government Version: 03/01/2023  
Date Data Arrived at EDR: 03/08/2023  
Date Made Active in Reports: 05/31/2023  
Number of Days to Update: 84

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2341  
Last EDR Contact: 08/24/2023  
Next Scheduled EDR Contact: 12/11/2023  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## AQUEOUS FOAM: AFFF Sites Listing

A list of Aqueous Film Forming Foam (AFFF) sites.

Date of Government Version: 03/06/2023  
Date Data Arrived at EDR: 03/15/2023  
Date Made Active in Reports: 06/05/2023  
Number of Days to Update: 82

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-1913  
Last EDR Contact: 08/23/2023  
Next Scheduled EDR Contact: 12/11/2023  
Data Release Frequency: Varies

## AIRS: Current Emission Inventory Data

The database lists by company, along with their actual emissions, the TNRCC air accounts that emit EPA criteria pollutants.

Date of Government Version: 03/09/2023  
Date Data Arrived at EDR: 03/15/2023  
Date Made Active in Reports: 05/31/2023  
Number of Days to Update: 77

Source: Texas Commission on Environmental Quality  
Telephone: N/A  
Last EDR Contact: 06/01/2023  
Next Scheduled EDR Contact: 09/18/2023  
Data Release Frequency: Semi-Annually

## APAR: Affected Property Assessment Report Site Listing

Listing of Sites That Have Received an APAR (Affected Property Assessment Report)

Date of Government Version: 04/03/2023  
Date Data Arrived at EDR: 04/06/2023  
Date Made Active in Reports: 06/21/2023  
Number of Days to Update: 76

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5872  
Last EDR Contact: 06/27/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Varies

## ASBESTOS: Asbestos Notification Listing

A listing of asbestos notification site locations.

Date of Government Version: 05/10/2023  
Date Data Arrived at EDR: 05/30/2023  
Date Made Active in Reports: 08/21/2023  
Number of Days to Update: 83

Source: Department of State Health Services  
Telephone: 512-834-6787  
Last EDR Contact: 08/10/2023  
Next Scheduled EDR Contact: 11/27/2023  
Data Release Frequency: Varies

## COAL ASH: Coal Ash Disposal Sites

A listing of facilities that use surface impoundments or landfills to dispose of coal ash.

Date of Government Version: 04/25/2023  
Date Data Arrived at EDR: 04/26/2023  
Date Made Active in Reports: 07/17/2023  
Number of Days to Update: 82

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6624  
Last EDR Contact: 07/19/2023  
Next Scheduled EDR Contact: 11/06/2023  
Data Release Frequency: Varies

## DRYCLEANERS: Drycleaner Registration Database Listing

A listing of drycleaning facilities.

Date of Government Version: 03/02/2023  
Date Data Arrived at EDR: 05/24/2023  
Date Made Active in Reports: 08/18/2023  
Number of Days to Update: 86

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2160  
Last EDR Contact: 08/24/2023  
Next Scheduled EDR Contact: 12/04/2023  
Data Release Frequency: Varies

## ED AQUIF: Edwards Aquifer Permits

A listing of permits in the Edwards Aquifer Protection Program database. The information provided is for the counties located in the Austin Region (Hays, Travis, and Williamson counties).

Date of Government Version: 03/31/2023  
Date Data Arrived at EDR: 03/31/2023  
Date Made Active in Reports: 04/03/2023  
Number of Days to Update: 3

Source: Texas Commission on Environmental Quality, Austin Region  
Telephone: 512-339-2929  
Last EDR Contact: 06/14/2023  
Next Scheduled EDR Contact: 10/02/2023  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ENFORCEMENT: Notice of Violations Listing A listing of permit violations.

Date of Government Version: 03/17/2023  
Date Data Arrived at EDR: 03/29/2023  
Date Made Active in Reports: 06/23/2023  
Number of Days to Update: 86

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6012  
Last EDR Contact: 06/27/2023  
Next Scheduled EDR Contact: 10/09/2023  
Data Release Frequency: Semi-Annually

## Financial Assurance 1: Financial Assurance Information Listing Financial assurance information.

Date of Government Version: 03/21/2023  
Date Data Arrived at EDR: 03/23/2023  
Date Made Active in Reports: 04/03/2023  
Number of Days to Update: 11

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6239  
Last EDR Contact: 06/14/2023  
Next Scheduled EDR Contact: 10/02/2023  
Data Release Frequency: Varies

## Financial Assurance 2: Financial Assurance Information Listing

Financial Assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay

Date of Government Version: 03/02/2023  
Date Data Arrived at EDR: 03/22/2023  
Date Made Active in Reports: 06/07/2023  
Number of Days to Update: 77

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-0986  
Last EDR Contact: 06/20/2023  
Next Scheduled EDR Contact: 10/02/2023  
Data Release Frequency: Quarterly

## GCC: Groundwater Contamination Cases

Texas Water Code, Section 26.406 requires the annual report to describe the current status of groundwater monitoring activities conducted or required by each agency at regulated facilities or associated with regulated activities. The report is required to contain a description of each case of groundwater contamination documented during the previous calendar year. Also to be included, is a description of each case of contamination documented during previous periods for which voluntary clean up action was incomplete at the time the preceding report was issued. The report is also required to indicate the status of enforcement action for each listed case.

Date of Government Version: 12/31/2021  
Date Data Arrived at EDR: 08/29/2022  
Date Made Active in Reports: 11/16/2022  
Number of Days to Update: 79

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5690  
Last EDR Contact: 08/21/2023  
Next Scheduled EDR Contact: 12/04/2023  
Data Release Frequency: Annually

## IOP: Innocent Owner/Operator Program

Contains information on all sites that are in the IOP. An IOP is an innocent owner or operator whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.

Date of Government Version: 03/24/2023  
Date Data Arrived at EDR: 03/29/2023  
Date Made Active in Reports: 04/03/2023  
Number of Days to Update: 5

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5894  
Last EDR Contact: 06/22/2023  
Next Scheduled EDR Contact: 10/09/2023  
Data Release Frequency: Quarterly

## LEAD: Lead Inspection Listing Lead inspection sites

Date of Government Version: 11/28/2022  
Date Data Arrived at EDR: 11/30/2022  
Date Made Active in Reports: 02/13/2023  
Number of Days to Update: 75

Source: Department of State Health Services  
Telephone: 512-834-6600  
Last EDR Contact: 08/10/2023  
Next Scheduled EDR Contact: 11/27/2023  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## Ind. Haz Waste: Industrial & Hazardous Waste Database

Summary reports reported by waste handlers, generators and shippers in Texas.

Date of Government Version: 03/14/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/12/2023	Telephone: 512-239-0985
Date Made Active in Reports: 07/11/2023	Last EDR Contact: 07/12/2023
Number of Days to Update: 90	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Annually

## MSD: Municipal Settings Designations Database

An MSD is an official state designation given to property within a municipality or its extraterritorial jurisdiction that certifies that designated groundwater at the property is not use as potable water, and is prohibited from future use as potatable water because that groundwater is contaminated in excess of the applicable potable-water protective concentration level.

Date of Government Version: 05/11/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 05/11/2023	Telephone: 512-239-4982
Date Made Active in Reports: 05/15/2023	Last EDR Contact: 07/19/2023
Number of Days to Update: 4	Next Scheduled EDR Contact: 11/06/2023
	Data Release Frequency: Varies

## NPDES: NPDES Facility List

Permitted wastewater outfalls.

Date of Government Version: 08/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 08/02/2023	Telephone: 512-239-4591
Date Made Active in Reports: 08/03/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 1	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Varies

## RWS: Radioactive Waste Sites

Sites in the State of Texas that have been designated as Radioactive Waste sites.

Date of Government Version: 07/24/2006	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 12/14/2006	Telephone: 512-239-0859
Date Made Active in Reports: 01/23/2007	Last EDR Contact: 08/02/2023
Number of Days to Update: 40	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Semi-Annually

## TIER 2: Tier 2 Chemical Inventory Reports

A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

Date of Government Version: 12/31/2012	Source: Department of State Health Services
Date Data Arrived at EDR: 06/07/2013	Telephone: 512-834-6603
Date Made Active in Reports: 07/22/2013	Last EDR Contact: 08/10/2023
Number of Days to Update: 45	Next Scheduled EDR Contact: 11/27/2023
	Data Release Frequency: Annually

## UIC: Underground Injection Wells Database Listing

Class V injection wells regulated by the TCEQ. Class V wells are used to inject non-hazardous fluids underground. Most Class V wells are used to dispose of wastes into or above underground sources of drinking water and can pose a threat to ground water quality, if not managed properly.

Date of Government Version: 08/09/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 08/10/2022	Telephone: 512-239-6627
Date Made Active in Reports: 11/01/2022	Last EDR Contact: 07/06/2023
Number of Days to Update: 83	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

IHW CORR ACTION: Industrial and Hazardous Waste Corrective Action Information  
Industrial hazardous waste facilities with corrective actions.

Date of Government Version: 03/24/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-5872
Date Made Active in Reports: 04/04/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 6	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

PST STAGE 2: PST Stage 2

State II Vapor Recovery. Decommissioning of Stage II Rule - Gasoline dispensing facilities (GDFs) may begin the process of removing Stage II equipment on May 16, 2014 providing that all other requirements for decommissioning have been met, including appropriate notification.

Date of Government Version: 07/17/2019	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 07/18/2019	Telephone: 512-239-2160
Date Made Active in Reports: 09/24/2019	Last EDR Contact: 06/14/2023
Number of Days to Update: 68	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Varies

COMP HIST: Compliance History Listing

A listing of compliance histories of regulated entities

Date of Government Version: 11/21/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 11/22/2022	Telephone: 512-239-3282
Date Made Active in Reports: 02/14/2023	Last EDR Contact: 08/24/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 12/04/2023
	Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014	Source: EPA
Date Data Arrived at EDR: 02/05/2015	Telephone: 202-564-2497
Date Made Active in Reports: 03/06/2015	Last EDR Contact: 06/27/2023
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 06/07/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2023	Telephone: 202-566-0250
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 1	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

Date of Government Version: 08/23/2022	Source: USGS
Date Data Arrived at EDR: 11/22/2022	Telephone: 703-648-6533
Date Made Active in Reports: 02/28/2023	Last EDR Contact: 08/24/2023
Number of Days to Update: 98	Next Scheduled EDR Contact: 12/04/2023
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011  
Date Data Arrived at EDR: 08/05/2011  
Date Made Active in Reports: 09/29/2011  
Number of Days to Update: 55

Source: EPA, Office of Water  
Telephone: 202-564-2496  
Last EDR Contact: 06/27/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: No Update Planned

## EDR HIGH RISK HISTORICAL RECORDS

### *EDR Exclusive Records*

#### EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

#### EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

#### EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## EDR RECOVERED GOVERNMENT ARCHIVES

### ***Exclusive Recovered Govt. Archives***

#### RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Texas Commission of Environmental Quality in Texas formerly known as Texas Natural Resources Conservation Commission which changed in 2002.

Date of Government Version: N/A	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 12/26/2013	Last EDR Contact: 06/01/2012
Number of Days to Update: 178	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

#### RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Texas Commission of Environmental Quality in Texas formerly known as Texas Natural Resources Conservation Commission which changed in 2002.

Date of Government Version: N/A	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/13/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 196	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

## COUNTY RECORDS

### TRAVIS COUNTY:

#### HIST UST AUSTIN: Historic Tank Records

A listing of historic records from the City of Austin.

Date of Government Version: 05/29/2023	Source: Department of Planning & Development Review
Date Data Arrived at EDR: 05/30/2023	Telephone: 512-974-2715
Date Made Active in Reports: 08/21/2023	Last EDR Contact: 05/30/2023
Number of Days to Update: 83	Next Scheduled EDR Contact: 09/11/2023
	Data Release Frequency: Varies

## OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

#### CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/16/2022	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 11/16/2022	Telephone: 860-424-3375
Date Made Active in Reports: 02/06/2023	Last EDR Contact: 08/08/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: No Update Planned



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2018  
Date Data Arrived at EDR: 04/10/2019  
Date Made Active in Reports: 05/16/2019  
Number of Days to Update: 36

Source: Department of Environmental Protection  
Telephone: N/A  
Last EDR Contact: 06/27/2023  
Next Scheduled EDR Contact: 10/16/2023  
Data Release Frequency: Annually

## NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019  
Date Data Arrived at EDR: 10/29/2021  
Date Made Active in Reports: 01/19/2022  
Number of Days to Update: 82

Source: Department of Environmental Conservation  
Telephone: 518-402-8651  
Last EDR Contact: 07/27/2023  
Next Scheduled EDR Contact: 11/06/2023  
Data Release Frequency: Quarterly

## PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018  
Date Data Arrived at EDR: 07/19/2019  
Date Made Active in Reports: 09/10/2019  
Number of Days to Update: 53

Source: Department of Environmental Protection  
Telephone: 717-783-8990  
Last EDR Contact: 07/06/2023  
Next Scheduled EDR Contact: 10/23/2023  
Data Release Frequency: Annually

## RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2020  
Date Data Arrived at EDR: 11/30/2021  
Date Made Active in Reports: 02/18/2022  
Number of Days to Update: 80

Source: Department of Environmental Management  
Telephone: 401-222-2797  
Last EDR Contact: 08/10/2022  
Next Scheduled EDR Contact: 11/27/2023  
Data Release Frequency: Annually

## VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 10/28/2019  
Date Data Arrived at EDR: 10/29/2019  
Date Made Active in Reports: 01/09/2020  
Number of Days to Update: 72

Source: Department of Environmental Conservation  
Telephone: 802-241-3443  
Last EDR Contact: 07/06/2023  
Next Scheduled EDR Contact: 10/23/2023  
Data Release Frequency: Annually

## WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018  
Date Data Arrived at EDR: 06/19/2019  
Date Made Active in Reports: 09/03/2019  
Number of Days to Update: 76

Source: Department of Natural Resources  
Telephone: N/A  
Last EDR Contact: 06/01/2023  
Next Scheduled EDR Contact: 09/18/2023  
Data Release Frequency: Annually

## Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

## Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

### AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

### Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

### Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

### Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

### Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### Daycare Centers: Child Care Facility List

Source: Department of Protective & Regulatory Services

Telephone: 512-438-3269

**Flood Zone Data:** This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Wetland Inventory

Source: Texas General Land Office

Telephone: 512-463-0745

### Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

HASLET TEXAS TRACT  
2101 AVONDALE HASLET ROAD  
HASLET, TX 76052

### **TARGET PROPERTY COORDINATES**

Latitude (North):	32.968364 - 32° 58' 6.11"
Longitude (West):	97.406225 - 97° 24' 22.41"
Universal Tranverse Mercator:	Zone 14
UTM X (Meters):	648948.1
UTM Y (Meters):	3648716.2
Elevation:	847 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	12969192 AVONDALE, TX
Version Date:	2019

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
48121C0610G	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
Not Reported	

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
NOT AVAILABLE	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### ***Site-Specific Hydrogeological Data\*:***

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### **ROCK STRATIGRAPHIC UNIT**


Era:	Mesozoic
System:	Cretaceous
Series:	Washita Group
Code:	IK3 ( <i>decoded above as Era, System &amp; Series</i> )

#### **GEOLOGIC AGE IDENTIFICATION**

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

# SSURGO SOIL MAP - 7429838.2s



- ★ Target Property
- SSURGO Soil
- Water



SITE NAME: Haslet Texas Tract  
ADDRESS: 2101 Avondale Haslet Road  
Haslet TX 76052  
LAT/LONG: 32.968364 / 97.406225

CLIENT: ECS Southwest, LLP  
CONTACT: Quinton Ayers  
INQUIRY #: 7429838.2s  
DATE: August 29, 2023 10:06 am



# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

### Soil Map ID: 1

Soil Component Name: Sanger

Soil Surface Texture: clay

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	clay	Not reported	Not reported	Max: 0.42 Min: 0.01	Max: 8.4 Min: 7.9
2	9 inches	20 inches	clay	Not reported	Not reported	Max: 0.42 Min: 0.01	Max: 8.4 Min: 7.9
3	20 inches	48 inches	silty clay	Not reported	Not reported	Max: 0.42 Min: 0.01	Max: 8.4 Min: 7.9
4	48 inches	79 inches	silty clay	Not reported	Not reported	Max: 0.42 Min: 0.01	Max: 8.4 Min: 7.9

### Soil Map ID: 2

Soil Component Name: Mingo

Soil Surface Texture: clay loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 79 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	clay loam	Not reported	Not reported	Max: 14 Min: 1.4	Max: Min:
2	5 inches	31 inches	clay	Not reported	Not reported	Max: 14 Min: 1.4	Max: Min:
3	31 inches	37 inches	bedrock	Not reported	Not reported	Max: 14 Min: 1.4	Max: Min:

### Soil Map ID: 3

Soil Component Name: Slidell

Soil Surface Texture: clay

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	22 inches	clay	Not reported	Not reported	Max: 0.42 Min: 0.01	Max: 8.4 Min: 7.4
2	22 inches	79 inches	clay	Not reported	Not reported	Max: 0.42 Min: 0.01	Max: 8.4 Min: 7.4

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### Soil Map ID: 4

Soil Component Name: Speck

Soil Surface Texture: clay loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 38 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	clay loam	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:
2	7 inches	14 inches	clay	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:
3	14 inches	29 inches	bedrock	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:

### Soil Map ID: 5

Soil Component Name: Purves

Soil Surface Texture: clay

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 38 inches

Depth to Watertable Min: > 0 inches

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	14 inches	clay	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:
2	14 inches	20 inches	bedrock	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:

### Soil Map ID: 6

Soil Component Name: Bolar

Soil Surface Texture: clay loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 76 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	12 inches	clay loam	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:
2	12 inches	29 inches	clay loam	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:
3	29 inches	40 inches	bedrock	Not reported	Not reported	Max: 14 Min: 0.42	Max: Min:

### LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

## **FEDERAL USGS WELL INFORMATION**

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

## **FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION**

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

## **STATE DATABASE WELL INFORMATION**

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	TXMON6000196347	0 - 1/8 Mile SSW
A2	TXMON6000030207	1/8 - 1/4 Mile ENE
A3	TXDOL2000146280	1/8 - 1/4 Mile ENE
B4	TXMON6000014443	1/8 - 1/4 Mile NE
B5	TXDOL2000147293	1/8 - 1/4 Mile NE
C6	TXMON6000185422	1/8 - 1/4 Mile ESE
C7	TXMON6000015963	1/8 - 1/4 Mile ESE
C8	TXDOL2000147146	1/8 - 1/4 Mile ESE
C9	TXMON6000029446	1/4 - 1/2 Mile SE
C10	TXDOL2000146285	1/4 - 1/2 Mile SE
B11	TXMON6000028383	1/4 - 1/2 Mile NNE
B12	TXDOL2000146364	1/4 - 1/2 Mile NNE
B13	TXMON6000058471	1/4 - 1/2 Mile NE
B14	TXDOL2000144932	1/4 - 1/2 Mile NE
C15	TXMON6000035556	1/4 - 1/2 Mile ESE
C16	TXDOL2000146028	1/4 - 1/2 Mile ESE
D17	TXMON6000012490	1/4 - 1/2 Mile SE
D18	TXDOL2000147375	1/4 - 1/2 Mile SE
E19	TXMON6000388511	1/4 - 1/2 Mile ENE
D20	TXMON6000029445	1/4 - 1/2 Mile SE
D21	TXDOL2000146316	1/4 - 1/2 Mile SE
E22	TXPLU6000022583	1/4 - 1/2 Mile East
E23	TXBR40000019705	1/4 - 1/2 Mile ENE
E24	TXWDB8000002497	1/4 - 1/2 Mile East
F25	TXMON6000023185	1/4 - 1/2 Mile East

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
F26	TXMON6000340371	1/4 - 1/2 Mile East
F27	TXMON6000318954	1/4 - 1/2 Mile East
F28	TXDOL2000146575	1/4 - 1/2 Mile East
F29	TXMON6000019464	1/4 - 1/2 Mile East
F30	TXDOL2000146875	1/4 - 1/2 Mile East
G31	TXDOL2000143964	1/4 - 1/2 Mile West
G32	TXMON6000196838	1/4 - 1/2 Mile West
G33	TXMON6000078987	1/4 - 1/2 Mile West
D34	TXMON6000477421	1/4 - 1/2 Mile SE
E35	TXMON6000019941	1/4 - 1/2 Mile ENE
E36	TXDOL2000146748	1/4 - 1/2 Mile ENE
37	TXMON6000196352	1/4 - 1/2 Mile SW
F38	TXMON6000020604	1/4 - 1/2 Mile East
F39	TXDOL2000146812	1/4 - 1/2 Mile East
H40	TXMON6000015536	1/4 - 1/2 Mile North
H41	TXDOL2000147066	1/4 - 1/2 Mile North
E42	TXMON6000023197	1/4 - 1/2 Mile ENE
E43	TXDOL2000146572	1/4 - 1/2 Mile ENE
I44	TXMON6000400682	1/4 - 1/2 Mile WNW
G45	TXPLU6000050575	1/4 - 1/2 Mile West
I46	TXMON6000329292	1/4 - 1/2 Mile NW
J47	TXPLU6000045296	1/4 - 1/2 Mile West
J48	TXPLU6000015412	1/4 - 1/2 Mile West
J49	TXPLU6000050963	1/4 - 1/2 Mile West
K50	TXMON6000016032	1/4 - 1/2 Mile SE
K51	TXDOL2000147141	1/4 - 1/2 Mile SE
L52	TXMON6000185401	1/4 - 1/2 Mile ESE
M53	TXMON6000023196	1/4 - 1/2 Mile ENE
M54	TXDOL2000146573	1/4 - 1/2 Mile ENE
J55	TXPLU6000050968	1/4 - 1/2 Mile West
J56	TXPLU6000045295	1/4 - 1/2 Mile West
N57	TXMON6000078947	1/4 - 1/2 Mile SSW
N58	TXDOL2000143977	1/4 - 1/2 Mile SSW
K59	TXMON6000013913	1/4 - 1/2 Mile SE
K60	TXDOL2000147382	1/4 - 1/2 Mile SE
M61	TXMON6000012493	1/4 - 1/2 Mile ENE
M62	TXDOL2000147372	1/4 - 1/2 Mile ENE
K63	TXMON6000029972	1/4 - 1/2 Mile SSE
K64	TXDOL2000146300	1/4 - 1/2 Mile SSE
O65	TXMON6000102951	1/4 - 1/2 Mile NE
O66	TXDOL2000143015	1/4 - 1/2 Mile NE
P67	TXMON6000424968	1/4 - 1/2 Mile NNE
Q68	TXMON6000008309	1/4 - 1/2 Mile South
Q69	TXDOL2000147594	1/4 - 1/2 Mile South
K70	TXMON6000028382	1/4 - 1/2 Mile SE
K71	TXDOL2000146365	1/4 - 1/2 Mile SE
L72	TXMON6000496587	1/4 - 1/2 Mile ESE
P73	TXMON6000023223	1/4 - 1/2 Mile NNE
P74	TXDOL2000146566	1/4 - 1/2 Mile NNE
R75	TXMON6000042118	1/4 - 1/2 Mile SE
R76	TXDOL2000145612	1/4 - 1/2 Mile SE
77	TXMON6000188536	1/4 - 1/2 Mile West

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
S78	TXMON6000027461	1/4 - 1/2 Mile SSE
S79	TXDOL2000146369	1/4 - 1/2 Mile SSE
T80	TXMON6000472663	1/4 - 1/2 Mile North
T81	TXMON6000059150	1/4 - 1/2 Mile North
T82	TXDOL2000144866	1/4 - 1/2 Mile North
T83	TXPLU6000176200	1/4 - 1/2 Mile North
U84	TXMON6000078280	1/4 - 1/2 Mile ESE
U85	TXMON6000195802	1/4 - 1/2 Mile ESE
U86	TXDOL2000144002	1/4 - 1/2 Mile ESE
S87	TXMON6000026101	1/2 - 1 Mile SE
S88	TXDOL2000146455	1/2 - 1 Mile SE
S89	TXMON6000023189	1/2 - 1 Mile SE
S90	TXDOL2000146574	1/2 - 1 Mile SE
R91	TXMON6000013912	1/2 - 1 Mile SE
R92	TXDOL2000147383	1/2 - 1 Mile SE
U93	TXMON6000095930	1/2 - 1 Mile ESE
U94	TXDOL2000143281	1/2 - 1 Mile ESE
V95	TXMON6000242099	1/2 - 1 Mile ENE
S96	TXMON6000024671	1/2 - 1 Mile SE
S97	TXDOL2000146510	1/2 - 1 Mile SE
W98	TXWDB8000011518	1/2 - 1 Mile East
R99	TXMON6000023184	1/2 - 1 Mile SE
R100	TXDOL2000146576	1/2 - 1 Mile SE
P101	TXMON6000207926	1/2 - 1 Mile NNE
S102	TXMON6000019956	1/2 - 1 Mile SSE
S103	TXDOL2000146862	1/2 - 1 Mile SSE
X104	TXMON6000015539	1/2 - 1 Mile SE
X105	TXDOL2000147192	1/2 - 1 Mile SE
V106	TXMON6000117573	1/2 - 1 Mile ENE
V107	TXDOL2000142292	1/2 - 1 Mile ENE
108	TXMON6000228499	1/2 - 1 Mile ESE
V109	TXMON6000121405	1/2 - 1 Mile ENE
V110	TXDOL2000142103	1/2 - 1 Mile ENE
Y111	TXMON6000033091	1/2 - 1 Mile East
Y112	TXDOL2000146159	1/2 - 1 Mile East
Y113	TXMON6000030200	1/2 - 1 Mile East
Y114	TXDOL2000146281	1/2 - 1 Mile East
Z115	TXDOL2000141092	1/2 - 1 Mile NW
Z116	TXMON6000149189	1/2 - 1 Mile NW
Y117	TXMON6000079224	1/2 - 1 Mile East
Y118	TXDOL2000143941	1/2 - 1 Mile East
AA119	TXMON6000025663	1/2 - 1 Mile NNE
AA120	TXDOL2000146476	1/2 - 1 Mile NNE
121	TXMON6000196943	1/2 - 1 Mile WNW
AB122	TXMON6000027958	1/2 - 1 Mile ESE
AB123	TXDOL2000146391	1/2 - 1 Mile ESE
W124	TXMON6000074204	1/2 - 1 Mile East
W125	TXDOL2000144200	1/2 - 1 Mile East
AB126	TXMON6000054109	1/2 - 1 Mile ESE
AB127	TXDOL2000145196	1/2 - 1 Mile ESE
AC128	TXDOL2000142943	1/2 - 1 Mile NW
AD129	TXMON6000511193	1/2 - 1 Mile SE

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
Y130	TXMON6000511195	1/2 - 1 Mile East
AD131	TXMON6000270581	1/2 - 1 Mile SE
W132	TXDOL2000142022	1/2 - 1 Mile East
W133	TXMON6000123029	1/2 - 1 Mile East
AC134	TXDOL2000143538	1/2 - 1 Mile NW
AC135	TXDOL2000145370	1/2 - 1 Mile NW
AC136	TXMON6000089984	1/2 - 1 Mile NW
AC137	TXMON6000049395	1/2 - 1 Mile NW
AE138	TXMON6000015541	1/2 - 1 Mile SSE
AE139	TXDOL2000147190	1/2 - 1 Mile SSE
Y140	TXDOL2000146199	1/2 - 1 Mile East
Y141	TXMON6000032231	1/2 - 1 Mile East
AE142	TXMON6000048479	1/2 - 1 Mile SSE
AE143	TXDOL2000145470	1/2 - 1 Mile SSE
X144	TXMON6000019704	1/2 - 1 Mile SE
X145	TXDOL2000146868	1/2 - 1 Mile SE
146	TXWDB8000015466	1/2 - 1 Mile East
AF147	TXMON6000563624	1/2 - 1 Mile SW
AF148	TXMON6000563625	1/2 - 1 Mile SW
AF149	TXMON6000563628	1/2 - 1 Mile SW
AF150	TXMON6000563627	1/2 - 1 Mile SW
AG151	TXMON6000042857	1/2 - 1 Mile NE
AG152	TXDOL2000145672	1/2 - 1 Mile NE
Z153	TXMON6000196945	1/2 - 1 Mile NW
AG154	TXMON6000117572	1/2 - 1 Mile NNE
AG155	TXDOL2000142293	1/2 - 1 Mile NNE
AC156	TXDOL2000145267	1/2 - 1 Mile NNW
AC157	TXMON6000052593	1/2 - 1 Mile NNW
AH158	TXDOL2000143257	1/2 - 1 Mile WNW
AH159	TXMON6000096734	1/2 - 1 Mile WNW
AI160	TXMON6000023835	1/2 - 1 Mile ESE
AI161	TXDOL2000146540	1/2 - 1 Mile ESE
AE162	TXMON6000054290	1/2 - 1 Mile SSE
AE163	TXDOL2000145173	1/2 - 1 Mile SSE
AJ164	TXMON6000024456	1/2 - 1 Mile East
AJ165	TXDOL2000146513	1/2 - 1 Mile East
AK166	TXDOL2000146211	1/2 - 1 Mile NW
AK167	TXMON6000031831	1/2 - 1 Mile NW
AH168	TXMON6000449230	1/2 - 1 Mile WNW
AJ169	TXMON6000032232	1/2 - 1 Mile East
AJ170	TXDOL2000146198	1/2 - 1 Mile East
AJ171	TXDOL2000146546	1/2 - 1 Mile East
AJ172	TXMON6000023530	1/2 - 1 Mile East
AK173	TXDOL2000145371	1/2 - 1 Mile NW
AK174	TXMON6000049394	1/2 - 1 Mile NW
AE175	TXMON6000023529	1/2 - 1 Mile SSE
AE176	TXDOL2000146547	1/2 - 1 Mile SSE
AL177	TXDOL2000145270	1/2 - 1 Mile NW
AL178	TXMON6000052571	1/2 - 1 Mile NW
AM179	TXPLU6000207541	1/2 - 1 Mile SW
AM180	TXPLU6000207542	1/2 - 1 Mile SW
AM181	TXPLU6000207540	1/2 - 1 Mile SW



## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
AM182	TXPLU6000207538	1/2 - 1 Mile SW
AM183	TXPLU6000207539	1/2 - 1 Mile SW
AM184	TXMON6000566950	1/2 - 1 Mile SW
AM185	TXMON6000566949	1/2 - 1 Mile SW
AM186	TXMON6000566951	1/2 - 1 Mile SW
AM187	TXMON6000566953	1/2 - 1 Mile SW
AM188	TXMON6000566952	1/2 - 1 Mile SW
AN189	TXDOL2000142301	1/2 - 1 Mile East
AN190	TXDOL2000143358	1/2 - 1 Mile East
AN191	TXPLU6000100298	1/2 - 1 Mile East
AN192	TXMON6000094840	1/2 - 1 Mile East
AN193	TXMON6000113371	1/2 - 1 Mile East
AN194	TXDOL2000144520	1/2 - 1 Mile East
AN195	TXMON6000067157	1/2 - 1 Mile East
AI196	TXMON6000028381	1/2 - 1 Mile ESE
AI197	TXDOL2000146366	1/2 - 1 Mile ESE
198	TXEQ70000022284	1/2 - 1 Mile West
AO199	TXMON6000182757	1/2 - 1 Mile North
AO200	TXDOL2000140309	1/2 - 1 Mile North
AP201	TXDOL2000146166	1/2 - 1 Mile NW
AP202	TXMON6000196832	1/2 - 1 Mile NW
AP203	TXMON6000031851	1/2 - 1 Mile NW
AI204	TXMON6000033843	1/2 - 1 Mile ESE
AI205	TXDOL2000146137	1/2 - 1 Mile ESE
AL206	TXMON6000089985	1/2 - 1 Mile NNW
AL207	TXMON6000091018	1/2 - 1 Mile NNW
AL208	TXDOL2000143489	1/2 - 1 Mile NNW
AL209	TXDOL2000143537	1/2 - 1 Mile NNW
AQ210	TXDOL2000143319	1/2 - 1 Mile ENE
AQ211	TXMON6000094153	1/2 - 1 Mile ENE
AJ212	TXMON6000096509	1/2 - 1 Mile East
AJ213	TXDOL2000143262	1/2 - 1 Mile East
AR214	TXMON6000015535	1/2 - 1 Mile NE
AR215	TXDOL2000147067	1/2 - 1 Mile NE
AS216	TXMON6000042117	1/2 - 1 Mile SSE
AS217	TXDOL2000145613	1/2 - 1 Mile SSE
AI218	TXDOL2000143181	1/2 - 1 Mile ESE
AI219	TXMON6000099559	1/2 - 1 Mile ESE
AL220	TXMON6000049377	1/2 - 1 Mile NNW
AL221	TXDOL2000145377	1/2 - 1 Mile NNW
AS222	TXMON6000027462	1/2 - 1 Mile SSE
AS223	TXDOL2000146407	1/2 - 1 Mile SSE
AT224	TXMON6000339370	1/2 - 1 Mile ESE
AU225	TXMON6000231516	1/2 - 1 Mile WNW
AV226	TXMON6000015961	1/2 - 1 Mile NNE
AV227	TXDOL2000147147	1/2 - 1 Mile NNE
AO228	TXMON6000176041	1/2 - 1 Mile North
AO229	TXDOL2000140417	1/2 - 1 Mile North
AN230	TXMON6000067156	1/2 - 1 Mile East
AN231	TXDOL2000144521	1/2 - 1 Mile East
AW232	TXMON6000033645	1/2 - 1 Mile ESE
AW233	TXDOL2000146141	1/2 - 1 Mile ESE

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
AN234	TXMON6000222818	1/2 - 1 Mile East
AW235	TXMON6000035524	1/2 - 1 Mile East
AW236	TXDOL2000146030	1/2 - 1 Mile East
AK237	TXDOL2000143472	1/2 - 1 Mile NW
AK238	TXMON6000091868	1/2 - 1 Mile NW
AX239	TXMON6000097557	1/2 - 1 Mile West
AX240	TXDOL2000143237	1/2 - 1 Mile West
AQ241	TXMON6000069710	1/2 - 1 Mile East
AQ242	TXDOL2000144328	1/2 - 1 Mile East
AS243	TXMON6000067364	1/2 - 1 Mile SSE
AS244	TXDOL2000144483	1/2 - 1 Mile SSE
AW245	TXPLU6000031819	1/2 - 1 Mile East
AL246	TXMON6000196932	1/2 - 1 Mile NW
AY247	TXDOL2000143747	1/2 - 1 Mile NNW
AY248	TXDOL2000143963	1/2 - 1 Mile NNW
AY249	TXMON6000078988	1/2 - 1 Mile NNW
AY250	TXMON6000081076	1/2 - 1 Mile NNW
AU251	TXMON6000412001	1/2 - 1 Mile WNW
AZ252	TXMON6000187580	1/2 - 1 Mile NNE
BA253	TXDOL2000146212	1/2 - 1 Mile NW
BA254	TXMON6000031824	1/2 - 1 Mile NW
BB255	TXDOL2000146168	1/2 - 1 Mile NW
BB256	TXMON6000031844	1/2 - 1 Mile NW
AT257	TXMON6000477414	1/2 - 1 Mile ESE
AO258	TXDOL2000145517	1/2 - 1 Mile North
AO259	TXMON6000047185	1/2 - 1 Mile North
AW260	TXMON6000227261	1/2 - 1 Mile ESE
BC261	TXMON6000406416	1/2 - 1 Mile North
AX262	TXPLU6000174318	1/2 - 1 Mile West
AX263	TXMON6000466043	1/2 - 1 Mile West
AQ264	TXDOL2000143551	1/2 - 1 Mile ENE
AQ265	TXDOL2000123766	1/2 - 1 Mile ENE
AQ266	TXMON6000092433	1/2 - 1 Mile ENE
AQ267	TXMON6000089659	1/2 - 1 Mile ENE
AY268	TXMON6000374402	1/2 - 1 Mile NNW
AW269	TXMON6000037677	1/2 - 1 Mile East
AW270	TXDOL2000145922	1/2 - 1 Mile East
BA271	TXMON6000078967	1/2 - 1 Mile NW
BA272	TXDOL2000143973	1/2 - 1 Mile NW
BD273	TXMON6000079225	1/2 - 1 Mile East
BD274	TXDOL2000143940	1/2 - 1 Mile East
AY275	TXDOL2000143968	1/2 - 1 Mile NNW
AY276	TXMON6000078982	1/2 - 1 Mile NNW
BB277	TXMON6000196828	1/2 - 1 Mile NW
BA278	TXDOL2000146169	1/2 - 1 Mile NW
BA279	TXMON6000031842	1/2 - 1 Mile NW
AZ280	TXMON6000008312	1/2 - 1 Mile NNE
AZ281	TXDOL2000147592	1/2 - 1 Mile NNE
282	TXDOL2000142786	1/2 - 1 Mile ENE
BE283	TXDOL2000143748	1/2 - 1 Mile NNW
BE284	TXMON6000079121	1/2 - 1 Mile NNW
BD285	TXMON6000042856	1/2 - 1 Mile East

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
BD286	TXMON6000035570	1/2 - 1 Mile East
BF287	TXMON6000469672	1/2 - 1 Mile WNW
BD288	TXDOL2000146026	1/2 - 1 Mile East
BD289	TXDOL2000145673	1/2 - 1 Mile East
BG290	TXMON6000067158	1/2 - 1 Mile ENE
BG291	TXDOL2000144519	1/2 - 1 Mile ENE
AY292	TXDOL2000145268	1/2 - 1 Mile NNW
AY293	TXDOL2000143487	1/2 - 1 Mile NNW
AY294	TXMON6000052590	1/2 - 1 Mile NNW
AY295	TXMON6000091023	1/2 - 1 Mile NNW
BC296	TXMON6000023216	1/2 - 1 Mile North
BC297	TXDOL2000146571	1/2 - 1 Mile North
AY298	TXMON6000031840	1/2 - 1 Mile NNW
AY299	TXDOL2000146207	1/2 - 1 Mile NNW
AX300	TXPLU6000167987	1/2 - 1 Mile West
AX301	TXPLU6000167986	1/2 - 1 Mile West
AX302	TXMON6000447390	1/2 - 1 Mile West
AX303	TXMON6000447387	1/2 - 1 Mile West
BF304	TXMON6000367824	1/2 - 1 Mile WNW
305	TXMON6000217456	1/2 - 1 Mile SE
BD306	TXMON6000085077	1/2 - 1 Mile East
BD307	TXDOL2000123949	1/2 - 1 Mile East
BH308	TXDOL2000145428	1/2 - 1 Mile East
BH309	TXMON6000045838	1/2 - 1 Mile East
BA310	TXDOL2000146167	1/2 - 1 Mile NW
BA311	TXMON6000031847	1/2 - 1 Mile NW
BA312	TXMON6000196944	1/2 - 1 Mile NW
BI313	TXPLU6000207549	1/2 - 1 Mile SW
BI314	TXPLU6000207548	1/2 - 1 Mile SW
BI315	TXPLU6000207547	1/2 - 1 Mile SW
BI316	TXPLU6000207550	1/2 - 1 Mile SW
BI317	TXPLU6000207552	1/2 - 1 Mile SW
BI318	TXPLU6000207553	1/2 - 1 Mile SW
BI319	TXPLU6000207551	1/2 - 1 Mile SW
BI320	TXMON6000567033	1/2 - 1 Mile SW
BI321	TXMON6000567034	1/2 - 1 Mile SW
BI322	TXMON6000567032	1/2 - 1 Mile SW
BI323	TXMON6000567031	1/2 - 1 Mile SW
BI324	TXMON6000567037	1/2 - 1 Mile SW
BI325	TXMON6000567038	1/2 - 1 Mile SW
BI326	TXMON6000567036	1/2 - 1 Mile SW
BA327	TXMON6000031822	1/2 - 1 Mile NW
BA328	TXDOL2000146213	1/2 - 1 Mile NW
BJ329	TXDOL2000140671	1/2 - 1 Mile NNW
BJ330	TXMON6000164767	1/2 - 1 Mile NNW
BD331	TXDOL2000144199	1/2 - 1 Mile East
BD332	TXMON6000074206	1/2 - 1 Mile East
BJ333	TXDOL2000142767	1/2 - 1 Mile NNW
BJ334	TXDOL2000143490	1/2 - 1 Mile NNW
BJ335	TXDOL2000143969	1/2 - 1 Mile NNW
BJ336	TXMON6000107505	1/2 - 1 Mile NNW
BJ337	TXMON6000091017	1/2 - 1 Mile NNW

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
BJ338	TXMON6000078978	1/2 - 1 Mile NNW
BC339	TXDOL2000145992	1/2 - 1 Mile North
BC340	TXMON6000036457	1/2 - 1 Mile North
BE341	TXDOL2000142766	1/2 - 1 Mile NNW
BE342	TXMON6000107507	1/2 - 1 Mile NNW
BK343	TXMON6000089983	1/2 - 1 Mile NW
BK344	TXDOL2000143539	1/2 - 1 Mile NW
345	TXPLU6000162513	1/2 - 1 Mile NNE
BL346	TXPLU6000016057	1/2 - 1 Mile North
BK347	TXMON6000196830	1/2 - 1 Mile NW
BM348	TXMON6000081826	1/2 - 1 Mile ESE
BM349	TXDOL2000143845	1/2 - 1 Mile ESE
BN350	TXDOL2000146170	1/2 - 1 Mile NW
BN351	TXMON6000031841	1/2 - 1 Mile NW
BJ352	TXMON6000052560	1/2 - 1 Mile NNW
BJ353	TXDOL2000145271	1/2 - 1 Mile NNW
BJ354	TXDOL2000145375	1/2 - 1 Mile NNW
BJ355	TXMON6000201658	1/2 - 1 Mile NNW
BJ356	TXMON6000049385	1/2 - 1 Mile NNW
BE357	TXDOL2000145376	1/2 - 1 Mile NNW
BE358	TXMON6000049383	1/2 - 1 Mile NNW
BO359	TXDOL2000145289	1/2 - 1 Mile NNW
BO360	TXMON6000052034	1/2 - 1 Mile NNW
BP361	TXEQ70000022311	1/2 - 1 Mile West
BJ362	TXDOL2000140672	1/2 - 1 Mile NNW
BJ363	TXMON6000164765	1/2 - 1 Mile NNW
BP364	TXWDB8000114599	1/2 - 1 Mile West
BK365	TXDOL2000146208	1/2 - 1 Mile NW
BK366	TXMON6000031839	1/2 - 1 Mile NW
BL367	TXMON6000261195	1/2 - 1 Mile North
BJ368	TXDOL2000143943	1/2 - 1 Mile NNW
BJ369	TXMON6000079117	1/2 - 1 Mile NNW
BK370	TXDOL2000142896	1/2 - 1 Mile NNW
BK371	TXMON6000105177	1/2 - 1 Mile NNW
BK372	TXDOL2000146215	1/2 - 1 Mile NNW
BK373	TXMON6000196851	1/2 - 1 Mile NNW
BK374	TXMON6000031818	1/2 - 1 Mile NNW
BK375	TXMON6000196938	1/2 - 1 Mile NNW
BQ376	TXMON6000015534	1/2 - 1 Mile North
BQ377	TXDOL2000147068	1/2 - 1 Mile North
BJ378	TXDOL2000142325	1/2 - 1 Mile NNW
BJ379	TXMON6000117312	1/2 - 1 Mile NNW
BJ380	TXDOL2000145256	1/2 - 1 Mile NNW
BJ381	TXDOL2000143971	1/2 - 1 Mile NNW
BJ382	TXDOL2000142319	1/2 - 1 Mile NNW
BJ383	TXDOL2000143970	1/2 - 1 Mile NNW
BJ384	TXMON6000078977	1/2 - 1 Mile NNW
BJ385	TXMON6000117395	1/2 - 1 Mile NNW
BJ386	TXMON6000196835	1/2 - 1 Mile NNW
BJ387	TXMON6000052670	1/2 - 1 Mile NNW
BJ388	TXMON6000078975	1/2 - 1 Mile NNW
BN389	TXDOL2000146210	1/2 - 1 Mile NW

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
BN390	TXDOL2000146209	1/2 - 1 Mile NW
BN391	TXMON6000031835	1/2 - 1 Mile NW
BN392	TXMON6000031833	1/2 - 1 Mile NW
393	TXMON6000201381	1/2 - 1 Mile North
BR394	TXMON6000466439	1/2 - 1 Mile SSE
BR395	TXMON6000466883	1/2 - 1 Mile SSE
BS396	TXMON6000047047	1/2 - 1 Mile NNE
BS397	TXDOL2000145423	1/2 - 1 Mile NNE
398	TXWDB8000011519	1/2 - 1 Mile ENE
399	TXWDB8000011095	1/2 - 1 Mile NNE
BQ400	TXDOL2000147489	1/2 - 1 Mile North
BQ401	TXMON6000011270	1/2 - 1 Mile North
BO402	TXDOL2000145837	1/2 - 1 Mile NNW
BO403	TXMON6000039477	1/2 - 1 Mile NNW
BQ404	TXDOL2000146612	1/2 - 1 Mile North
BQ405	TXMON6000022653	1/2 - 1 Mile North
BT406	TXDOL2000142905	1/2 - 1 Mile NNW
BT407	TXDOL2000142326	1/2 - 1 Mile NNW
BT408	TXMON6000117309	1/2 - 1 Mile NNW
BT409	TXMON6000105121	1/2 - 1 Mile NNW
BO410	TXMON6000032233	1/2 - 1 Mile NNW
BO411	TXDOL2000146197	1/2 - 1 Mile NNW
BU412	TXMON6000016628	1/2 - 1 Mile West
BU413	TXDOL2000147048	1/2 - 1 Mile West
BV414	TXMON6000030140	1/2 - 1 Mile NNE
BV415	TXDOL2000146284	1/2 - 1 Mile NNE
BW416	TXDOL2000145260	1/2 - 1 Mile NNW
BW417	TXMON6000052644	1/2 - 1 Mile NNW
418	TXWDB8000009117	1/2 - 1 Mile WSW
BW419	TXDOL2000143975	1/2 - 1 Mile NNW
BW420	TXDOL2000143491	1/2 - 1 Mile NNW
BW421	TXMON6000091016	1/2 - 1 Mile NNW
BW422	TXMON6000078951	1/2 - 1 Mile NNW
423	TXMON6000488458	1/2 - 1 Mile NW
BV424	TXMON6000192194	1/2 - 1 Mile NNE
BW425	TXMON6000117316	1/2 - 1 Mile NNW
BW426	TXDOL2000142324	1/2 - 1 Mile NNW
BX427	TXMON6000078983	1/2 - 1 Mile NNW
BX428	TXDOL2000143967	1/2 - 1 Mile NNW
BY429	TXWDB8000006876	1/2 - 1 Mile East
BY430	TXMON6000516612	1/2 - 1 Mile East
431	TXPLU6000155330	1/2 - 1 Mile West
BZ432	TXDOL2000142901	1/2 - 1 Mile NNW
BZ433	TXMON6000105161	1/2 - 1 Mile NNW
BT434	TXMON6000104348	1/2 - 1 Mile NNW
BT435	TXDOL2000142945	1/2 - 1 Mile NNW
436	TXMON6000435567	1/2 - 1 Mile NW
CA437	TXDOL2000147497	1/2 - 1 Mile North
CA438	TXMON6000011191	1/2 - 1 Mile North
439	TXMON6000205001	1/2 - 1 Mile SW
440	TXMON6000202524	1/2 - 1 Mile WNW
BW441	TXMON6000107544	1/2 - 1 Mile NNW

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
<u>BW442</u>	<u>TXDOL2000142761</u>	<u>1/2 - 1 Mile NNW</u>

## OTHER STATE DATABASE INFORMATION

## STATE OIL/GAS WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
<u>A1</u>	<u>TXOG90001302048</u>	<u>0 - 1/8 Mile ESE</u>
A2	TXOG90001302046	0 - 1/8 Mile ESE
A3	TXOG90001302045	0 - 1/8 Mile ESE
B4	TXOG90001302187	1/4 - 1/2 Mile SSW
B5	TXOG90001302188	1/4 - 1/2 Mile SSW
B6	TXOG90001302190	1/4 - 1/2 Mile SSW
C7	TXOG90001302047	1/4 - 1/2 Mile East
C8	TXOG90001302049	1/4 - 1/2 Mile East
C9	TXOG90001302050	1/4 - 1/2 Mile East
10	TXOG90001302213	1/2 - 1 Mile SSE
11	TXOG90001302216	1/2 - 1 Mile SSW
12	TXOG90001302181	1/2 - 1 Mile SW
13	TXOG90001302076	1/2 - 1 Mile WSW
D14	TXOG90001302201	1/2 - 1 Mile SE
D15	TXOG90001302202	1/2 - 1 Mile SE
D16	TXOG90001302199	1/2 - 1 Mile SE
E17	TXOG90001302329	1/2 - 1 Mile SSE
E18	TXOG90001302335	1/2 - 1 Mile SSE
F19	TXOG90001301840	1/2 - 1 Mile ENE
F20	TXOG90001301839	1/2 - 1 Mile ENE
F21	TXOG90001301837	1/2 - 1 Mile ENE
F22	TXOG90001301836	1/2 - 1 Mile ENE
23	TXOG90001302341	1/2 - 1 Mile SW
G24	TXOG90001302186	1/2 - 1 Mile WSW
G25	TXOG90001302189	1/2 - 1 Mile WSW
26	TXOG90001300530	1/2 - 1 Mile SSE
H27	TXOG90001301960	1/2 - 1 Mile West
H28	TXOG90001305664	1/2 - 1 Mile West
H29	TXOG90001301962	1/2 - 1 Mile West
30	TXOG90001302064	1/2 - 1 Mile WSW
H31	TXOG90001301961	1/2 - 1 Mile West
H32	TXOG90001301964	1/2 - 1 Mile West
I33	TXOG90001302070	1/2 - 1 Mile ESE
I34	TXOG90001302068	1/2 - 1 Mile ESE
J35	TXOG90001300543	1/2 - 1 Mile SSE
J36	TXOG90001300542	1/2 - 1 Mile SSE
37	TXOG90001301835	1/2 - 1 Mile ENE

# PHYSICAL SETTING SOURCE MAP - 7429838.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil or gas wells



SITE NAME: Haslet Texas Tract  
 ADDRESS: 2101 Avondale Haslet Road  
 Haslet TX 76052  
 LAT/LONG: 32.968364 / 97.406225

CLIENT: ECS Southwest, LLP  
 CONTACT: Quinton Ayers  
 INQUIRY #: 7429838.2s  
 DATE: August 29, 2023 10:06 am

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**1**  
**SSW**  
**0 - 1/8 Mile**  
**Higher**

**TX WELLS      TXMON6000196347**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	199511	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**A2**  
**ENE**  
**1/8 - 1/4 Mile**  
**Lower**

**TX WELLS      TXMON6000030207**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	31144	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**A3**  
**ENE**  
**1/8 - 1/4 Mile**  
**Lower**

**TX WELLS      TXDOL2000146280**

Database:	Well Report Database	Fid:	146279
Rec id:	146274	Edr site i:	31144
Owner:	T. W. Barrow	Ownerwell:	No Data
Address:	13237 Willow Creek Dr., Haslet , TX 76052	Waddress:	13237 Willow Creek Dr., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 09 N	Elevation:	No Data
Long:	097 24 12 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No
Yield:	Not Reported	Companynam:	Simmons Drilling Co.
Stratadept:	No Data	Ccitystate:	Rising Star , TX 76471
Undesirabl:	No	Wsignature:	Terry J. Simmons
Companyadd:	P. O. Box 1022	Regnum:	No Data
Licensenum:	54485	Site id:	TXDOL2000146280
Dsignature:	No Data		
Comments:	no data		



# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**B4**  
**NE**  
**1/8 - 1/4 Mile**  
**Lower**

**TX WELLS      TXMON6000014443**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15102	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**B5**  
**NE**  
**1/8 - 1/4 Mile**  
**Lower**

**TX WELLS      TXDOL2000147293**

Database:	Well Report Database	Fid:	147292
Rec id:	147277	Edr site i:	15102
Owner:	D. R. MOSS CUSTOM HOMES	Ownerwell:	1
Address:	13261 WILLOW CREEK DR., HASLET , TX 76052		
Grid:	32-05-3	Waddress:	SAME, TX
Lat:	32 58 14 N	County:	Tarrant
Long:	097 24 13 W	Elevation:	No Data
Gpsused:	EAGLE	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	63/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	No Data	Sinterval:	No Data
Tinterval:	No Data	Usedmethod:	Not Reported
Cementedby:	Not Reported	Contaminat:	Not Reported
Propertyli:	Not Reported	Verrimetho:	Not Reported
Varriance:	Not Reported	Surface:	Surface Sleeve Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	METROPLEX WATER WELL SERVICES INC	Companyadd:	3040 E. PEDEN RD.
Ccitystate:	FT. WORTH , TX 76179	Licensenum:	54485
Wsignature:	TERRY SIMMONS	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000147293		

**C6**  
**ESE**  
**1/8 - 1/4 Mile**  
**Lower**

**TX WELLS      TXMON6000185422**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	188443	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**C7**  
**ESE**  
**1/8 - 1/4 Mile**  
**Lower**

**TX WELLS      TXMON6000015963**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	16638	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**C8**  
**ESE**  
**1/8 - 1/4 Mile**  
**Lower**

**TX WELLS      TXDOL2000147146**

Database:	Well Report Database	Fid:	147145
Rec id:	147133	Edr site i:	16638
Owner:	STERLING CLASSIC HOMES	Ownerwell:	No Data
Address:	3117 SHARTET AVE, HASLET , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 00 N
County:	Tarrant	Long:	097 24 09 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsize:	Not Reported		
Finterval:	From +2 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	METROPLEX WATER WELL SERVICE
Companyadd:	3040 E PEDEN RD	Ccitystate:	FORT WORTH , TX 76179
Licensenum:	54485	Wsignature:	TERRY SIMMONS
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000147146

**C9**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000029446**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	30379	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**C10**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000146285**

Database:	Well Report Database	Fid:	146284
Rec id:	146310	Edr site i:	30379
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane Suite K, Fort Worth , TX 76135		
Grid:	32-05-3	Waddress:	1301 Charlotte Ann, Haslet , TX 76052
Lat:	32 57 58 N	County:	Tarrant
Long:	097 24 09 W	Elevation:	No Data
Gpsused:	garmin	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 7/8 in From Surface To 420 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	100 ft to 420 ft	Packsizes:	12/20
Finterval:	From 0 ft to 10 ft with 5 cmt (#sacks and material)		
Sinterval:	From 80 ft to 100 ft with 10 bent. (#sacks and material)		
Tinterval:	No Data	Usedmethod:	No Data
Cementedby:	No Data	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	300 ft. below land surface on 10/27/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	380 ft	Welltests:	Pump
Yield:	12 GPM with 40 ft drawdown after 1 hour		
Watertype:	good	Stratadept:	266 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service,Ltd.	Companyadd:	P.O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000146285		

**B11**  
**NNE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000028383**

Database:	Submitted Drillers Reports Database		
Well Report #:	29302	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**B12**  
**NNE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000146364**

Database:	Well Report Database	Fid:	146363
Rec id:	146361	Edr site i:	29302
Owner:	DFH Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 1978, Weatherford , TX 76086		
Grid:	32-05-3	Waddress:	13313 Willow Creek Dr., Haslet , TX 76052

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Lat:	32 58 18 N	County:	Tarrant
Long:	097 24 13 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146364
Comments:	no data		

**B13**  
**NE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000058471**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	59642	Borehole Depth (ft):	460
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**B14**  
**NE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000144932**

Database:	Well Report Database	Fid:	144931
Rec id:	144929	Edr site i:	59642
Owner:	Deason Custom Homes	Ownerwell:	No Data
Address:	13217 Taylor-Francis, Haslet , TX 76052	Waddress:	Same, TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 15 N	Elevation:	No Data
Long:	097 24 09 W	Typeofwork:	New Well
Gpsused:	Map	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	12 1/4 in From Surface To 18 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	340 ft to 458 ft		
Finterval:	From 0 ft to 20 ft with 5 (#sacks and material)	Usedmethod:	Pumped - Tremie
Sinterval:	From 320 ft to 340 ft with 3 (#sacks and material)	Contaminat:	No Data
Tinterval:	No Data	Verrimetho:	New Home Site
Cementedby:	David Maynor	Surface:	Surface Sleeve Installed
Propertyli:	No Data		
Varriance:	No Data		
Staticleve:	280 ft. below land surface on 10/22/2003		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	357 ft	Welltests:	Pump
Yield:	15 GPM with 20 ft drawdown after 2 hours		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Lone Star Drilling Co	Companyadd:	3311 North Commerce
Ccitystate:	Fort Worth , TX 76106	Licensenum:	2899
Wsignature:	David B. Maynor	Dsignature:	No Data
Regnum:	No Data	Comments:	logged by dt\$
Site id:	TXDOL2000144932		

**C15**  
**ESE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000035556**

Database:	Submitted Drillers Reports Database		
Well Report #:	36542	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	380
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**C16**  
**ESE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000146028**

Database:	Well Report Database	Fid:	146027
Rec id:	146020	Edr site i:	36542
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane, Suite K, Fort Worth , TX 76135	Waddress:	13100 Charolette Ann, TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 58 N	Elevation:	420 ft.
Long:	097 24 08 W	Typeofwork:	New Well
Gpsused:	Garmin	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 380 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	12/20
Packedfrom:	60 ft to 420 ft		
Finterval:	From 0 ft to 10 ft with 10 cement (#sacks and material)		
Sinterval:	From 10 ft to 100 ft with 10 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Tremie
Cementedby:	No Data	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	Owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	295 ft. below land surface on 3/15/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	400 ft	Welltests:	Pump
Yield:	10 GPM with 25 ft drawdown after 1 hour		
Watertype:	Good	Stratadept:	300 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service, Ltd.	Companyadd:	P. O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	Charles Pratt
Regnum:	WWDAPP00001690	Comments:	no data
Site id:	TXDOL2000146028		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**D17**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000012490**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	13130	Borehole Depth (ft):	430
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**D18**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000147375**

Database:	Well Report Database	Fid:	147374
Rec id:	147438	Edr site i:	13130
Owner:	Sterling Classic Homes	Ownerwell:	1
Address:	13011 Sharlet Anne, Haslet , TX 76052	Waddress:	Same, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 56 N	Elevation:	No Data
Long:	097 24 09 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6.75 in From Surface To 430 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 430 ft	Sinterval:	No Data
Finterval:	No Data	Usedmethod:	Not Reported
Tinterval:	No Data	Contaminat:	Not Reported
Cementedby:	Not Reported	Verrimetho:	Not Reported
Propertyli:	Not Reported	Surface:	Surface Sleeve Installed
Varriance:	Not Reported	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	Not Reported
Typepump:	No Data	Yield:	Not Reported
Welltests:	No Data	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	3040 East Peden Rd.
Companynam:	Metroplex Water Well Service Inc.	Licensenum:	54485
Ccitystate:	Ft. Worth , TX 76179	Dsignature:	No Data
Wsignature:	Terry Simmons	Comments:	no data
Regnum:	No Data		
Site id:	TXDOL2000147375		

**E19**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000388511**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	394702	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**D20**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000029445**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	30378	Borehole Depth (ft):	415
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**D21**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000146316**

Database:	Well Report Database	Fid:	146315
Rec id:	146311	Edr site i:	30378
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane Suite K, Fort Worth , TX 76135	Waddress:	1908 Florance Ann, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 55 N	Elevation:	No Data
Long:	097 24 08 W	Typeofwork:	New Well
Gpsused:	garmin	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 415 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsio:	12/20
Packedfrom:	80 ft to 415 ft	Finterval:	From 0 ft to 10 ft with 5 cmt (#sacks and material)
Sinterval:	From 60 ft to 80 ft with 10 bent. (#sacks and material)	Tinterval:	No Data
Tinterval:	No Data	Usedmethod:	No Data
Cementedby:	No Data	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	250 ft. below land surface on 7/11/2003	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	380 ft	Stratadept:	270 ft.
Yield:	12 GPM with 110 ft drawdown after 1 hour	Undesirabl:	No
Watertype:	good	Companyadd:	P.O. Box 1318
Chemicalma:	No	Licensenum:	54546
Companynam:	Anderson Water Well Service,Ltd.	Dsignature:	No Data
Ccitystate:	Bridgeport , TX 76426	Comments:	no data
Wsignature:	Doug Jackson		
Regnum:	No Data		
Site id:	TXDOL2000146316		

**E22**  
**East**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXPLU6000022583**

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	102088
Well Report #:	Not Reported	Borehole Depth (ft):	0
Well Type:	Withdrawal of Water		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**E23**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXBR40000019705**

Database:	Brackish Resources Aquifer Characterization System Database	Well Type:	Withdrawal of Water
Well ID:	15030	Data Source:	INTERA GMA8 PWS Well Documents
Well Use:	Public supply	Well Bottom Elevation (ft):	366
Well Depth (ft):	475	Bottom Hole Elevation (ft):	-99999
Total Hole Depth (ft):	-99999	Kelly Bushing Height (ft):	0
Drill Date:	04/10/1996		
Remarks:	Not Reported		

**E24**  
**East**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXWDB8000002497**

Database:	Groundwater Database	Well #:	3205305
Primary Water Use:	Public Supply	Elevation (ft):	841
Well Depth (ft):	480	Observation Type:	None
Water Quality Review:	Yes	Aquifer:	218PLXY - Paluxy Sand
Well Type:	Withdrawal of Water		

**F25**  
**East**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000023185**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	23944	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**F26**  
**East**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000340371**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	345482	Borehole Depth (ft):	450
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**F27**  
**East**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000318954**

Database:	Submitted Drillers Reports Database	Well Type:	Replacement
Well Report #:	323767	Borehole Depth (ft):	400
Proposed Use:	Domestic		



**GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS**

Injurious Water Quality: no    Plugging Rpt #: Not Reported

---

**F28  
East  
1/4 - 1/2 Mile  
Lower**

**TX WELLS      TXDOL2000146575**

Database:	Well Report Database	Fid:	146574
Rec id:	146569	Edr site i:	23944
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	13216 Taylor Frances, Haslet , TX 76052	Waddress:	13216 Taylor Frances, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 07 N	Elevation:	No Data
Long:	097 24 01 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Variance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No
Yield:	Not Reported	Companynam:	Simmons Drilling Co.
Stratadept:	No Data	Ccitystate:	Rising Star , TX 76471
Undesirabl:	No	Wsignature:	Terry J. Simmons
Companyadd:	P. O. Box 1022	Regnum:	No Data
Licensenum:	54485	Site id:	TXDOL2000146575
Dsignature:	No Data		
Comments:	no data		

---

**F29  
East  
1/4 - 1/2 Mile  
Lower**

**TX WELLS      TXMON6000019464**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	20187	Borehole Depth (ft):	1035
Proposed Use:	Industrial	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

---

**F30  
East  
1/4 - 1/2 Mile  
Lower**

**TX WELLS      TXDOL2000146875**

Database:	Well Report Database	Fid:	146874
Rec id:	146868	Edr site i:	20187
Owner:	CHIEF OIL AND GAS	Ownerwell:	D.R. MOSS
Address:	P.O. BOX 189, NEWARK , TX 76071	Grid:	32-05-3
Waddress:	AVONDALE HASLET RD, RHOME , TX	Lat:	32 58 05 N

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County:	Tarrant	Long:	097 24 01 W
Elevation:	No Data	Gpsused:	TELETYPE
Typeofwork:	New Well	Propuse:	Industrial
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	9 7/8 in From Surface To 1035 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	0 ft to 250 ft
Packsizes:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 100 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	GRAVITY
Cementedby:	DOUG JACKSON	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	OWNER
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	400 ft. below land surface on 10/28/2002		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	882 ft	Welltests:	No Data
Yield:	Not Reported	Watertype:	GOOD
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	ANDERSON WATER WELLS L.P.
Companyadd:	P.O. BOX 118	Ccitystate:	JACKSBORO , TX 76458
Licensenum:	54546	Wsignature:	DOUG JACKSON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146875

**G31  
West  
1/4 - 1/2 Mile  
Higher**

**TX WELLS      TXDOL2000143964**

Database:	Well Report Database	Fid:	143963
Rec id:	143956	Edr site i:	80379
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	109 Black Tail, Azle , TX	Grid:	32-05-3
Waddress:	Same, Same , TX	Lat:	32 58 07 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 200 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	200 ft to 100 ft
Packsizes:	14		
Finterval:	From 100 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	100 ft. below land surface on 3/6/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP CO	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143964		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**G32**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXMON6000196838**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	200014	Borehole Depth (ft):	540
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**G33**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXMON6000078987**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	80379	Borehole Depth (ft):	200
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**D34**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000477421**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	486796	Borehole Depth (ft):	450
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**E35**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000019941**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	20668	Borehole Depth (ft):	395
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**E36**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000146748**

Database:	Well Report Database	Fid:	146747
Rec id:	146854	Edr site i:	20668
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1837 Willow Springs Court, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1837 Willow Springs Court, Haslet , TX 76052
Lat:	32 58 11 N	County:	Tarrant
Long:	097 24 01 W	Elevation:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 395 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 395 ft	Packsiz:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 763	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146748

**37  
SW  
1/4 - 1/2 Mile  
Higher**

**TX WELLS TXMON6000196352**

Database:	Submitted Drillers Reports Database		
Well Report #:	199516	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	380
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**F38  
East  
1/4 - 1/2 Mile  
Lower**

**TX WELLS TXMON6000020604**

Database:	Submitted Drillers Reports Database		
Well Report #:	21338	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**F39  
East  
1/4 - 1/2 Mile  
Lower**

**TX WELLS TXDOL2000146812**

Database:	Well Report Database	Fid:	146811
Rec id:	146802	Edr site i:	21338
Owner:	D. R. MOSS CONSTRUCTION	Ownerwell:	No Data
Address:	13248 WILLOW CREEK DR., HASLET , TX 76052		
Grid:	32-05-3	Waddress:	13248 WILLOW CREEK DR., HASLET , TX 76052
Lat:	32 58 06 N	County:	Tarrant
Long:	097 24 00 W	Elevation:	No Data
Gpsused:	EAGLE	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +2 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	METROPLEX WATER WELL SERVICE
Companyadd:	3040 E. PEDEN RD.	Ccitystate:	FORT WORTH , TX 76179
Licensenum:	54485	Wsignature:	TERRY J. SIMMONS
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146812

**H40**  
**North**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000015536**

Database:	Submitted Drillers Reports Database		
Well Report #:	16207	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**H41**  
**North**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000147066**

Database:	Well Report Database	Fid:	147065
Rec id:	147178	Edr site i:	16207
Owner:	DR MOSS CONSTRUCTION	Ownerwell:	No Data
Address:	13413 WILLOW CREEK DR, HASLET , TX 76052		
Grid:	32-05-3	Waddress:	SAME, HASLET , TX 76052
Lat:	32 58 25 N	County:	Tarrant
Long:	097 24 18 W	Elevation:	No Data
Gpsused:	EAGLE	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	No Data	Sinterval:	No Data
Tinterval:	No Data	Usedmethod:	Not Reported
Cementedby:	Not Reported	Contaminat:	Not Reported
Propertyli:	Not Reported	Verrimetho:	Not Reported
Varriance:	Not Reported	Surface:	Surface Sleeve Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	Submersible	Pumpbowl:	(No Data) ft
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Companyname:	METROPLEX WATER WELL SERVICE	Companyadd:	3040 E PEDEN RD
Ccitystate:	FORT WORTH , TX 76179	Licensenum:	54485
Wsignature:	TERRY SIMMONS	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000147066		

**E42**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000023197**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	23956	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**E43**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000146572**

Database:	Well Report Database	Fid:	146571
Rec id:	146566	Edr site i:	23956
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1848 Willow Springs Ct., Haslet , TX 76052	Waddress:	1848 Willow Springs Ct., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 13 N	Elevation:	No Data
Long:	097 24 01 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companyname:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146572
Comments:	no data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**I44**  
**WNW**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXMON6000400682**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	407376	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**G45**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXPLU6000050575**

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	71488
Well Report #:	Not Reported	Borehole Depth (ft):	0
Well Type:	Monitor		

**I46**  
**NW**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXMON6000329292**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	334248	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**J47**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXPLU6000045296**

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	71487
Well Report #:	Not Reported	Borehole Depth (ft):	0
Well Type:	Withdrawal of Water		

**J48**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXPLU6000015412**

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	71371
Well Report #:	Not Reported	Borehole Depth (ft):	0
Well Type:	Withdrawal of Water		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**J49**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXPLU6000050963**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	71381
Well Type:	Withdrawal of Water	Borehole Depth (ft):	0

**K50**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000016032**

Database:	Submitted Drillers Reports Database		
Well Report #:	16709	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**K51**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000147141**

Database:	Well Report Database	Fid:	147140
Rec id:	147128	Edr site i:	16709
Owner:	STERLING CLASSIC HOMES	Ownerwell:	No Data
Address:	2875 FRANCES AVE, HASLET , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 57 49 N
County:	Tarrant	Long:	097 24 08 W
Elevation:	No Data	Gpsused:	EAGLE
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsiz:	Not Reported		
Finterval:	From +2 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	METROPLEX WATER WELL SERVICE
Companyadd:	3040 E PEDEN RD	Ccitystate:	FORT WORTH , TX 76179
Licensenum:	54485	Wsignature:	TERRY SIMMONS
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000147141



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**L52**  
**ESE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000185401**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	188421	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**M53**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000023196**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	23955	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**M54**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000146573**

Database:	Well Report Database	Fid:	146572
Rec id:	146567	Edr site i:	23955
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1836 Willow Springs Ct., Haslet , TX 76052	Waddress:	1836 Willow Springs Ct., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 14 N	Elevation:	No Data
Long:	097 23 59 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No
Yield:	Not Reported	Companynam:	Simmons Drilling Co.
Stratadept:	No Data	Ccitystate:	Rising Star , TX 76471
Undesirabl:	No	Wsignature:	Terry J. Simmons
Companyadd:	P. O. Box 1022	Regnum:	No Data
Licensenum:	54485	Site id:	TXDOL2000146573
Dsignature:	No Data		
Comments:	no data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**J55**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXPLU6000050968**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	71385
Well Type:	Withdrawal of Water	Borehole Depth (ft):	0

**J56**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXPLU6000045295**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	71489
Well Type:	Monitor	Borehole Depth (ft):	0

**N57**  
**SSW**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXMON6000078947**

Database:	Submitted Drillers Reports Database		
Well Report #:	80339	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	200
Injurious Water Quality:	Not Reported	Plugging Rpt #:	Not Reported

**N58**  
**SSW**  
**1/4 - 1/2 Mile**  
**Higher**

**TX WELLS      TXDOL2000143977**

Database:	Well Report Database	Fid:	143976
Rec id:	143969	Edr site i:	80339
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	113 Black Tail, Azle , TX 76432	Grid:	32-05-3
Waddress:	Same, Same , TX 76432	Lat:	32 57 45 N
County:	Tarrant	Long:	097 24 29 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 200 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	100 ft to 200 ft
Packsizes:	14		
Finterval:	From 80 ft to 100 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	100 ft. below land surface on 3/2/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	B B PUMP CO
Companyadd:	363 CR 3170	Ccitystate:	Decatur , TX 76234
Licensenum:	54429	Wsignature:	Robby Flake
Dsignature:	No Data	Regnum:	No Data
Comments:	lcs\$	Site id:	TXDOL2000143977

**K59**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000013913**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	14567	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**K60**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000147382**

Database:	Well Report Database	Fid:	147381
Rec id:	147371	Edr site i:	14567
Owner:	STERLING CLASSIC HOMES	Ownerwell:	1
Address:	12888 FRANCIS ANN, HASLET , TX 76052	Waddress:	SAME, TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 49 N	Elevation:	No Data
Long:	097 24 06 W	Typeofwork:	New Well
Gpsused:	EAGLE	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	10 ft to 400 ft	Sinterval:	No Data
Finterval:	No Data	Usedmethod:	Not Reported
Tinterval:	No Data	Contaminat:	Not Reported
Cementedby:	Not Reported	Verrimetho:	Not Reported
Propertyli:	Not Reported	Surface:	Surface Sleeve Installed
Varriance:	Not Reported	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	Not Reported
Typepump:	No Data	Yield:	Not Reported
Welltests:	No Data	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	3040 E. PEDEN RD.
Companynam:	METROPLEX WATER WELL SERVICE INC	Licensenum:	54485
Ccitystate:	FT. WORTH , TX 76179	Dsignature:	No Data
Wsignature:	TERRY SIMMONS	Comments:	no data
Regnum:	No Data		
Site id:	TXDOL2000147382		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**M61**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000012493**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	13133	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**M62**  
**ENE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000147372**

Database:	Well Report Database	Fid:	147371
Rec id:	147435	Edr site i:	13133
Owner:	D.R. Moss Custom Homes	Ownerwell:	1
Address:	1812 willow springs court, Haslet , TX 76052	Waddress:	Same, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 15 N	Elevation:	No Data
Long:	097 23 57 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6.75 in From Surface To 440 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 440 ft	Sinterval:	No Data
Finterval:	No Data	Usedmethod:	Not Reported
Tinterval:	No Data	Contaminat:	Not Reported
Cementedby:	Not Reported	Verrimetho:	Not Reported
Propertyli:	Not Reported	Surface:	Surface Sleeve Installed
Varriance:	Not Reported	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	Not Reported
Typepump:	No Data	Yield:	Not Reported
Welltests:	No Data	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	3040 East Peden Rd.
Companynam:	Metroplex Water Well Service Inc.	Licensenum:	54485
Ccitystate:	Ft. Worth , TX 76179	Dsignature:	No Data
Wsignature:	Terry Simmons	Comments:	no data
Regnum:	No Data		
Site id:	TXDOL2000147372		

**K63**  
**SSE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000029972**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	30909	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**K64**  
**SSE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000146300**

Database:	Well Report Database	Fid:	146299
Rec id:	146290	Edr site i:	30909
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane Suite K, Fort Worth , TX 76135		
Grid:	32-05-3	Waddress:	12837 Frances Ann, Haslet , TX
Lat:	32 57 46 N	County:	Tarrant
Long:	097 24 08 W	Elevation:	No Data
Gpsused:	garmin	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 7/8 in From Surface To 380 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	200 ft to 380 ft	Packsiz:	12/20
Finterval:	From 0 ft to 10 ft with 3 cmt (#sacks and material)		
Sinterval:	From 180 ft to 200 ft with 10 bent. (#sacks and material)		
Tinterval:	No Data	Usedmethod:	No Data
Cementedby:	No Data	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	200 ft. below land surface on 10/27/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	340 ft	Welltests:	Pump
Yield:	12 GPM with 100 ft drawdown after 1 hour		
Watertype:	good	Stratadept:	250 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service,Ltd.	Companyadd:	P.O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000146300		

**O65**  
**NE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000102951**

Database:	Submitted Drillers Reports Database		
Well Report #:	104668	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	478
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**O66**  
**NE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000143015**

Database:	Well Report Database	Fid:	143014
Rec id:	143012	Edr site i:	104668
Owner:	Goff Homes	Ownerwell:	No Data
Address:	13308 Copper Canyon, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13308 Copper Canyon, Haslet , TX 76052

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Lat:	32 58 21 N	County:	Tarrant
Long:	097 24 00 W	Elevation:	No Data
Gpsused:	map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	12 1/4 in From Surface To 18 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	339 ft to 478 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 20 ft with 3 (#sacks and material)		
Sinterval:	From 285 ft to 339 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pumped-Tremie
Cementedby:	David Maynor	Contaminat:	none ft
Propertyli:	No Data	Verrimetho:	New Home Site
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	290 ft. below land surface on 2/18/2005		
Flow:	No Data	Packers:	n/a
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	378 ft	Welltests:	Pump
Yield:	14 GPM with 15 ft drawdown after 2 hours		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Lone Star Drilling Company	Companyadd:	3311 North Commerce
Ccitystate:	Fort Worth , TX 76106	Licensenum:	2325
Wsignature:	D.E. Thurman	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000143015		

**P67**  
**NNE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000424968**

Database:	Submitted Drillers Reports Database		
Well Report #:	436570	Well Type:	New Well
Proposed Use:	Irrigation	Borehole Depth (ft):	420
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**Q68**  
**South**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000008309**

Database:	Submitted Drillers Reports Database		
Well Report #:	8854	Well Type:	New Well
Proposed Use:	Irrigation	Borehole Depth (ft):	480
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**Q69**  
**South**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000147594**

Database:	Well Report Database	Fid:	147593
Rec id:	147588	Edr site i:	8854
Owner:	Harvest Landscape	Ownerwell:	No Data
Address:	Hwy 287 & Railroad Tracks, Haslet , TX 76052		
Grid:	32-05-3		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Waddress:	Hwy 287 & Rail Road Tracks North, Haslet , TX 76052	County:	Tarrant
Lat:	32 57 42 N	Elevation:	No Data
Long:	097 24 19 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Irrigation	Diameter:	7 7/8 in From Surface To 480 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	(No Data) ft to (No Data) ft	Tinterval:	No Data
Finterval:	From 0 ft to 10 ft with (No Data) (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	1004 ft	Staticleve:	No Data
Verrimetho:	tape	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	Submersible
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	(No Data) ft	Chemicalma:	No
Yield:	Not Reported	Companynam:	Morrow Drilling Inc.
Stratadept:	No Data	Ccitystate:	Fort Worth , TX 76179
Undesirabl:	No	Wsignature:	James R. Morrow
Companyadd:	3040 Peden Rd.	Regnum:	wwdapp00001402
Licensenum:	54596	Site id:	TXDOL2000147594
Dsignature:	Fernando Castillo Jr.		
Comments:	no data		

**K70**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000028382**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	29301	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**K71**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000146365**

Database:	Well Report Database	Fid:	146364
Rec id:	146362	Edr site i:	29301
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	5849 Park Vista Circle-Suite A, Keller , TX 76248	Waddress:	1816 Velda Kay, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 46 N	Elevation:	No Data
Long:	097 24 06 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data		
Surface:	Surface Sleeve Installed		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146365

**L72**  
**ESE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000496587**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	511340	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**P73**  
**NNE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000023223**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	23982	Borehole Depth (ft):	370
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**P74**  
**NNE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000146566**

Database:	Well Report Database	Fid:	146565
Rec id:	146560	Edr site i:	23982
Owner:	GLENDON CUSTOM HOMES	Ownerwell:	No Data
Address:	217 SINGING QUAIL TRAIL, HASLET , TX 76052	Waddress:	2037 GREENWAY CROSSING, TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 30 N	Elevation:	No Data
Long:	097 24 15 W	Typeofwork:	New Well
Gpsused:	TELETYPE	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 370 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	0 ft to 210 ft		
Finterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Sinterval:	From 190 ft to 210 ft with 5 (#sacks and material)	Usedmethod:	GRAVITY
Tinterval:	No Data	Contaminat:	100 ft
Cementedby:	DOUG JACKSON	Verrimetho:	OWNER
Propertyli:	No Data	Surface:	Surface Sleeve Installed
Varriance:	No Data	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typepump:	Submersible	Pumpbowl:	340 ft
Welltests:	Pump		
Yield:	(No Data) GPM with (No Data) ft drawdown after (No Data) hours		
Watertype:	GOOD	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	ANDERSON WATER WELL L.P.	Companyadd:	P.O. 118
Ccitystate:	JACKSBORO , TX 76458	Licensenum:	54546
Wsignature:	DOUG JACKSON	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000146566		

**R75**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXMON6000042118**

Database:	Submitted Drillers Reports Database		
Well Report #:	43152	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	410
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**R76**  
**SE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS TXDOL2000145612**

Database:	Well Report Database	Fid:	145611
Rec id:	145675	Edr site i:	43152
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane, Suite K, Fort Worth , TX 76135		
Grid:	32-05-3	Waddress:	Lot 13 Block 3, TX
Lat:	32 57 50 N	County:	Tarrant
Long:	097 24 00 W	Elevation:	No Data
Gpsused:	Garmin	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 7/8 in From Surface To 410 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	0 ft to 225 ft	Packsizes:	12/20
Finterval:	From 0 ft to 10 ft with 5 cement (#sacks and material)		
Sinterval:	From 190 ft to 210 ft with 10 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Tremie
Cementedby:	Charles Pratt	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	Owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	340 ft. below land surface on 4/8/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	380 ft	Welltests:	Pump
Yield:	10 GPM with 20 ft drawdown after 1 hour		
Watertype:	Good	Stratadep:	400 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service, Ltd.	Companyadd:	P. O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	Charles Pratt
Regnum:	WWDAPP00001690	Comments:	no data
Site id:	TXDOL2000145612		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**77**  
**West**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000188536**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	191597	Borehole Depth (ft):	450
Proposed Use:	Irrigation	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**S78**  
**SSE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000027461**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	28355	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**S79**  
**SSE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000146369**

Database:	Well Report Database	Fid:	146368
Rec id:	146401	Edr site i:	28355
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	1817 Velda Kay, Haslet , TX 76052	Grid:	32-05-3
Waddress:	1817 Velda Kay, Haslet , TX 76052	Lat:	32 57 45 N
County:	Tarrant	Long:	097 24 06 W
Elevation:	No Data	Gpsused:	Eagle
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsizes:	Not Reported		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146369

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**T80**  
**North**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000472663**

Database:	Submitted Drillers Reports Database	Well Type:	Replacement
Well Report #:	485294	Borehole Depth (ft):	450
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**T81**  
**North**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000059150**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	60325	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	179328
Injurious Water Quality:	no		

**T82**  
**North**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000144866**

Database:	Well Report Database	Fid:	144865
Rec id:	144861	Edr site i:	60325
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	13501 Willow Creek Dr., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 32 N	Elevation:	No Data
Long:	097 24 19 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	1963
Dsignature:	Stanley Alexander	Site id:	TXDOL2000144866
Comments:	no data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**T83**  
**North**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXPLU6000176200**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	60325	Plugging Rpt #:	179328
Well Type:	Domestic	Borehole Depth (ft):	400

**U84**  
**ESE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000078280**

Database:	Submitted Drillers Reports Database		
Well Report #:	79666	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**U85**  
**ESE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXMON6000195802**

Database:	Submitted Drillers Reports Database		
Well Report #:	198957	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**U86**  
**ESE**  
**1/4 - 1/2 Mile**  
**Lower**

**TX WELLS      TXDOL2000144002**

Database:	Well Report Database	Fid:	144001
Rec id:	144000	Edr site i:	79666
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	2401 W. Blue Mound Rd. Suite B, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13009 Singleton Dr., Haslet , TX 76052
Lat:	32 57 58 N	County:	Tarrant
Long:	097 23 53 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Jerry Lunceford	Regnum:	1967
Comments:	no data	Site id:	TXDOL2000144002

**S87**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000026101**

Database:	Submitted Drillers Reports Database		
Well Report #:	26964	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**S88**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000146455**

Database:	Well Report Database	Fid:	146454
Rec id:	146449	Edr site i:	26964
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	101 Velda Kay, Haslet , TX 76052	Grid:	32-05-3
Waddress:	1801 Velda Kay, Haslet , TX 76052	Lat:	32 57 46 N
County:	Tarrant	Long:	097 24 02 W
Elevation:	No Data	Gpsused:	Eagle
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsizes:	Not Reported		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccystate:	Rising Star, , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146455

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**S89**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000023189**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	23948	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**S90**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146574**

Database:	Well Report Database	Fid:	146573
Rec id:	146568	Edr site i:	23948
Owner:	Sterling Cassic Homes	Ownerwell:	No Data
Address:	1809 Velda Kay, Haslet , TX 76052	Grid:	32-05-3
Waddress:	1809 Velda Kay, Haslet , TX 76052	Lat:	32 57 45 N
County:	Tarrant	Long:	097 24 03 W
Elevation:	No Data	Gpsused:	Eagle
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsize:	Not Reported		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146574

**R91**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000013912**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	14566	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**R92**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000147383**

Database:	Well Report Database	Fid:	147382
Rec id:	147372	Edr site i:	14566
Owner:	STERLING CLASSIC HOMES	Ownerwell:	1
Address:	12892 TAYLOR FRANCIS DR., HASLET , TX 76052		
Grid:	32-05-3	Waddress:	SAME, TX
Lat:	32 57 50 N	County:	Tarrant
Long:	097 23 57 W	Elevation:	No Data
Gpsused:	EAGLE	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	No Data	Sinterval:	No Data
Tinterval:	No Data	Usedmethod:	Not Reported
Cementedby:	Not Reported	Contaminat:	Not Reported
Propertyli:	Not Reported	Verrimetho:	Not Reported
Varriance:	Not Reported	Surface:	Surface Sleeve Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	METROPLEX WATER WELL SERVICE INC	Companyadd:	3040 E. PEDEN RD.
Ccitystate:	FT. WORTH , TX 76179	Licensenum:	54485
Wsignature:	TERRY SIMMONS	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000147383		

**U93**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000095930**

Database:	Submitted Drillers Reports Database		
Well Report #:	97571	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**U94**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143281**

Database:	Well Report Database	Fid:	143280
Rec id:	143282	Edr site i:	97571
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13008 Singleton Dr., Haslet , TX 76052
Lat:	32 57 58 N	County:	Tarrant
Long:	097 23 52 W	Elevation:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Seth Simmons	Regnum:	3315
Comments:	no data	Site id:	TXDOL2000143281

**V95**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000242099**

Database:	Submitted Drillers Reports Database		
Well Report #:	245844	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	447
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**S96**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000024671**

Database:	Submitted Drillers Reports Database		
Well Report #:	25471	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	27004

**S97**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000146510**

Database:	Well Report Database	Fid:	146509
Rec id:	146507	Edr site i:	25471
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	1800 Velda Kay, Haslet , TX 76052	Grid:	32-05-3
Waddress:	1800 Velda Kay, Haslet , TX 76052	Lat:	32 57 45 N
County:	Tarrant	Long:	097 24 02 W
Elevation:	No Data	Gpsused:	Eagle
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsiz:	Not Reported		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146510

**W98**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXWDB8000011518**

Database:	Groundwater Database	Well #:	3205301
Primary Water Use:	Domestic	Elevation (ft):	830
Well Depth (ft):	407	Observation Type:	None
Water Quality Review:	No	Aquifer:	218PLXY - Paluxy Sand
Well Type:	Withdrawal of Water		

**R99**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000023184**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	23943	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**R100**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146576**

Database:	Well Report Database	Fid:	146575
Rec id:	146570	Edr site i:	23943
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	12884 Taylor Frances, Haslet , TX 76052	Waddress:	12884 Taylor Frances, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 46 N	Elevation:	No Data
Long:	097 24 00 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146576

**P101  
NNE  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000207926**

Database:	Submitted Drillers Reports Database		
Well Report #:	211190	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	420
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**S102  
SSE  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000019956**

Database:	Submitted Drillers Reports Database		
Well Report #:	20683	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**S103  
SSE  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000146862**

Database:	Well Report Database	Fid:	146861
Rec id:	146849	Edr site i:	20683
Owner:	Dugger-Anthony Custom Homes	Ownerwell:	No Data
Address:	12801 Taylor Frances, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	12801 Taylor Frances, Haslet , TX 76052
Lat:	32 57 42 N	County:	Tarrant
Long:	097 24 06 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Metroplex Water Well Service
Undesirabl:	No	Ccitystate:	Fort Worth , TX 76179
Companyadd:	3040 E. Pedon Rd.	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146862
Comments:	no data		

**X104**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000015539**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	16210	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**X105**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000147192**

Database:	Well Report Database	Fid:	147191
Rec id:	147176	Edr site i:	16210
Owner:	STERLING CLASSIC HOMES	Ownerwell:	No Data
Address:	12816 TAYLOR FRANCIS, HASLET , TX 76052	Waddress:	SAME, HASLET , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 44 N	Elevation:	No Data
Long:	097 24 01 W	Typeofwork:	New Well
Gpsused:	EAGLE	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsize:	Not Reported
Packedfrom:	10 ft to 400 ft	Sinterval:	No Data
Finterval:	No Data	Usedmethod:	Not Reported
Tinterval:	No Data	Contaminat:	Not Reported
Cementedby:	Not Reported	Verrimetho:	Not Reported
Propertyli:	Not Reported	Surface:	Surface Sleeve Installed
Varriance:	Not Reported	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	(No Data) ft
Typepump:	Submersible	Yield:	Not Reported
Welltests:	No Data	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	3040 E PEDEN RD
Companynam:	METROPLEX WATER WELL SERVICE	Licensenum:	54485
Ccitystate:	FORT WORTH , TX 76179	Dsignature:	No Data
Wsignature:	TERRY SIMMONS		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Regnum: No Data      Comments: no data  
 Site id: TXDOL2000147192

**V106**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000117573**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	119490	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**V107**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142292**

Database:	Well Report Database	Fid:	142291
Rec id:	142294	Edr site i:	119490
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1813 Willow Springs Ct., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 22 N	Elevation:	No Data
Long:	097 23 54 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No
Yield:	Not Reported	Companynam:	Simmons Drilling Co.
Stratadept:	No Data	Ccitystate:	Rising Star , TX 76471
Undesirabl:	No	Wsignature:	Terry J. Simmons
Companyadd:	P. O.Box 1022	Regnum:	57737
Licensenum:	54485	Site id:	TXDOL2000142292
Dsignature:	Seth Simmons		
Comments:	no data		

**108**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000228499**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	231986	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**V109**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000121405**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	123405	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**V110**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142103**

Database:	Well Report Database	Fid:	142102
Rec id:	142104	Edr site i:	123405
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1801 Willow Springs Ct., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 21 N	Elevation:	No Data
Long:	097 23 53 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No
Yield:	Not Reported	Companynam:	Simmons Drilling Co.
Stratadept:	No Data	Ccitystate:	Rising Star , TX 76471
Undesirabl:	No	Wsignature:	Terry J. Simmons
Companyadd:	P. O. Box 1022	Regnum:	57737
Licensenum:	54485	Site id:	TXDOL2000142103
Dsignature:	Seth Simmons		
Comments:	no data		

**Y111**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000033091**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	34051	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**Y112**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146159**

Database:	Well Report Database	Fid:	146158
Rec id:	146155	Edr site i:	34051
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	117 Applewood Lane, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13125 Willow Ranch, Haslet , TX 76052
Lat:	32 58 05 N	County:	Tarrant
Long:	097 23 48 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146159

**Y113**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000030200**

Database:	Submitted Drillers Reports Database		
Well Report #:	31137	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	395
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**Y114**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146281**

Database:	Well Report Database	Fid:	146280
Rec id:	146275	Edr site i:	31137
Owner:	Jason Staley	Ownerwell:	No Data
Address:	1808 Clover Springs, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	3441 Willow Ranch Way, Haslet , TX 76052
Lat:	32 58 03 N	County:	Tarrant
Long:	097 23 48 W	Elevation:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 395 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 395 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146281

**Z115  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000141092**

Database:	Well Report Database	Fid:	141091
Rec id:	141090	Edr site i:	151778
Owner:	Mark Daniel	Ownerwell:	No Data
Address:	13505 Northwest Court, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13505 Northwest Court, Haslet , TX 76052
Lat:	32 58 27 N	County:	Tarrant
Long:	097 24 47 W	Elevation:	No Data
Gpsused:	Map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	12 1/4 in From Surface To 16 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	300 ft to 439 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 20 ft with 4 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 3 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pumped - Tremie
Cementedby:	David Maynor	Contaminat:	200 ft
Propertyli:	No Data	Verrimetho:	Customer Info
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	300 ft. below land surface on 8/24/2005		
Flow:	No Data	Packers:	N/A
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	357 ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 2 hours		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Lone Star Drilling Company	Companyadd:	3311 North Commerce
Ccitystate:	Fort Worth , TX 76106	Licensenum:	2899
Wsignature:	David B. Maynor	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mew
Site id:	TXDOL2000141092		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**Z116**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000149189**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	151778	Borehole Depth (ft):	439
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**Y117**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000079224**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	80620	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**Y118**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143941**

Database:	Well Report Database	Fid:	143940
Rec id:	143942	Edr site i:	80620
Owner:	Vintage Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 54543, Hurst , TX 76054	Grid:	32-05-3
Waddress:	13008 Willow Crossing Drive, Haslet , TX 76052		
Lat:	32 58 01 N	County:	Tarrant
Long:	097 23 48 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1963
Comments:	no data	Site id:	TXDOL2000143941



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AA119**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000025663**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	26488	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AA120**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146476**

Database:	Well Report Database	Fid:	146475
Rec id:	146471	Edr site i:	26488
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	1917 Bear Springs, Haslet , TX 76052	Waddress:	1917 Bear Springs, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 33 N	Elevation:	No Data
Long:	097 24 08 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft	Sinterval:	No Data
Finterval:	No Data	Usedmethod:	Not Reported
Tinterval:	No Data	Contaminat:	Not Reported
Cementedby:	Not Reported	Verrimetho:	Not Reported
Propertyli:	Not Reported	Surface:	Surface Sleeve Installed
Varriance:	Not Reported	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	Not Reported
Typepump:	No Data	Yield:	Not Reported
Welltests:	No Data	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	P. O. Box 1022
Companynam:	Simmons Drilling Co.	Licensenum:	54485
Ccitystate:	Rising Star , TX 76471	Dsignature:	No Data
Wsignature:	Terry J. Simmons	Comments:	no data
Regnum:	No Data		
Site id:	TXDOL2000146476		

**121**  
**WNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000196943**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	200121	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AB122**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000027958**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	28867	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AB123**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146391**

Database:	Well Report Database	Fid:	146390
Rec id:	146384	Edr site i:	28867
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	13117 Willow Ranch Way, Haslet , TX 76052	Waddress:	13117 Willow Ranch Way, Halet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 00 N	Elevation:	No Data
Long:	097 23 48 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsio:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	RisingStar , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146391
Comments:	no data		

**W124**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000074204**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	75547	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**W125**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000144200**

Database:	Well Report Database	Fid:	144199
Rec id:	144198	Edr site i:	75547
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1509 Western Willows Dr., Haslet , TX 76052
Lat:	32 58 06 N	County:	Tarrant
Long:	097 23 47 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsiz:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1963
Comments:	no data	Site id:	TXDOL2000144200

**AB126**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000054109**

Database:	Submitted Drillers Reports Database		
Well Report #:	55237	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AB127**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145196**

Database:	Well Report Database	Fid:	145195
Rec id:	145193	Edr site i:	55237
Owner:	Jason Staley	Ownerwell:	No Data
Address:	1808 Clover Springs, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13109 Willow Springs, Haslet , TX 76052
Lat:	32 57 59 N	County:	Tarrant
Long:	097 23 48 W	Elevation:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsiz:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1963
Comments:	no data	Site id:	TXDOL2000145196

**AC128  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS TXDOL2000142943**

Database:	Well Report Database	Fid:	142942
Rec id:	142942	Edr site i:	106082
Owner:	Stone River	Ownerwell:	No Data
Address:	11209 Dove Valley, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	11209 Dove Valley, Haslet , TX 76052
Lat:	32 58 31 N	County:	Tarrant
Long:	097 24 43 W	Elevation:	No Data
Gpsused:	map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 420 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	420 ft to 300 ft	Packsiz:	1/4
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	260 ft. below land surface on 9/28/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142943		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AD129**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000511193**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	525955	Borehole Depth (ft):	445
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**Y130**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000511195**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	525957	Borehole Depth (ft):	450
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AD131**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000270581**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	274733	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**W132**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142022**

Database:	Well Report Database	Fid:	142021
Rec id:	142017	Edr site i:	125051
Owner:	Omala Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 14765, Fort Worth , TX 76117	Waddress:	13101 Willow Ranch Way, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 07 N	Elevation:	No Data
Long:	097 23 46 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Variance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed		
Flow:	No Data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Seth Simmons	Regnum:	57737
Comments:	no data	Site id:	TXDOL2000142022

**W133**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000123029**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	125051	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AC134**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143538**

Database:	Well Report Database	Fid:	143537
Rec id:	143528	Edr site i:	91581
Owner:	GOFF	Ownerwell:	No Data
Address:	13516 CO, HASLET , TX 76502	Grid:	32-05-3
Waddress:	SAME, SAME , TX 76502	Lat:	32 58 31 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsizes:	1/4		
Finterval:	From 280 ft to 300 ft with 5 (#sacks and material)	Usedmethod:	PRESSURE
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)	Contaminat:	100 ft
Tinterval:	No Data	Verrimetho:	MEASURED
Cementedby:	DRILLER	Surface:	Surface Sleeve Installed
Propertyli:	10 ft		
Varriance:	No Data	Packers:	No Data
Staticleve:	260 ft. below land surface on 3/26/2004	Typepump:	Submersible
Flow:	No Data	Welltests:	Pump
Cementinwe:	No Data	Stratadep:	No Data
Pumpbowl:	(No Data) ft	Undesirabl:	No
Yield:	14 GPM with 10 ft drawdown after 1 hour	Companyadd:	363 CR 3170
Watertype:	No Data	Licensenum:	54429
Chemicalma:	No	Dsignature:	No Data
Companynam:	B B PUMP CO	Comments:	lcs\$
Ccitystate:	DECATUR , TX 76234		
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000143538		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**AC135**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145370**

Database:	Well Report Database	Fid:	145369
Rec id:	145362	Edr site i:	50471
Owner:	Montclair	Ownerwell:	No Data
Address:	14024 R. S., Haslet , TX 76052	Grid:	32-05-3
Waddress:	14024 R.S., Haslet , TX 76052	Lat:	32 58 31 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 360 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	360 ft to 260 ft
Packsiz:	1/4		
Finterval:	From 260 ft to 240 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 10/20/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decature , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145370		

**AC136**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000089984**

Database:	Submitted Drillers Reports Database		
Well Report #:	91581	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AC137**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000049395**

Database:	Submitted Drillers Reports Database		
Well Report #:	50471	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	360
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AE138**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000015541**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	16212	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AE139**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000147190**

Database:	Well Report Database	Fid:	147189
Rec id:	147174	Edr site i:	16212
Owner:	STERLING CLASSIC HOMES	Ownerwell:	No Data
Address:	12789 FRANCES ANN, HASLET , TX 76052	Waddress:	SAME, HASLET , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 38 N	Elevation:	No Data
Long:	097 24 07 W	Typeofwork:	New Well
Gpsused:	EAGLE	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	10 ft to 400 ft	Sinterval:	No Data
Finterval:	No Data	Usedmethod:	Not Reported
Tinterval:	No Data	Contaminat:	Not Reported
Cementedby:	Not Reported	Verrimetho:	Not Reported
Propertyli:	Not Reported	Surface:	Surface Sleeve Installed
Varriance:	Not Reported	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	(No Data) ft
Typepump:	Submersible	Yield:	Not Reported
Welltests:	No Data	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	3040 E PEDEN RD
Companynam:	METROPLEX WATER WELL SERVICE	Licensenum:	54485
Ccitystate:	FORT WORTH , TX 76179	Dsignature:	No Data
Wsignature:	TERRY SIMMONS	Comments:	no data
Regnum:	No Data		
Site id:	TXDOL2000147190		

**Y140**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146199**

Database:	Well Report Database	Fid:	146198
Rec id:	146192	Edr site i:	33185
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1553 Willow Tree Drive, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 02 N	Elevation:	No Data
Long:	097 23 46 W		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146199

**Y141**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000032231**

Database:	Submitted Drillers Reports Database		
Well Report #:	33185	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AE142**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000048479**

Database:	Submitted Drillers Reports Database		
Well Report #:	49550	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AE143**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000145470**

Database:	Well Report Database	Fid:	145469
Rec id:	145463	Edr site i:	49550
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane, Suite K, Fort Worth , TX 76135		
Grid:	32-05-3	Waddress:	12777 Francis Ann Court, TX
Lat:	32 57 37 N	County:	Tarrant
Long:	097 24 08 W	Elevation:	No Data
Gpsused:	Garmin	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completedd:	Not Reported	Diameter:	7 7/8 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	200 ft to 400 ft	Packsizes:	3/8
Finterval:	From 0 ft to 10 ft with 5 cement (#sacks and material)		
Sinterval:	From 180 ft to 200 ft with 10 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Gravity Pour
Cementedby:	Charles Pratt	Contaminat:	100 ft
Propertyli:	100 ft	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	280 ft. below land surface on 10/18/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	360 ft	Welltests:	Pump
Yield:	10 GPM with 320 ft drawdown after 6 hours		
Watertype:	good	Stratadept:	280 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service, Ltd.	Companyadd:	P. O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	Charles Pratt
Regnum:	WWDAPP00001690	Comments:	no data
Site id:	TXDOL2000145470		

**X144**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000019704**

Database:	Submitted Drillers Reports Database		
Well Report #:	20428	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	395
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**X145**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000146868**

Database:	Well Report Database	Fid:	146867
Rec id:	146859	Edr site i:	20428
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	12800 Taylor Frances, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	12800 Taylor Frances, Haslet , TX 76052
Lat:	32 57 40 N	County:	Tarrant
Long:	097 24 01 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 395 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 395 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 763	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146868

**146**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXWDB8000015466**

Database:	Groundwater Database	Well #:	3205307
Primary Water Use:	Irrigation	Elevation (ft):	827
Well Depth (ft):	410	Observation Type:	None
Water Quality Review:	Yes	Aquifer:	218PLXY - Paluxy Sand
Well Type:	Withdrawal of Water		

**AF147**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000563624**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	580220	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AF148**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000563625**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	580221	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AF149**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000563628**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	580223	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AF150**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000563627**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	580222	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AG151**  
**NE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000042857**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	43898	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AG152**  
**NE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145672**

Database:	Well Report Database	Fid:	145671
Rec id:	145662	Edr site i:	43898
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1824 Greenway, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 33 N	Elevation:	No Data
Long:	097 24 01 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	1967
Dsignature:	Jerry Lunceford	Site id:	TXDOL2000145672
Comments:	no data		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**Z153**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000196945**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	200123	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AG154**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000117572**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	119489	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AG155**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142293**

Database:	Well Report Database	Fid:	142292
Rec id:	142295	Edr site i:	119489
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1912 Fairway Bend, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 34 N	Elevation:	No Data
Long:	097 24 02 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O.Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	57737
Dsignature:	Seth Simmons	Site id:	TXDOL2000142293
Comments:	amended ref# 4986 9/7/07		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AC156**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145267**

Database:	Well Report Database	Fid:	145266
Rec id:	145261	Edr site i:	53700
Owner:	Jon Davis	Ownerwell:	No Data
Address:	12785 Taylor Fracy, Haslet , TX 76052	Waddress:	12785 Tayler Fracy, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 34 N	Elevation:	No Data
Long:	097 24 43 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	.14
Packedfrom:	400 ft to 300 ft	Usedmethod:	pressure
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)	Contaminat:	100 ft
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)	Verrimetho:	measured
Tinterval:	No Data	Surface:	Surface Sleeve Installed
Cementedby:	driller	Packers:	No Data
Propertyli:	10 ft	Typepump:	Submersible
Varriance:	No Data	Welltests:	Pump
Staticleve:	260 ft. below land surface on 11/25/2003	Stratadept:	No Data
Flow:	No Data	Undesirabl:	No
Cementinwe:	No Data	Companyadd:	363 CR 3170
Pumpbowl:	(No Data) ft	Licensenum:	54429
Yield:	14 GPM with 10 ft drawdown after 1 hour	Dsignature:	No Data
Watertype:	No Data	Comments:	\$mb
Chemicalma:	No		
Companynam:	B-B Pump Co.		
Ccitystate:	Decatur , TX 76234		
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000145267		

**AC157**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000052593**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	53700	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AH158**  
**WNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143257**

Database:	Well Report Database	Fid:	143256
Rec id:	143253	Edr site i:	98382
Owner:	George Mason Custom Homes	Ownerwell:	1
Address:	P.O. Box 1259, Fort Worth , TX 76106	Waddress:	13417 Northwest Ct., Haslet , TX 76052
Grid:	32-05-2		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Lat:	32 58 15 N	County:	Tarrant
Long:	097 25 00 W	Elevation:	No Data
Gpsused:	Garmin Etrex	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 7/8 in From Surface To 450 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	300 ft to 450 ft	Packsiz:	.125/.25
Finterval:	From 285 ft to 300 ft with 3 Holeplug (#sacks and material)		
Sinterval:	From 0 ft to 20 ft with 4 CEMENT (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Poured
Cementedby:	Lone Star Drilling Company	Contaminat:	New Homesite ft
Propertyli:	16 ft	Verrimetho:	No septic when drilled
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	275 ft. below land surface on 11/17/2006		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	357 ft	Welltests:	Pump
Yield:	15 GPM with 20 ft drawdown after 3 hours		
Watertype:	Potable	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Lone Star Drilling Company	Companyadd:	3311 North Commerce
Ccitystate:	Fort Worth , TX 76106	Licensenum:	2899
Wsignature:	David Maynor	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000143257		

**AH159  
WNW  
1/2 - 1 Mile  
Lower**

**TX WELLS TXMON6000096734**

Database:	Submitted Drillers Reports Database		
Well Report #:	98382	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	450
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AI160  
ESE  
1/2 - 1 Mile  
Lower**

**TX WELLS TXMON6000023835**

Database:	Submitted Drillers Reports Database		
Well Report #:	24610	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AI161  
ESE  
1/2 - 1 Mile  
Lower**

**TX WELLS TXDOL2000146540**

Database:	Well Report Database	Fid:	146539
Rec id:	146538	Edr site i:	24610
Owner:	Jason Staley	Ownerwell:	No Data
Address:	1557 Willow Springs, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1557 Willow Springs, Haslet , TX 76052

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Lat:	32 57 56 N	County:	Tarrant
Long:	097 23 45 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146540
Comments:	no data		

**AE162**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000054290**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	55419	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AE163**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000145173**

Database:	Well Report Database	Fid:	145172
Rec id:	145170	Edr site i:	55419
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane, Suite K, Fort Worth , TX 76135	Waddress:	12768 Francis Ann, TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 36 N	Elevation:	No Data
Long:	097 24 06 W	Typeofwork:	New Well
Gpsused:	Garmin	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 420 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	3/8
Packedfrom:	210 ft to 420 ft	Usedmethod:	Gravity Pour
Finterval:	From 0 ft to 10 ft with 5 cement (#sacks and material)	Contaminat:	100 ft
Sinterval:	From 230 ft to 250 ft with 10 Bentonite (#sacks and material)	Verrimetho:	Owner
Tinterval:	No Data	Surface:	Surface Sleeve Installed
Cementedby:	Charles Pratt		
Propertyli:	50 ft		
Varriance:	No Data		
Staticleve:	200 ft. below land surface on 12/17/2004		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	360 ft	Welltests:	Pump
Yield:	12 GPM with 20 ft drawdown after 1 hour		
Watertype:	good	Stratadept:	265 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service, Ltd.	Companyadd:	P. O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	Charles Pratt
Regnum:	WWDAPP00001690	Comments:	no data
Site id:	TXDOL2000145173		

**AJ164**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000024456**

Database:	Submitted Drillers Reports Database		
Well Report #:	25250	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AJ165**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146513**

Database:	Well Report Database	Fid:	146512
Rec id:	146511	Edr site i:	25250
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	1545 Willow Bend Ct., Haslet , TX 76052	Waddress:	1545 Willow Bend Ct., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 02 N	Elevation:	No Data
Long:	097 23 43 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146513
Comments:	no data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AK166**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146211**

Database:	Well Report Database	Fid:	146210
Rec id:	146210	Edr site i:	32781
Owner:	Goff	Ownerwell:	No Data
Address:	13709 CC AF, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 27 N
County:	Tarrant	Long:	097 24 54 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 1/23/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146211		

**AK167**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031831**

Database:	Submitted Drillers Reports Database		
Well Report #:	32781	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AH168**  
**WNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000449230**

Database:	Submitted Drillers Reports Database		
Well Report #:	438773	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	420
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AJ169**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000032232**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	33186	Borehole Depth (ft):	395
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AJ170**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146198**

Database:	Well Report Database	Fid:	146197
Rec id:	146191	Edr site i:	33186
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	13100 Willow Tree Court, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 03 N	Elevation:	No Data
Long:	097 23 42 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 395 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsio:	Not Reported
Packedfrom:	10 ft to 395 ft		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146198
Comments:	no data		

**AJ171**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146546**

Database:	Well Report Database	Fid:	146545
Rec id:	146548	Edr site i:	24300
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	Lot 14 Block 2 - Willow Bend Court, Haslet , TX 76052		
Grid:	32-05-3		
Waddress:	Lot 14 Block 2 - Willow Bend Court, Haslet , TX 76052	County:	Tarrant
Lat:	32 58 02 N		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Long:	097 23 42 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146546

**AJ172**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000023530**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	24300	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AK173**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000145371**

Database:	Well Report Database	Fid:	145370
Rec id:	145363	Edr site i:	50470
Owner:	Montclair	Ownerwell:	No Data
Address:	14201MG, Haslet , TX 76052	Grid:	32-05-3
Waddress:	14201 MG, Haslet , TX 76072	Lat:	32 58 30 N
County:	Tarrant	Long:	097 24 52 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 360 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	360 ft to 260 ft
Packsizes:	1/4		
Finterval:	From 260 ft to 240 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	driller	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 10/21/2003		
Flow:	No Data	Packers:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decature , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145371		

**AK174**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000049394**

Database:	Submitted Drillers Reports Database		
Well Report #:	50470	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	360
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AE175**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000023529**

Database:	Submitted Drillers Reports Database		
Well Report #:	24299	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AE176**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000146547**

Database:	Well Report Database	Fid:	146546
Rec id:	146549	Edr site i:	24299
Owner:	Jeff Cockrill	Ownerwell:	No Data
Address:	12752 Frances Ann, Halet , TX 76052	Grid:	32-05-3
Waddress:	12752 Frances Ann, Haslet , TX 76052		
Lat:	32 57 34 N	County:	Tarrant
Long:	097 24 07 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146547

**AL177  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000145270**

Database:	Well Report Database	Fid:	145269
Rec id:	145264	Edr site i:	53678
Owner:	Montclair	Ownerwell:	No Data
Address:	3500 HVE, Haslet , TX 76052	Grid:	32-05-3
Waddress:	3500 HVE, Haslet , TX 76052	Lat:	32 58 34 N
County:	Tarrant	Long:	097 24 47 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 360 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	360 ft to 260 ft
Packsizes:	.14		
Finterval:	From 260 ft to 240 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 10/24/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	11 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decature , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145270		

**AL178  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000052571**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	53678	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AM179**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207541**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583539	Plugging Rpt #:	211797
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

**AM180**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207542**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583540	Plugging Rpt #:	211798
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	3

**AM181**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207540**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583538	Plugging Rpt #:	211796
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

**AM182**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207538**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583536	Plugging Rpt #:	211794
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

**AM183**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207539**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583537	Plugging Rpt #:	211795
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**AM184**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000566950**

Database:	Submitted Drillers Reports Database		
Well Report #:	583537	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	211795

**AM185**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000566949**

Database:	Submitted Drillers Reports Database		
Well Report #:	583536	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	211794

**AM186**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000566951**

Database:	Submitted Drillers Reports Database		
Well Report #:	583538	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	211796

**AM187**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000566953**

Database:	Submitted Drillers Reports Database		
Well Report #:	583540	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	3
Injurious Water Quality:	no	Plugging Rpt #:	211798

**AM188**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000566952**

Database:	Submitted Drillers Reports Database		
Well Report #:	583539	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	211797



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**AN189**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142301**

Database:	Well Report Database	Fid:	142300
Rec id:	142425	Edr site i:	115236
Owner:	Wright Properties	Ownerwell:	No Data
Address:	P. O. Box 447, Keller , TX 76244	Grid:	32-05-3
Waddress:	1541 Willow Springs, Haslet , TX 76052		
Lat:	32 58 06 N	County:	Tarrant
Long:	097 23 41 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	Replacement Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	57417
Comments:	no data	Site id:	TXDOL2000142301

**AN190**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143358**

Database:	Well Report Database	Fid:	143357
Rec id:	143348	Edr site i:	96472
Owner:	Wright Properties	Ownerwell:	No Data
Address:	P. O. Box 447, Keller , TX 76244	Grid:	32-05-3
Waddress:	1541 Willow Springs, Haslet , TX 76052		
Lat:	32 58 06 N	County:	Tarrant
Long:	097 23 41 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1963
Comments:	no data	Site id:	TXDOL2000143358

**AN191**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000100298**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	96472	Plugging Rpt #:	39353
Well Type:	Withdrawal of Water	Borehole Depth (ft):	400

**AN192**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000094840**

Database:	Submitted Drillers Reports Database		
Well Report #:	96472	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	39353

**AN193**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000113371**

Database:	Submitted Drillers Reports Database		
Well Report #:	115236	Well Type:	Replacement
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AN194**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000144520**

Database:	Well Report Database	Fid:	144519
Rec id:	144517	Edr site i:	68400
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1549 Western Willow, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 07 N	Elevation:	No Data
Long:	097 23 41 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Jerry Lunceford	Regnum:	1967
Comments:	no data	Site id:	TXDOL2000144520

**AN195**

**East  
1/2 - 1 Mile  
Lower**

**TX WELLS TXMON6000067157**

Database:	Submitted Drillers Reports Database		
Well Report #:	68400	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AI196**

**ESE  
1/2 - 1 Mile  
Lower**

**TX WELLS TXMON6000028381**

Database:	Submitted Drillers Reports Database		
Well Report #:	29300	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AI197**

**ESE  
1/2 - 1 Mile  
Lower**

**TX WELLS TXDOL2000146366**

Database:	Well Report Database	Fid:	146365
Rec id:	146363	Edr site i:	29300
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	117 Applewood Lane, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1540 Western Willow Way, Haslet , TX 76052
Lat:	32 57 58 N	County:	Tarrant
Long:	097 23 42 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146366
Comments:	no data		

**198  
West  
1/2 - 1 Mile  
Lower**

**TX WELLS TXEQ70000022284**

Database:	Public Water Supply Sources Databases		
PWS ID:	2200335	Water Source:	G2200335A
Locating Agency:	TCEQ	Elevation:	810

**Construction Information:**

Record #:	1	Well Interval:	ANNULAR CEMENT
Top Depth (ft):	0	Bottom Depth (ft):	260
Casing Above Surface:	Not Reported	Diameter (in):	11
Type of Well Opening:	Not Reported	Casing Material:	Not Reported
Opening Material:	Not Reported	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Construction Information:**

Record #:	2	Well Interval:	CASING
Top Depth (ft):	2	Bottom Depth (ft):	288
Casing Above Surface:	+	Diameter (in):	6.625
Type of Well Opening:	Not Reported	Casing Material:	STEEL
Opening Material:	Not Reported	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Construction Information:**

Record #:	3	Well Interval:	WELL OPENINGS
Top Depth (ft):	288	Bottom Depth (ft):	345
Casing Above Surface:	Not Reported	Diameter (in):	6.625
Type of Well Opening:	SLOTTED CASING	Casing Material:	Not Reported
Opening Material:	STEEL	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Construction Information:**

Record #:	4	Well Interval:	CASING
-----------	---	----------------	--------

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Top Depth (ft):	345	Bottom Depth (ft):	360
Casing Above Surface:	Not Reported	Diameter (in):	6.625
Type of Well Opening:	Not Reported	Casing Material:	STEEL
Opening Material:	Not Reported	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Geologic Information:**

Record #:	1	Top Geo Unit Below Surface (ft):	0
Bottom Geo Unit Below Surface (ft):	2	Geo Unit Thickness (ft):	2
Geo Unit Description:	TOPSOIL		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	2	Top Geo Unit Below Surface (ft):	2
Bottom Geo Unit Below Surface (ft):	7	Geo Unit Thickness (ft):	5
Geo Unit Description:	YELLOW CLAY		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	3	Top Geo Unit Below Surface (ft):	7
Bottom Geo Unit Below Surface (ft):	10	Geo Unit Thickness (ft):	3
Geo Unit Description:	HARD ROCK		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	4	Top Geo Unit Below Surface (ft):	10
Bottom Geo Unit Below Surface (ft):	67	Geo Unit Thickness (ft):	57
Geo Unit Description:	SHALE LIME STRKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	5	Top Geo Unit Below Surface (ft):	67
Bottom Geo Unit Below Surface (ft):	146	Geo Unit Thickness (ft):	79
Geo Unit Description:	FT WORTH LIME		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	6	Top Geo Unit Below Surface (ft):	146
Bottom Geo Unit Below Surface (ft):	210	Geo Unit Thickness (ft):	64
Geo Unit Description:	SHALE / LIME STRKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Record #:	7	Top Geo Unit Below Surface (ft):	210
Bottom Geo Unit Below Surface (ft):	255	Geo Unit Thickness (ft):	45
Geo Unit Description:	DARK SHALE		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	8	Top Geo Unit Below Surface (ft):	255
Bottom Geo Unit Below Surface (ft):	280	Geo Unit Thickness (ft):	25
Geo Unit Description:	LIME / SHALE STRKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	9	Top Geo Unit Below Surface (ft):	280
Bottom Geo Unit Below Surface (ft):	330	Geo Unit Thickness (ft):	50
Geo Unit Description:	SAND / HARD LIME STRKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	10	Top Geo Unit Below Surface (ft):	330
Bottom Geo Unit Below Surface (ft):	360	Geo Unit Thickness (ft):	30
Geo Unit Description:	HARD LIME		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Water Level Information:**

Date Water Level Measure:	19980720	Feet below Ground Surface:	-270
Collecting Agency:	DRILL		
Collection Method:	REPORTED - METHOD NOT KNOWN		
Remarks:	Not Reported		

**AO199  
North  
1/2 - 1 Mile  
Higher**

**TX WELLS TXMON6000182757**

Database:	Submitted Drillers Reports Database		
Well Report #:	185749	Well Type:	New Well
Proposed Use:	Closed-Loop Geothermal	Borehole Depth (ft):	250
Injurious Water Quality:	Not Reported	Plugging Rpt #:	Not Reported

**AO200  
North  
1/2 - 1 Mile  
Higher**

**TX WELLS TXDOL2000140309**

Database:	Well Report Database	Fid:	140308
Rec id:	140304	Edr site i:	185749

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Owner:	Andrew Lutt	Ownerwell:	No Data
Address:	13709 Spring Way Drive, Haslet , TX 76052	Waddress:	13709 Spring Way Drive, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 41 N	Elevation:	No Data
Long:	097 24 28 W	Typeofwork:	New Well
Gpsused:	Magellan	Sdate:	Not Reported
Propuse:	Geothermal Heat Loop	Diameter:	4 in From Surface To 250 ft
Completedd:	Not Reported	Bcompleteio:	Straight Wall
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	Not Reported	Tinterval:	No Data
Finterval:	From 0 ft to 250 ft with 56 (#sacks and material)	Cementedby:	James McPike
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	Pressured Grout Benseal EZ Mud	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	No Data	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	Geothermal Drilling, Inc.
Stratadept:	No Data	Ccitystate:	Huntsville , TX 77340
Undesirabl:	No Data	Wsignature:	William McPike
Companyadd:	8840 Highway 75 South	Regnum:	57721
Licensenum:	3166	Site id:	TXDOL2000140309
Dsignature:	James D. McPike, Jr.		
Comments:	no data		

**AP201  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000146166**

Database:	Well Report Database	Fid:	146165
Rec id:	146201	Edr site i:	32801
Owner:	Montclair	Ownerwell:	No Data
Address:	2917 Astonwood, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 31 N
County:	Tarrant	Long:	097 24 52 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 380 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	300 ft to 380 ft
Packsiz:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)	Usedmethod:	Pressure
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)	Contaminat:	100 ft
Tinterval:	No Data	Verrimetho:	Measure
Cementedby:	TXI	Surface:	Surface Sleeve Installed
Propertyli:	No Data		
Varriance:	No Data	Packers:	No Data
Staticleve:	260 ft. below land surface on 5/10/2003	Typepump:	Submersible
Flow:	No Data	Welltests:	Pump
Cementinwe:	No Data	Stratadept:	No Data
Pumpbowl:	(No Data) ft	Undesirabl:	No
Yield:	14 GPM with 10 ft drawdown after 1 hour	Companyadd:	363 CR 3170
Watertype:	No Data	Licensenum:	54429
Chemicalma:	No	Dsignature:	No Data
Companynam:	B-B Pump Co.		
Ccitystate:	Decatur , TX 76234		
Wsignature:	Robby Flake		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Regnum: No Data      Comments: dt\$  
 Site id: TXDOL2000146166

**AP202**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000196832**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	200008	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AP203**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031851**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32801	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AI204**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000033843**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	34812	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AI205**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146137**

Database:	Well Report Database	Fid:	146136
Rec id:	146133	Edr site i:	34812
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	117 Applewood Lane, Haslet , TX 76052	Waddress:	1532 Western Willow Way, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 58 N	Elevation:	No Data
Long:	097 23 41 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146137

**AL206**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000089985**

Database:	Submitted Drillers Reports Database		
Well Report #:	91582	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AL207**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000091018**

Database:	Submitted Drillers Reports Database		
Well Report #:	92620	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AL208**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143489**

Database:	Well Report Database	Fid:	143488
Rec id:	143490	Edr site i:	92620
Owner:	GOFF HOME	Ownerwell:	No Data
Address:	13616 HICKORY CREEK, HASLET , TX 76052	Waddress:	SAME, SAME , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 37 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	1/4
Packedfrom:	400 ft to 300 ft		
Finterval:	From 280 ft to 300 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	PRESSUR
Cementedby:	DRILLER	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Sleeve Installed

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Staticlevel:	260 ft. below land surface on 5/11/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft		
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B PUMP CO	Companyadd:	363 CR 3170
Ccitystate:	DECATUR , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143489		

**AL209  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000143537**

Database:	Well Report Database	Fid:	143536
Rec id:	143527	Edr site i:	91582
Owner:	GOFF HOMES	Ownerwell:	No Data
Address:	13433 HC, HASLET , TX 76502	Grid:	32-05-3
Waddress:	SAME, SAME , TX 76502	Lat:	32 58 37 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsiz:	1/4		
Finterval:	From 280 ft to 300 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	PRESSURE
Cementedby:	DRILLER	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	MEASURED
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticlevel:	260 ft. below land surface on 3/25/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP CO	Companyadd:	363 CR 3170
Ccitystate:	DECATUR , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143537		

**AQ210  
ENE  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000143319**

Database:	Well Report Database	Fid:	143318
Rec id:	143376	Edr site i:	95785
Owner:	Omala Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 14765, Fort Worth , TX 76117		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Grid:	32-05-3	Waddress:	13109 Willow Tree, Haslet , TX 76052
Lat:	32 58 15 N	County:	Tarrant
Long:	097 23 41 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsiz:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1963
Comments:	no data	Site id:	TXDOL2000143319

**AQ211**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000094153**

Database:	Submitted Drillers Reports Database		
Well Report #:	95785	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AJ212**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000096509**

Database:	Submitted Drillers Reports Database		
Well Report #:	98155	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AJ213**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143262**

Database:	Well Report Database	Fid:	143261
Rec id:	143258	Edr site i:	98155
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1540 Velda Kay, Haslet , TX 76052
Lat:	32 58 01 N	County:	Tarrant

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Long:	097 23 40 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	1963
Dsignature:	Stanley Alexander	Site id:	TXDOL2000143262
Comments:	no data		

**AR214**  
**NE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000015535**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	16206	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AR215**  
**NE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000147067**

Database:	Well Report Database	Fid:	147066
Rec id:	147179	Edr site i:	16206
Owner:	DR MOSS CONSTRUCTION	Ownerwell:	No Data
Address:	CLOVER SPRINGS DRIVE, HASLET , TX 76052	Waddress:	SAME, HASLET , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 34 N	Elevation:	No Data
Long:	097 23 55 W	Typeofwork:	New Well
Gpsused:	EAGLE	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	Not Reported
Packedfrom:	10 ft to 400 ft	Sinterval:	No Data
Finterval:	No Data	Usedmethod:	Not Reported
Tinterval:	No Data	Contaminat:	Not Reported
Cementedby:	Not Reported	Verrimetho:	Not Reported
Propertyli:	Not Reported	Surface:	Surface Sleeve Installed
Varriance:	Not Reported	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	(No Data) ft
Typepump:	Submersible		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	METROPLEX WATER WELL SERVICE	Companyadd:	3040 E PEDEN RD
Ccitystate:	FORT WORTH , TX 76179	Licensenum:	54485
Wsignature:	TERRY SIMMONS	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000147067		

**AS216**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000042117**

Database:	Submitted Drillers Reports Database		
Well Report #:	43151	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	420
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AS217**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000145613**

Database:	Well Report Database	Fid:	145612
Rec id:	145676	Edr site i:	43151
Owner:	Parkside Custom Homes	Ownerwell:	No Data
Address:	6012 Reef Point Lane, Suite K, Fort Worth , TX 76135	Waddress:	12753 Francis Ann, TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 34 N	Elevation:	No Data
Long:	097 24 02 W	Typeofwork:	New Well
Gpsused:	Garmin	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 420 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	12/20
Packedfrom:	0 ft to 210 ft		
Finterval:	From 0 ft to 10 ft with 5 cement (#sacks and material)		
Sinterval:	From 190 ft to 210 ft with 10 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Tremie
Cementedby:	Charles Pratt	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	Owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	300 ft. below land surface on 4/25/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	380 ft	Welltests:	Pump
Yield:	10 GPM with 40 ft drawdown after 1 hour		
Watertype:	Good	Stratadept:	400 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service, Ltd.	Companyadd:	P. O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	Charles Pratt
Regnum:	WWDAPP00001690	Comments:	no data
Site id:	TXDOL2000145613		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AI218**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143181**

Database:	Well Report Database	Fid:	143180
Rec id:	143169	Edr site i:	101221
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	12833 Whisper Willow, Haslet , TX 76052
Lat:	32 57 55 N	County:	Tarrant
Long:	097 23 41 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Seth Simmons	Regnum:	3315
Comments:	no data	Site id:	TXDOL2000143181

**AI219**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000099559**

Database:	Submitted Drillers Reports Database		
Well Report #:	101221	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AL220**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000049377**

Database:	Submitted Drillers Reports Database		
Well Report #:	50453	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	240
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AL221**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145377**

Database:	Well Report Database	Fid:	145376
Rec id:	145369	Edr site i:	50453
Owner:	Mountclaire	Ownerwell:	No Data
Address:	6932 Sntder, Haslet , TX 76052	Grid:	32-05-3
Waddress:	6932 Snyder, Haslet , TX 76052	Lat:	32 58 37 N
County:	Tarrant	Long:	097 24 46 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 240 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	100 ft to 240 ft
Packsize:	1/4		
Finterval:	From 100 ft to 80 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	100 ft. below land surface on 11/2/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	4 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	1363 CR 3170
Ccitystate:	Decature , TX 76234	Licensenum:	2355
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145377		

**AS222**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000027462**

Database:	Submitted Drillers Reports Database		
Well Report #:	28356	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AS223**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146407**

Database:	Well Report Database	Fid:	146406
Rec id:	146400	Edr site i:	28356
Owner:	Sterling Classic Homes	Ownerwell:	No Data
Address:	12795 Taylor Frances, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	12795 Taylor Frances, Haslet , TX 76052

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Lat:	32 57 34 N	County:	Tarrant
Long:	097 24 01 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146407
Comments:	no data		

**AT224**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000339370**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	344450	Borehole Depth (ft):	460
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AU225**  
**WNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000231516**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	235053	Borehole Depth (ft):	460
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AV226**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000015961**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	16636	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	Not Reported		



# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**AV227**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000147147**

Database:	Well Report Database	Fid:	147146
Rec id:	147134	Edr site i:	16636
Owner:	GARY SHELTON	Ownerwell:	No Data
Address:	1909 BEAR SPRING, HASLET , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 41 N
County:	Tarrant	Long:	097 24 08 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsiz:	Not Reported		
Finterval:	From +2 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	METROPLEX WATER WELL SERVICE
Companyadd:	3040 E PEDEN RD	Ccitystate:	FORT WORTH , TX 76179
Licensenum:	54485	Wsignature:	TERRY SIMMONS
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000147147

**AO228**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000176041**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	178964	Borehole Depth (ft):	460
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AO229**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000140417**

Database:	Well Report Database	Fid:	140416
Rec id:	140408	Edr site i:	178964
Owner:	Andy Lutt	Ownerwell:	1
Address:	3700 Wendell Dr., North Richland Hills, TX 76180	Waddress:	13709 Spring Way Dr., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 43 N	Elevation:	824 ft.
Long:	097 24 26 W		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	Garmin Etrex	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	12 1/4 in From Surface To 16 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	300 ft to 460 ft	Packsizes:	.125/.25
Finterval:	From 0 ft to 20 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 3 Bentonite H.P (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Poured
Cementedby:	Lone Star Drilling Co.	Contaminat:	New Homesite ft
Propertyli:	50 ft	Verrimetho:	Customer Info.
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	320 ft. below land surface on 5/15/2009		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	399 ft	Welltests:	Pump
Yield:	14 GPM with 20 ft drawdown after 5 hours		
Watertype:	Potable	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Lone Star Drilling Company	Companyadd:	3311 North Commerce St.
Ccitystate:	Fort Worth , TX 76106	Licensenum:	2899
Wsignature:	David Maynor	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000140417		

**AN230**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000067156**

Database:	Submitted Drillers Reports Database		
Well Report #:	68399	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AN231**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000144521**

Database:	Well Report Database	Fid:	144520
Rec id:	144518	Edr site i:	68399
Owner:	Omala Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 14765, Fort Worth , TX 76117		
Grid:	32-05-3	Waddress:	1533 Western Willow, Haslet , TX 76052
Lat:	32 58 06 N	County:	Tarrant
Long:	097 23 38 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Jerry Lunceford	Regnum:	1967
Comments:	no data	Site id:	TXDOL2000144521

**AW232**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000033645**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	34612	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AW233**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000146141**

Database:	Well Report Database	Fid:	146140
Rec id:	146137	Edr site i:	34612
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	117 Applewood Lane, Haslet , TX 76052	Waddress:	1525 Western Willow Way, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 57 58 N	Elevation:	No Data
Long:	097 23 39 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From +1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000146141
Comments:	no data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AN234**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000222818**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	226249	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AW235**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000035524**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	36510	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AW236**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146030**

Database:	Well Report Database	Fid:	146029
Rec id:	146022	Edr site i:	36510
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1515 Willow Tree Drive, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 02 N	Elevation:	No Data
Long:	097 23 38 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No
Yield:	Not Reported	Companynam:	Simmons Drilling Co.
Stratadept:	No Data	Ccitystate:	Rising Star , TX 76471
Undesirabl:	No	Wsignature:	Terry J. Simmons
Companyadd:	P. O. Box 1022	Regnum:	No Data
Licensenum:	54485	Site id:	TXDOL2000146030
Dsignature:	No Data		
Comments:	no data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AK237**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143472**

Database:	Well Report Database	Fid:	143471
Rec id:	143468	Edr site i:	93479
Owner:	Riata Builders	Ownerwell:	No Data
Address:	11 Jamie Court, Trophy Club , TX 76262		
Grid:	32-05-3	Waddress:	2501 Texas Dr., Haslet , TX 76052
Lat:	32 58 30 N	County:	Tarrant
Long:	097 24 57 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1963
Comments:	no data	Site id:	TXDOL2000143472

**AK238**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000091868**

Database:	Submitted Drillers Reports Database		
Well Report #:	93479	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AX239**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000097557**

Database:	Submitted Drillers Reports Database		
Well Report #:	99210	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	425
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AX240**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143237**

Database:	Well Report Database	Fid:	143236
Rec id:	143233	Edr site i:	99210
Owner:	Hunter Homes	Ownerwell:	2
Address:	2332 Delante, Haltom City , TX 76117	Waddress:	1219 MEREDITH CREEK, Fort Worth , TX 76179
Grid:	32-05-2	County:	Tarrant
Lat:	32 58 02 N	Elevation:	833 ft.
Long:	097 25 07 W	Typeofwork:	New Well
Gpsused:	Garmin Etrex	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 425 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	.125/.25
Packedfrom:	300 ft to 425 ft	Usedmethod:	Poured
Finterval:	From 280 ft to 300 ft with 3 Holeplug (#sacks and material)	Contaminat:	New Homesite ft
Sinterval:	From 0 ft to 20 ft with 3 Cement (#sacks and material)	Verrimetho:	No septic when drilled
Tinterval:	No Data	Surface:	Surface Sleeve Installed
Cementedby:	Lone Star Drilling Company	Packers:	No Data
Propertyli:	50 ft	Typepump:	Submersible
Varriance:	No Data	Welltests:	Pump
Staticleve:	279 ft. below land surface on 11/28/2006	Stratadept:	No Data
Flow:	No Data	Undesirabl:	No
Cementinwe:	No Data	Companyadd:	3311 North Commerce
Pumpbowl:	357 ft	Licensenum:	2899
Yield:	14 GPM with 10 ft drawdown after 2 hours	Dsignature:	No Data
Watertype:	Potable	Comments:	amended 12/11/06 ref.#4074
Chemicalma:	No		
Companynam:	Lone Star Drilling Company		
Ccitystate:	Fort Worth , TX 76106		
Wsignature:	David Maynor		
Regnum:	No Data		
Site id:	TXDOL2000143237		

**AQ241**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000069710**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	70978	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AQ242**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000144328**

Database:	Well Report Database	Fid:	144327
Rec id:	144386	Edr site i:	70978
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	1531 Willow Tree Drive, Haslet , TX 76052
Grid:	32-05-3		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Lat:	32 58 12 N	County:	Tarrant
Long:	097 23 38 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	1963
Dsignature:	Stanley Alexander	Site id:	TXDOL2000144328
Comments:	no data		

**AS243**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000067364**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	68607	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AS244**  
**SSE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000144483**

Database:	Well Report Database	Fid:	144482
Rec id:	144476	Edr site i:	68607
Owner:	Crossroads United Methodist Church	Ownerwell:	No Data
Address:	P. O. Box 205, Haslet , TX 76052	Grid:	32-05-3
Waddress:	new church well, TX	Lat:	32 57 31 N
County:	Tarrant	Long:	097 24 05 W
Elevation:	No Data	Gpsused:	Garmin
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	8 1/2 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	200 ft to 400 ft
Packsizes:	3/8		
Finterval:	From 0 ft to 10 ft with 5 cement (#sacks and material)		
Sinterval:	From 180 ft to 200 ft with 10 Bentonite (#sacks and material)	Usedmethod:	Gravity Pour
Tinterval:	No Data	Contaminat:	100 ft
Cementedby:	Charles Pratt	Verrimetho:	No Data
Propertyli:	100 ft	Surface:	Surface Sleeve Installed
Varriance:	No Data	Flow:	No Data
Staticleve:	No Data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Packers:	No Data	Cementinwe:	No Data
Typepump:	Submersible	Pumpbowl:	360 ft
Welltests:	Pump		
Yield:	(No Data) GPM with (No Data) ft drawdown after (No Data) hours		
Watertype:	good	Stratadept:	300 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service, Ltd.	Companyadd:	P. O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	Charles Pratt
Regnum:	WWDAPP00001690	Comments:	no data
Site id:	TXDOL2000144483		

**AW245**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXPLU6000031819**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	66203
Well Type:	Withdrawal of Water	Borehole Depth (ft):	0

**AL246**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000196932**

Database:	Submitted Drillers Reports Database		
Well Report #:	200110	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	420
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AY247**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000143747**

Database:	Well Report Database	Fid:	143746
Rec id:	143874	Edr site i:	82517
Owner:	VICTOR MYERS	Ownerwell:	No Data
Address:	14008 Aston Folly, Haslet , TX 76052	Waddress:	Same, Same , TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 40 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 360 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	0.25
Packedfrom:	360 ft to 260 ft		
Finterval:	From 260 ft to 240 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	200 ft. below land surface on 5/19/2004		
Flow:	No Data	Packers:	No Data



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP CO	Companyadd:	Decatur , TX 76274
Ccitystate:	Not Reported	Licensenum:	Not Reported
Wsignature:	Not Reported	Dsignature:	Not Reported
Regnum:	Not Reported	Comments:	Not Reported
Site id:	TXDOL2000143747		

**AY248  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000143963**

Database:	Well Report Database	Fid:	143962
Rec id:	143955	Edr site i:	80380
Owner:	GOFT	Ownerwell:	No Data
Address:	13617 C C, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Same, Same , TX	Lat:	32 58 40 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	400 ft to 300 ft
Packsize:	14		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/23/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP CO	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143963		

**AY249  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000078988**

Database:	Submitted Drillers Reports Database		
Well Report #:	80380	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**AY250**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000081076**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	82517	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AU251**  
**WNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000412001**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	419697	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AZ252**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000187580**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	190629	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BA253**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146212**

Database:	Well Report Database	Fid:	146211
Rec id:	146211	Edr site i:	32774
Owner:	Goff	Ownerwell:	No Data
Address:	13524 CC AF, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 38 N
County:	Tarrant	Long:	097 24 49 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleto:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsizes:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 1/25/2003		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146212		

**BA254**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031824**

Database:	Submitted Drillers Reports Database		
Well Report #:	32774	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BB255**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146168**

Database:	Well Report Database	Fid:	146167
Rec id:	146203	Edr site i:	32794
Owner:	Montclair	Ownerwell:	No Data
Address:	14224 OB AM, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 31 N
County:	Tarrant	Long:	097 24 58 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 380 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 380 ft
Packsizes:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/21/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146168		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BB256**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031844**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32794	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AT257**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000477414**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	490484	Borehole Depth (ft):	460
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AO258**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000145517**

Database:	Well Report Database	Fid:	145516
Rec id:	145511	Edr site i:	48246
Owner:	J. R. Smith	Ownerwell:	No Data
Address:	13809 Springway, Haslet , TX 76052	Grid:	32-05-3
Waddress:	13809 Springway, Haslet , TX 76052	Lat:	32 58 45 N
County:	Tarrant	Long:	097 24 27 W
Elevation:	No Data	Gpsused:	Lowrance 212
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7-7/8 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleto:	Not Reported	Packedfrom:	280 ft to 400 ft
Packsiz:	1/4		
Finterval:	From 0 ft to 25 ft with 4 cement (#sacks and material)		
Sinterval:	From 300 ft to 320 ft with 2 cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Conventional
Cementedby:	Company	Contaminat:	N/A ft
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	280 ft. below land surface on 8/5/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	Estimated
Yield:	10 GPM with 10 ft drawdown after .50 hour		
Watertype:	Fresh	Stratadept:	400 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Double Diamond Water Well Service	Companyadd:	P. O. Box 518
Ccitystate:	Granbury , TX 76048	Licensenum:	2682
Wsignature:	James E. Williams	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000145517		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**AO259**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000047185**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	48246	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AW260**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000227261**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	230736	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BC261**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000406416**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	413182	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AX262**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000174318**

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	177513
Well Report #:	479125	Borehole Depth (ft):	25
Well Type:	Monitor		

**AX263**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000466043**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	479125	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	177513
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AQ264**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143551**

Database:	Well Report Database	Fid:	143550
Rec id:	143546	Edr site i:	91255
Owner:	Omala Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 14765, Fort Worth , TX 76117		
Grid:	32-05-3	Waddress:	Willow Tree Ct., Haslet , TX 76052
Lat:	32 58 15 N	County:	Tarrant
Long:	097 23 37 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Seth B. Simmons	Regnum:	3315
Comments:	no data	Site id:	TXDOL2000143551

**AQ265**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000123766**

Database:	Well Report Database	Fid:	123765
Rec id:	123762	Edr site i:	94052
Owner:	Maverick Homes	Ownerwell:	No Data
Address:	P. O. Box 161626, Fort Worth , TX 76161		
Grid:	32-05-3	Waddress:	4912 Arbor Mills, Azle , TX 76020
Lat:	32 58 15 N	County:	Parker
Long:	097 23 37 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 180 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 180 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Seth Simmons	Regnum:	3315
Comments:	no data	Site id:	TXDOL2000123766

**AQ266**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000092433**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	94052	Borehole Depth (ft):	180
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AQ267**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000089659**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	91255	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AY268**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000374402**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	380114	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AW269**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000037677**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38676	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AW270**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145922**

Database:	Well Report Database	Fid:	145921
Rec id:	145913	Edr site i:	38676
Owner:	Omala Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 14765, Fort Worth , TX 76117		
Grid:	32-05-3	Waddress:	1516 Western Willow Dr., Haslet , TX 76052
Lat:	32 58 00 N	County:	Tarrant
Long:	097 23 36 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsiz:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000145922

**BA271**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000078967**

Database:	Submitted Drillers Reports Database		
Well Report #:	80359	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	420
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BA272**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143973**

Database:	Well Report Database	Fid:	143972
Rec id:	143965	Edr site i:	80359
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	L D E 11333, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Same, Same , TX	Lat:	32 58 37 N
County:	Tarrant	Long:	097 24 52 W
Elevation:	No Data	Gpsused:	No Data



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 420 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	420 ft to 300 ft
Packsiz:	14		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 3/20/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP CO	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	Ics\$
Site id:	TXDOL2000143973		

**BD273**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000079225**

Database:	Submitted Drillers Reports Database		
Well Report #:	80621	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BD274**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000143940**

Database:	Well Report Database	Fid:	143939
Rec id:	143941	Edr site i:	80621
Owner:	Wright Properties	Ownerwell:	No Data
Address:	P. O. Box 447, Keller , TX 76244	Grid:	32-05-3
Waddress:	1517 Western Willow, Haslet , TX 76052		
Lat:	32 58 07 N	County:	Tarrant
Long:	097 23 35 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsiz:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Jerry Lunceford	Regnum:	1967
Comments:	no data	Site id:	TXDOL2000143940

**AY275**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000143968**

Database:	Well Report Database	Fid:	143967
Rec id:	143960	Edr site i:	80374
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	609 LoneSome Praire, Haslet , TX 76052	Waddress:	Same, Same , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 42 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 440 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	14
Packedfrom:	440 ft to 300 ft		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)	Usedmethod:	Pressure
Tinterval:	No Data	Contaminat:	100 ft
Cementedby:	Driller	Verrimetho:	Measured
Propertyli:	10 ft	Surface:	Surface Sleeve Installed
Varriance:	No Data		
Staticleve:	260 ft. below land surface on 6/10/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft		
Yield:	14 GPM with 10 ft drawdown after 1 hour	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	363 CR 3170
Companynam:	B B PUMP CO	Licensenum:	54429
Ccystate:	Decatur , TX 76234	Dsignature:	No Data
Wsignature:	Robby Flake	Comments:	lcs\$
Regnum:	No Data		
Site id:	TXDOL2000143968		

**AY276**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000078982**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	80374	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	64960
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BB277**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000196828**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	200004	Borehole Depth (ft):	240
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BA278**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146169**

Database:	Well Report Database	Fid:	146168
Rec id:	146204	Edr site i:	32792
Owner:	Montclair	Ownerwell:	No Data
Address:	2909 AW AME, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 38 N
County:	Tarrant	Long:	097 24 52 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 380 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 380 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/22/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146169		

**BA279**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031842**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32792	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AZ280**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000008312**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	8857	Borehole Depth (ft):	420
Proposed Use:	Irrigation	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AZ281**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000147592**

Database:	Well Report Database	Fid:	147591
Rec id:	147586	Edr site i:	8857
Owner:	Mavrick Homes	Ownerwell:	No Data
Address:	1816 Bear Spring, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Willow Springs Estate, Haslet , TX 76052		
Lat:	32 58 43 N	County:	Tarrant
Long:	097 24 02 W	Elevation:	No Data
Gpsused:	No Data	Typeofwork:	New Well
Propuse:	Irrigation	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 7/8 in From Surface To 420 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	(No Data) ft to (No Data) ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 20 ft with (No Data) (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Morrow Drilling Inc.
Companyadd:	3040 Peden Rd.	Ccitystate:	Fort Worth , TX 76179
Licensenum:	54596	Wsignature:	James R. Morrow
Dsignature:	Fernando Castillo Jr.	Regnum:	wwdapp00001402
Comments:	no data	Site id:	TXDOL2000147592

**282**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142786**

Database:	Well Report Database	Fid:	142785
Rec id:	142778	Edr site i:	108975
Owner:	Devon Energy	Ownerwell:	No Data
Address:	P. O. Box 248, Bridgeport , TX 76426		
Grid:	32-05-3	Waddress:	Avondale Haslet Road, Haslet , TX 76052
Lat:	32 58 24 N	County:	Tarrant
Long:	097 23 39 W	Elevation:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	No Data	Typeofwork:	New Well
Propuse:	Irrigation	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	14 3/4 in From Surface To 1015 ft
Dmethod:	Mud Rotary	Bcompletio:	Not Reported
Packedfrom:	650 ft to 1015 ft	Packsizes:	Not Reported
Finterval:	From 600 ft to 650 ft with 30 (#sacks and material)		
Sinterval:	From 0 ft to 50 ft with 30 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Trimmie Pipe
Cementedby:	Wes Spruiell	Contaminat:	none ft
Propertyli:	No Data	Verrimetho:	Engineer
Varriance:	No Data	Surface:	Alternative Procedure Used
Staticleve:	720 ft. below land surface on 1/18/2005		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	940 ft	Welltests:	Jetted
Yield:	100 GPM with 20 ft drawdown after 8 hours		
Watertype:	Trinity	Stratadep:	260 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Spruiell Water Well Drilling, Inc.	Companyadd:	9916 Burke Street
Ccitystate:	Sanger , TX 76266	Licensenum:	54275
Wsignature:	Wes Spruiell	Dsignature:	No Data
Regnum:	No Data	Comments:	swn 32-05-306 assigned by twdb.
Site id:	TXDOL2000142786		

**BE283  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS TXDOL2000143748**

Database:	Well Report Database	Fid:	143747
Rec id:	143944	Edr site i:	80515
Owner:	GOFF HOMES	Ownerwell:	No Data
Address:	13600 CC, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Same, Same , TX 76052	Lat:	32 58 45 N
County:	Tarrant	Long:	097 24 37 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Driven
Bcompletio:	Not Reported	Packedfrom:	400 ft to 300 ft
Packsizes:	1/4		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/6/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after (No Data) hours		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP	Companyadd:	363 L R 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143748		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BE284**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000079121**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	80515	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BD285**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000042856**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	43897	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BD286**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000035570**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	36556	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BF287**  
**WNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000469672**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	462728	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BD288**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146026**

Database:	Well Report Database	Fid:	146025
Rec id:	146018	Edr site i:	36556
Owner:	Wright Properties	Ownerwell:	No Data
Address:	P. O. Box 447, Keller , TX 76244	Grid:	32-05-3
Waddress:	1548 Western Willows, TX	Lat:	32 58 05 N
County:	Tarrant	Long:	097 23 34 W
Elevation:	420 ft.	Gpsused:	Garmin

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 7/8 in From Surface To 380 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	0 ft to 250 ft
Packsizes:	12/20		
Finterval:	From 0 ft to 10 ft with 5 cement (#sacks and material)		
Sinterval:	From 10 ft to 100 ft with 10 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Tremie
Cementedby:	No Data	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	Owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	250 ft. below land surface on 12/17/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	400 ft	Welltests:	Pump
Yield:	10 GPM with 70 ft drawdown after 1 hour		
Watertype:	Good	Stratadept:	280 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service, Ltd.	Companyadd:	P. O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	Charles Pratt
Regnum:	WWDAPP00001690	Comments:	no data
Site id:	TXDOL2000146026		

**BD289**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000145673**

Database:	Well Report Database	Fid:	145672
Rec id:	145663	Edr site i:	43897
Owner:	Jason Staley	Ownerwell:	No Data
Address:	1808 Clover Springs, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1500 Willow Tree Dr., Haslet , TX 76052
Lat:	32 58 05 N	County:	Tarrant
Long:	097 23 34 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1962
Comments:	no data	Site id:	TXDOL2000145673

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BG290**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000067158**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	68401	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BG291**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000144519**

Database:	Well Report Database	Fid:	144518
Rec id:	144516	Edr site i:	68401
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052	Waddress:	11516 Willow Tree, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 15 N	Elevation:	No Data
Long:	097 23 35 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft		
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	1963
Dsignature:	Stanley Alexander	Site id:	TXDOL2000144519
Comments:	no data		

**AY292**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145268**

Database:	Well Report Database	Fid:	145267
Rec id:	145262	Edr site i:	53697
Owner:	Jim England	Ownerwell:	No Data
Address:	Kellalt, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Kellalt, Haslet , TX 76052	Lat:	32 58 43 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 360 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	360 ft to 200 ft
Packsizes:	.14		
Finterval:	From 200 ft to 180 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 11/20/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145268		

**AY293  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000143487**

Database:	Well Report Database	Fid:	143486
Rec id:	143488	Edr site i:	92625
Owner:	SUNRISE CONST	Ownerwell:	No Data
Address:	HARBOR VIEW EST, HASLET , TX 76052	Grid:	32-05-3
Waddress:	SAME, SAME , TX 76052	Lat:	32 58 43 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 360 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	200 ft to 360 ft
Packsizes:	1/4		
Finterval:	From 180 ft to 200 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	PRESSUR
Cementedby:	DRILLER	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	200 ft. below land surface on 5/5/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B PUMP CO	Companyadd:	363 CR 3170
Ccitystate:	DECATUR , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143487		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AY294**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000052590**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	53697	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**AY295**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000091023**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	92625	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BC296**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000023216**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	23975	Borehole Depth (ft):	410
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BC297**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000146571**

Database:	Well Report Database	Fid:	146570
Rec id:	146565	Edr site i:	23975
Owner:	ANTHONY TATE/MITCHELL BLAINE	Ownerwell:	No Data
Address:	912 WILLIAMSBURG LANE, KELLER , TX 76248	Waddress:	13825 Springway, HASLET , TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 47 N	Elevation:	No Data
Long:	097 24 28 W	Typeofwork:	New Well
Gpsused:	TELETYPE	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 410 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	0 ft to 200 ft		
Finterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Sinterval:	From 100 ft to 200 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	GRAVITY
Cementedby:	DOUG JACKSON	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	OWNER
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	285 ft. below land surface on 7/25/2003		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	360 ft	Welltests:	Pump
Yield:	(No Data) GPM with (No Data) ft drawdown after (No Data) hours		
Watertype:	GOOD	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	ANDERSON WATER WELL L.P.	Companyadd:	P.O. 118
Ccitystate:	JACKSBORO , TX 76458	Licensenum:	54546
Wsignature:	DOUG JACKSON	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000146571		

**AY298**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000031840**

Database:	Submitted Drillers Reports Database		
Well Report #:	32790	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**AY299**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000146207**

Database:	Well Report Database	Fid:	146206
Rec id:	146206	Edr site i:	32790
Owner:	Goff	Ownerwell:	No Data
Address:	13609 HC, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 42 N
County:	Tarrant	Long:	097 24 47 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/13/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146207		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**AX300**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000167987**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	459169	Plugging Rpt #:	171112
Well Type:	Monitor	Borehole Depth (ft):	20

**AX301**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000167986**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	459167	Plugging Rpt #:	171111
Well Type:	Monitor	Borehole Depth (ft):	25

**AX302**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000447390**

Database:	Submitted Drillers Reports Database		
Well Report #:	459169	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20
Injurious Water Quality:	no	Plugging Rpt #:	171112

**AX303**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000447387**

Database:	Submitted Drillers Reports Database		
Well Report #:	459167	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	171111

**BF304**  
**WNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000367824**

Database:	Submitted Drillers Reports Database		
Well Report #:	373392	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**305**  
**SE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000217456**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	220828	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BD306**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000085077**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	86600	Borehole Depth (ft):	160
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BD307**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000123949**

Database:	Well Report Database	Fid:	123948
Rec id:	123945	Edr site i:	86600
Owner:	Maverick Homes	Ownerwell:	No Data
Address:	P. O. Box 161626, Fort Worth , TX 76161	Waddress:	113 Turnberry Ct., Aledo , TX 76008
Grid:	32-05-3	County:	Parker
Lat:	32 58 04 N	Elevation:	No Data
Long:	097 23 33 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 160 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 160 ft		
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	No Data
Usedmethod:	No Data	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Sleeve Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No
Stratadept:	No Data	Companynam:	Simmons Drilling Co.
Undesirabl:	No	Ccitystate:	Rising Star , TX 76471
Companyadd:	P. O. Box 1022	Wsignature:	Terry J. Simmons
Licensenum:	54485	Regnum:	1967
Dsignature:	Jerry Lunceford	Site id:	TXDOL2000123949
Comments:	no data		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BH308**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145428**

Database:	Well Report Database	Fid:	145427
Rec id:	145571	Edr site i:	46893
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1500 Western Willows Dr., Haslet , TX 76052
Lat:	32 58 01 N	County:	Tarrant
Long:	097 23 33 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1962
Comments:	no data	Site id:	TXDOL2000145428

**BH309**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000045838**

Database:	Submitted Drillers Reports Database		
Well Report #:	46893	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BA310**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146167**

Database:	Well Report Database	Fid:	146166
Rec id:	146202	Edr site i:	32797
Owner:	Montclair	Ownerwell:	No Data
Address:	34175 HV LHR, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 40 N
County:	Tarrant	Long:	097 24 52 W
Elevation:	No Data	Gpsused:	Map

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 220 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	100 ft to 220 ft
Packsiz:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 80 ft to 100 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	100 ft. below land surface on 6/23/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146167		

**BA311**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031847**

Database:	Submitted Drillers Reports Database		
Well Report #:	32797	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	220
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BA312**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000196944**

Database:	Submitted Drillers Reports Database		
Well Report #:	200122	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BI313**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207549**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583623	Plugging Rpt #:	211805
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	3

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BI314**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207548**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583622	Plugging Rpt #:	211804
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

**BI315**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207547**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583621	Plugging Rpt #:	211803
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

**BI316**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207550**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583625	Plugging Rpt #:	211806
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	3

**BI317**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207552**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583627	Plugging Rpt #:	211808
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

**BI318**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207553**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583628	Plugging Rpt #:	211809
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	4



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BI319**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000207551**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	583626	Plugging Rpt #:	211807
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	5

**BI320**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000567033**

Database:	Submitted Drillers Reports Database		
Well Report #:	583623	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	3
Injurious Water Quality:	no	Plugging Rpt #:	211805

**BI321**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000567034**

Database:	Submitted Drillers Reports Database		
Well Report #:	583625	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	3
Injurious Water Quality:	no	Plugging Rpt #:	211806

**BI322**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000567032**

Database:	Submitted Drillers Reports Database		
Well Report #:	583622	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	211804

**BI323**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000567031**

Database:	Submitted Drillers Reports Database		
Well Report #:	583621	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	211803

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BI324**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000567037**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	583627	Borehole Depth (ft):	5
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	211808
Injurious Water Quality:	no		

**BI325**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000567038**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	583628	Borehole Depth (ft):	4
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	211809
Injurious Water Quality:	no		

**BI326**  
**SW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000567036**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	583626	Borehole Depth (ft):	5
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	211807
Injurious Water Quality:	no		

**BA327**  
**NW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000031822**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32772	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BA328**  
**NW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXDOL2000146213**

Database:	Well Report Database	Fid:	146212
Rec id:	146212	Edr site i:	32772
Owner:	Goff	Ownerwell:	No Data
Address:	13617 H.O.C. AF, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 41 N
County:	Tarrant	Long:	097 24 51 W
Elevation:	No Data	Gpsused:	Map

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsizes:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 1/21/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Bobby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146213		

**BJ329  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000140671**

Database:	Well Report Database	Fid:	140670
Rec id:	140663	Edr site i:	167537
Owner:	Montclair	Ownerwell:	No Data
Address:	14216 Oak Bark, Haslet , TX 76052	Grid:	32-05-3
Waddress:	14216 Oak Bark, Haslet , TX 76052	Lat:	32 58 45 N
County:	Tarrant	Long:	097 24 43 W
Elevation:	No Data	Gpsused:	map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	400 ft to 300 ft
Packsizes:	1/4		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 2/18/2005		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Bobby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000140671		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BJ330**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000164767**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	167537	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BD331**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000144199**

Database:	Well Report Database	Fid:	144198
Rec id:	144197	Edr site i:	75549
Owner:	Jason Staley	Ownerwell:	No Data
Address:	1808 Clover Springs, Haslet , TX 76052	Waddress:	1501 Western Willows Dr., Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 09 N	Elevation:	No Data
Long:	097 23 32 W	Typeofwork:	New Well
Gpsused:	Eagle	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	6 3/4 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Air Rotary	Packsiz:	Not Reported
Packedfrom:	10 ft to 400 ft	Tinterval:	No Data
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)	Cementedby:	No Data
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	No Data	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Sleeve Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No
Yield:	Not Reported	Companynam:	Simmons Drilling Co.
Stratadept:	No Data	Ccitystate:	Rising Star , TX 76471
Undesirabl:	No	Wsignature:	Terry J. Simmons
Companyadd:	P. O. Box 1022	Regnum:	1963
Licensenum:	54485	Site id:	TXDOL2000144199
Dsignature:	Stanley Alexander		
Comments:	no data		

**BD332**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000074206**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	75549	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BJ333**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142767**

Database:	Well Report Database	Fid:	142766
Rec id:	142762	Edr site i:	109298
Owner:	Bent Creek	Ownerwell:	No Data
Address:	Avondale Farms, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Avondale Farms, Haslet , TX 76052	Lat:	32 58 45 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	400 ft to 300 ft
Packsizes:	1/4		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressured
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 9/1/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B & B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142767		

**BJ334**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143490**

Database:	Well Report Database	Fid:	143489
Rec id:	143491	Edr site i:	92619
Owner:	GOFF HOME	Ownerwell:	No Data
Address:	13416 COPPER CANYON, HASLET , TX 76052		
Grid:	32-05-3	Waddress:	SAME, SAME , TX 76052
Lat:	32 58 45 N	County:	Tarrant
Long:	097 24 44 W	Elevation:	No Data
Gpsused:	No Data	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	400 ft to 300 ft	Packsizes:	1/4
Finterval:	From 280 ft to 300 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	PRESSUR
Cementedby:	DRILLER	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Variance:	No Data	Surface:	Surface Sleeve Installed
Staticlevel:	260 ft. below land surface on 5/8/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft	Stratadept:	No Data
Yield:	14 GPM with 10 ft drawdown after 1 hour	Undesirabl:	No
Watertype:	No Data	Companyadd:	363 CR 3170
Chemicalma:	No	Licensenum:	54429
Companynam:	B-B PUMP CO	Dsignature:	No Data
Ccitystate:	DECATUR , TX 76234	Comments:	lcs\$
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000143490		

**BJ335  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000143969**

Database:	Well Report Database	Fid:	143968
Rec id:	143961	Edr site i:	80370
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	14200 Aston Meadows, Haslet , TX 76052	Waddress:	Same, Same , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 45 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 360 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	14
Packedfrom:	360 ft to 200 ft		
Finterval:	From 200 ft to 180 ft with 5 (#sacks and material)	Usedmethod:	Pressure
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)	Contaminat:	100 ft
Tinterval:	No Data	Verrimetho:	Measured
Cementedby:	Driller	Surface:	Surface Sleeve Installed
Propertyli:	10 ft	Packers:	No Data
Variance:	No Data	Typepump:	Submersible
Staticlevel:	200 ft. below land surface on 6/7/2004	Welltests:	Pump
Flow:	No Data	Stratadept:	No Data
Cementinwe:	No Data	Undesirabl:	No
Pumpbowl:	(No Data) ft	Companyadd:	363 CR 3170
Yield:	14 GPM with 10 ft drawdown after 1 hour	Licensenum:	54429
Watertype:	No Data	Dsignature:	No Data
Chemicalma:	No	Comments:	lcs\$
Companynam:	B B PUMP CO		
Ccitystate:	Decatur , TX 76234		
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000143969		

**BJ336  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000107505**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	109298	Borehole Depth (ft):	400
Proposed Use:	Domestic		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Injurious Water Quality: no Plugging Rpt #: Not Reported

**BJ337**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000091017**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	92619	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BJ338**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000078978**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	80370	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BC339**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXDOL2000145992**

Database:	Well Report Database	Fid:	145991
Rec id:	145992	Edr site i:	37449
Owner:	Mcbee Homes	Ownerwell:	No Data
Address:	2808 Aston Wood, Haslet , TX 76052	Grid:	32-05-3
Waddress:	2808 Aston Wood, Haslet , TX 76052	Lat:	32 58 49 N
County:	Tarrant	Long:	097 24 28 W
Elevation:	No Data	Gpsused:	map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	12 1/4 in From Surface To 17 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 440 ft
Packsizes:	Not Reported		
Finterval:	From 0 ft to 20 ft with 5 cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 3 cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pumped-tremie
Cementedby:	David Maynor	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	new home site
Variance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	280 ft. below land surface on 7/18/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	357 ft	Welltests:	Pump
Yield:	15 GPM with 10 ft drawdown after 2 hours		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Lone Star Drilling Company	Companyadd:	3311 Commerce
Ccitystate:	Haslett , TX 76106	Licensenum:	2899
Wsignature:	David Maynor	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Site id: TXDOL2000145992

**BC340**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXMON6000036457**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	37449	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BE341**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXDOL2000142766**

Database:	Well Report Database	Fid:	142765
Rec id:	142761	Edr site i:	109300
Owner:	Sunrises Homes	Ownerwell:	No Data
Address:	Lonesome Dove, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Sunrises Farms, Haslet , TX 76052	Lat:	32 58 48 N
County:	Tarrant	Long:	097 24 35 W
Elevation:	No Data	Gpsused:	map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 420 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	420 ft to 300 ft
Packsizes:	1/4		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressured
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 7/6/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B & B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142766		

**BE342**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXMON6000107507**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	109300	Borehole Depth (ft):	420
Proposed Use:	Domestic		



# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Injurious Water Quality: no Plugging Rpt #: Not Reported

**BK343**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000089983**

Database: Submitted Drillers Reports Database  
Well Report #: 91580 Well Type: New Well  
Proposed Use: Domestic Borehole Depth (ft): 400  
Injurious Water Quality: no Plugging Rpt #: Not Reported

**BK344**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000143539**

Database: Well Report Database Fid: 143538  
Rec id: 143529 Edr site i: 91580  
Owner: GOFF Ownerwell: No Data  
Address: 13516 CO, HASLET , TX 76502 Grid: 32-05-3  
Waddress: SAME, SAME , TX 76502 Lat: 32 58 42 N  
County: Tarrant Long: 097 24 51 W  
Elevation: No Data Gpsused: No Data  
Typeofwork: New Well Propuse: Domestic  
Sdate: Not Reported Completedd: Not Reported  
Diameter: 7 in From Surface To 400 ft Dmethod: Air Rotary  
Bcompletio: Not Reported Packedfrom: 300 ft to 400 ft  
Packsize: 1/4  
Finterval: From 280 ft to 300 ft with 5 (#sacks and material)  
Sinterval: From 0 ft to 10 ft with 5 (#sacks and material)  
Tinterval: No Data Usedmethod: PRESSURE  
Cementedby: DRILLER Contaminat: 100 ft  
Propertyli: 10 ft Verrimetho: MEASURED  
Varriance: No Data Surface: Surface Sleeve Installed  
Staticleve: 260 ft. below land surface on 3/29/2004  
Flow: No Data Packers: No Data  
Cementinwe: No Data Typepump: Submersible  
Pumpbowl: (No Data) ft Welltests: Pump  
Yield: 14 GPM with 10 ft drawdown after 1 hour  
Watertype: No Data Stratadept: No Data  
Chemicalma: No Undesirabl: No  
Companynam: B B PUMP CO Companyadd: 363 CR 3170  
Ccitystate: DECATUR , TX 76234 Licensenum: 54429  
Wsignature: Robby Flake Dsignature: No Data  
Regnum: No Data Comments: lcs\$  
Site id: TXDOL2000143539

**345**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXPLU6000162513**

Database: Submitted Drillers Reports Database (Plugged)  
Well Report #: Not Reported Plugging Rpt #: 165708  
Well Type: Domestic Borehole Depth (ft): 400

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BL346**  
**North**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000016057**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	76958
Well Type:	Withdrawal of Water	Borehole Depth (ft):	0

**BK347**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000196830**

Database:	Submitted Drillers Reports Database		
Well Report #:	200006	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BM348**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000081826**

Database:	Submitted Drillers Reports Database		
Well Report #:	83276	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BM349**  
**ESE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000143845**

Database:	Well Report Database	Fid:	143844
Rec id:	143843	Edr site i:	83276
Owner:	Bailee Custom Homes	Ownerwell:	No Data
Address:	2401 W. Blue Mound Rd. Suite B, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	1520 Singleton Ct., Haslet , TX 76052
Lat:	32 57 45 N	County:	Tarrant
Long:	097 23 37 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Stanley Alexander	Regnum:	1963
Comments:	no data	Site id:	TXDOL2000143845

**BN350  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000146170**

Database:	Well Report Database	Fid:	146169
Rec id:	146205	Edr site i:	32791
Owner:	Goff Homes	Ownerwell:	No Data
Address:	13732 HC, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 38 N
County:	Tarrant	Long:	097 24 58 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsizes:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/11/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146170		

**BN351  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000031841**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32791	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BJ352**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000052560**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	53667	Borehole Depth (ft):	340
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BJ353**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000145271**

Database:	Well Report Database	Fid:	145270
Rec id:	145265	Edr site i:	53667
Owner:	Classic	Ownerwell:	No Data
Address:	Giants Landing, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Giants Landing, Haslet , TX 76052	Lat:	32 58 46 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 340 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	340 ft to 240 ft
Packsizes:	.14		
Finterval:	From 240 ft to 220 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 12/20/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	11 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decature , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145271		

**BJ354**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000145375**

Database:	Well Report Database	Fid:	145374
Rec id:	145367	Edr site i:	50461
Owner:	Goff	Ownerwell:	No Data
Address:	13641CC, Haslet , TX 76052	Grid:	32-05-3
Waddress:	13641 CC, Haslet , TX 76052	Lat:	32 58 48 N

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County:	Tarrant	Long:	097 24 41 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	400 ft to 300 ft
Packsizes:	1/4		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	driller	Contaminat:	No Data
Propertyli:	10 ft	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 10/10/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decature , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145375		

**BJ355**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000201658**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	204879	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BJ356**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000049385**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	50461	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BE357**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000145376**

Database:	Well Report Database	Fid:	145375
Rec id:	145368	Edr site i:	50459
Owner:	Montclair	Ownerwell:	No Data
Address:	4433 R B, Haslet , TX 76052	Grid:	32-05-3
Waddress:	4433 R B, 4433 R B , TX	Lat:	32 58 49 N

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County:	Tarrant	Long:	097 24 38 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 180 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	180 ft to 100 ft
Packsizes:	1/4		
Finterval:	From 100 ft to 80 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	100 ft. below land surface on 11/1/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	decature , TX 76234
Ccitystate:	Not Reported	Licensenum:	Not Reported
Wsignature:	Not Reported	Dsignature:	Not Reported
Regnum:	Not Reported	Comments:	Not Reported
Site id:	TXDOL2000145376		

**BE358**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXMON6000049383**

Database:	Submitted Drillers Reports Database		
Well Report #:	50459	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	180
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BO359**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXDOL2000145289**

Database:	Well Report Database	Fid:	145288
Rec id:	145283	Edr site i:	53134
Owner:	Steve Paulsen Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 1358, Aledo , TX 76008	Grid:	32-05-3
Waddress:	2309 Parks Court, Haslet , TX 76052	Lat:	32 58 49 N
County:	Tarrant	Long:	097 24 39 W
Elevation:	No Data	Gpsused:	Eagle
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Open Hole	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 1 ft to 100 ft with 22 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Surface:	Surface Sleeve Installed	Staticlevel:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	Jerry Lunceford	Regnum:	1967
Comments:	no data	Site id:	TXDOL2000145289

**BO360**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000052034**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	53134	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BP361**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXEQ70000022311**

Database:	Public Water Supply Sources Databases	Water Source:	G2200349A
PWS ID:	2200349	Elevation:	799
Locating Agency:	TCEQ		

**Construction Information:**

Record #:	1	Well Interval:	ANNULAR CEMENT
Top Depth (ft):	0	Bottom Depth (ft):	260
Casing Above Surface:	Not Reported	Diameter (in):	11
Type of Well Opening:	Not Reported	Casing Material:	Not Reported
Opening Material:	Not Reported	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Construction Information:**

Record #:	2	Well Interval:	CASING
Top Depth (ft):	2	Bottom Depth (ft):	288
Casing Above Surface:	+	Diameter (in):	6.625
Type of Well Opening:	Not Reported	Casing Material:	STEEL
Opening Material:	Not Reported	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Construction Information:**

Record #:	3	Well Interval:	WELL OPENINGS
Top Depth (ft):	288	Bottom Depth (ft):	345
Casing Above Surface:	Not Reported	Diameter (in):	6.625
Type of Well Opening:	SLOTTED CASING	Casing Material:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Opening Material:	STEEL	Opening Length (ft):	57
Opening Method:	Opening Interval Inferred From Partial Construction Information: Total Depth , Assume 20 Ft Screen		
Packer Material:	Not Reported		

**Construction Information:**

Record #:	4	Well Interval:	CASING
Top Depth (ft):	345	Bottom Depth (ft):	360
Casing Above Surface:	Not Reported	Diameter (in):	6.625
Type of Well Opening:	Not Reported	Casing Material:	STEEL
Opening Material:	Not Reported	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Construction Information:**

Record #:	5	Well Interval:	ANNULAR GRAVEL PACK
Top Depth (ft):	260	Bottom Depth (ft):	360
Casing Above Surface:	Not Reported	Diameter (in):	11
Type of Well Opening:	Not Reported	Casing Material:	Not Reported
Opening Material:	Not Reported	Opening Length (ft):	Not Reported
Opening Method:	Not Reported	Packer Material:	Not Reported

**Geologic Information:**

Record #:	1	Top Geo Unit Below Surface (ft):	0
Bottom Geo Unit Below Surface (ft):	2	Geo Unit Thickness (ft):	2
Geo Unit Description:	TOPSOIL		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	2	Top Geo Unit Below Surface (ft):	2
Bottom Geo Unit Below Surface (ft):	7	Geo Unit Thickness (ft):	5
Geo Unit Description:	YELLOW CLAY		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	3	Top Geo Unit Below Surface (ft):	7
Bottom Geo Unit Below Surface (ft):	10	Geo Unit Thickness (ft):	3
Geo Unit Description:	HARD ROCK		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	4	Top Geo Unit Below Surface (ft):	10
Bottom Geo Unit Below Surface (ft):	67	Geo Unit Thickness (ft):	57
Geo Unit Description:	BLUE SHALE/LIME STREAKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

**Geologic Information:**

Record #:	5	Top Geo Unit Below Surface (ft):	67
Bottom Geo Unit Below Surface (ft):	146	Geo Unit Thickness (ft):	79
Geo Unit Description:	FT.WORTH LIME		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	6	Top Geo Unit Below Surface (ft):	146
Bottom Geo Unit Below Surface (ft):	210	Geo Unit Thickness (ft):	64
Geo Unit Description:	SHALE/LIME STREAKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	7	Top Geo Unit Below Surface (ft):	210
Bottom Geo Unit Below Surface (ft):	255	Geo Unit Thickness (ft):	45
Geo Unit Description:	DARK SHALE		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	8	Top Geo Unit Below Surface (ft):	255
Bottom Geo Unit Below Surface (ft):	280	Geo Unit Thickness (ft):	25
Geo Unit Description:	LIME/SHALE STREAKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	9	Top Geo Unit Below Surface (ft):	280
Bottom Geo Unit Below Surface (ft):	330	Geo Unit Thickness (ft):	50
Geo Unit Description:	SAND/HARD LIME STREAKS		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**Geologic Information:**

Record #:	10	Top Geo Unit Below Surface (ft):	330
Bottom Geo Unit Below Surface (ft):	360	Geo Unit Thickness (ft):	30
Geo Unit Description:	HARD LIME		
Source of Geo Data:	DRILLERS DESCRIPTION OF FORMATION GEOLOGY		
Remarks:	Not Reported		

**BJ362  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS TXDOL2000140672**

Database:	Well Report Database	Fid:	140671
Rec id:	140664	Edr site i:	167535

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Owner:	Montclair	Ownerwell:	No Data
Address:	3279 S. Light House, Haslet , TX 76052	Waddress:	3279 S. Light House, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 48 N	Elevation:	No Data
Long:	097 24 43 W	Typeofwork:	New Well
Gpsused:	map	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 360 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	1/4
Packedfrom:	360 ft to 200 ft		
Finterval:	From 200 ft to 180 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)	Usedmethod:	Pressure
Tinterval:	No Data	Contaminat:	100 ft
Cementedby:	Driller	Verrimetho:	No Data
Propertyli:	10 ft	Surface:	Surface Sleeve Installed
Varriance:	No Data		
Staticleve:	200 ft. below land surface on 10/20/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft		
Yield:	14 GPM with 10 ft drawdown after 1 hour	Stratadep:	No Data
Watertype:	No Data	Undesirabl:	No
Chemicalma:	No	Companyadd:	363 CR 3170
Companynam:	B-B Pump Company	Licensenum:	54429
Ccitystate:	Decatur , TX 76234	Dsignature:	No Data
Wsignature:	Bobby Flake	Comments:	\$dfs
Regnum:	No Data		
Site id:	TXDOL2000140672		

**BJ363**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000164765**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	167535	Borehole Depth (ft):	360
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BP364**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXWDB8000114599**

Database:	Groundwater Database	Well #:	3205206
Primary Water Use:	Public Supply	Elevation (ft):	801
Well Depth (ft):	360	Observation Type:	Miscellaneous Measurements
Water Quality Review:	No	Aquifer:	218TRNT - Trinity Group
Well Type:	Withdrawal of Water		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BK365**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146208**

Database:	Well Report Database	Fid:	146207
Rec id:	146207	Edr site i:	32789
Owner:	Goff	Ownerwell:	No Data
Address:	13417 CC, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 43 N
County:	Tarrant	Long:	097 24 54 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/15/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146208		

**BK366**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031839**

Database:	Submitted Drillers Reports Database		
Well Report #:	32789	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BL367**  
**North**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000261195**

Database:	Submitted Drillers Reports Database		
Well Report #:	265230	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	440
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BJ368**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000143943**

Database:	Well Report Database	Fid:	143942
Rec id:	143945	Edr site i:	80511
Owner:	GOFF	Ownerwell:	No Data
Address:	13632 CC, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Same, Same , TX 76052	Lat:	32 58 48 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Driven
Bcompleteio:	Not Reported	Packedfrom:	400 ft to 300 ft
Packsize:	1/4		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/6/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after (No Data) hours		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP	Companyadd:	363 L R 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143943		

**BJ369**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000079117**

Database:	Submitted Drillers Reports Database		
Well Report #:	80511	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BK370**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142896**

Database:	Well Report Database	Fid:	142895
Rec id:	142885	Edr site i:	106912
Owner:	Frank Drews	Ownerwell:	No Data
Address:	14201 RS, Haslet , TX	Grid:	32-05-3
Waddress:	Haslet , TX	Lat:	32 58 45 N

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County:	Tarrant	Long:	097 24 51 W
Elevation:	No Data	Gpsused:	map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 360 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	360 ft to 200 ft
Packsizes:	1/4		
Finterval:	From 200 ft to 180 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	200 ft. below land surface on 6/16/2005		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142896		

**BK371**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000105177**

Database:	Submitted Drillers Reports Database		
Well Report #:	106912	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	360
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BK372**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146215**

Database:	Well Report Database	Fid:	146214
Rec id:	146214	Edr site i:	32768
Owner:	Rosewood	Ownerwell:	No Data
Address:	Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 45 N
County:	Tarrant	Long:	097 24 52 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 440 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 440 ft
Packsizes:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Variance:	No Data	Surface:	Surface Sleeve Installed
Staticlevel:	200 ft. below land surface on 5/26/2003	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft	Stratadep:	No Data
Yield:	14 GPM with 10 ft drawdown after 1 hour	Undesirabl:	No
Watertype:	No Data	Companyadd:	363 CR 3170
Chemicalma:	No	Licensenum:	54429
Companynam:	B-B Pump Co.	Dsignature:	No Data
Ccitystate:	Decatur , TX 76234	Comments:	dt\$
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000146215		

**BK373**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000196851**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	200027	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BK374**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000031818**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32768	Borehole Depth (ft):	440
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BK375**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000196938**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	200116	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BQ376**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000015534**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	16205	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BQ377**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000147068**

Database:	Well Report Database	Fid:	147067
Rec id:	147180	Edr site i:	16205
Owner:	WOOD MOORE HOMES	Ownerwell:	No Data
Address:	13909 SPRING WAY, HASLET , TX 76052	Grid:	32-05-3
Waddress:	SAMES, HASLET , TX 76052	Lat:	32 58 52 N
County:	Tarrant	Long:	097 24 30 W
Elevation:	No Data	Gpsused:	EAGLE
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	10 ft to 400 ft
Packsize:	Not Reported	Finterval:	No Data
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	Not Reported	Cementedby:	Not Reported
Contaminat:	Not Reported	Propertyli:	Not Reported
Verrimetho:	Not Reported	Varriance:	Not Reported
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	METROPLEX WATER WELL SERVICE
Companyadd:	3040 E PEDEN RD	Ccitystate:	FORT WORTH , TX 76179
Licensenum:	54485	Wsignature:	TERRY SIMMONS
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000147068

**BJ378**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000142325**

Database:	Well Report Database	Fid:	142324
Rec id:	142315	Edr site i:	119228
Owner:	Goff	Ownerwell:	No Data
Address:	13309 Hickory Creek, Haslet , TX 76052	Waddress:	13309 Hickory Creek, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 48 N	Elevation:	No Data
Long:	097 24 46 W	Typeofwork:	New Well
Gpsused:	map	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsize:	1/4
Packedfrom:	400 ft to 300 ft	Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)	Tinterval:	No Data
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 11/2/2004	Packers:	No Data
Flow:	No Data		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B & B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142325		

**BJ379**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXMON6000117312**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	119228	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BJ380**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXDOL2000145256**

Database:	Well Report Database	Fid:	145255
Rec id:	145250	Edr site i:	53777
Owner:	Goff Homes	Ownerwell:	No Data
Address:	13724 H.C., Haslet , TX 76052	Grid:	32-05-3
Waddress:	13742, Haslet , TX 76052	Lat:	32 58 49 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	400 ft to 30 ft
Packsiz:	.14		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	pressure	Cementedby:	driller
Contaminat:	100 ft	Propertyli:	10 ft
Verrimetho:	measure	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	260 ft. below land surface on 2/25/2004
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$mb
Site id:	TXDOL2000145256		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BJ381**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000143971**

Database:	Well Report Database	Fid:	143970
Rec id:	143963	Edr site i:	80367
Owner:	MONT CLAIRE HOMES	Ownerwell:	No Data
Address:	11410 Oak Bark, Haslet , TX 76052	Grid:	32-05-3
Waddress:	Same, Same , TX 76052	Lat:	32 58 49 N
County:	Tarrant	Long:	097 24 44 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	400 ft to 300 ft
Packsizes:	14		
Finterval:	From 280 ft to 300 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 5/21/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B B PUMP CO	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	lcs\$
Site id:	TXDOL2000143971		

**BJ382**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000142319**

Database:	Well Report Database	Fid:	142318
Rec id:	142309	Edr site i:	119312
Owner:	Goff	Ownerwell:	No Data
Address:	13300 Copper Canyon, Haslet , TX 76052	Waddress:	13300 Copper Canyon, Haslet , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 49 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	map	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 400 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	1/4
Packedfrom:	400 ft to 300 ft		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Variance:	No Data	Surface:	Surface Sleeve Installed
Staticlevel:	260 ft. below land surface on 11/4/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft	Stratadept:	No Data
Yield:	14 GPM with 10 ft drawdown after 1 hour	Undesirabl:	No
Watertype:	No Data	Companyadd:	363 CR 3170
Chemicalma:	No	Licensenum:	54429
Companynam:	B & B Pump	Dsignature:	No Data
Ccitystate:	Decatur , TX 76234	Comments:	\$dfs
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000142319		

**BJ383  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXDOL2000143970**

Database:	Well Report Database	Fid:	143969
Rec id:	143962	Edr site i:	80369
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	14217 Meadow Grove, Haslet , TX 76052	Waddress:	Same, Same , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 49 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 360 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	14
Packedfrom:	360 ft to 200 ft		
Finterval:	From 200 ft to 180 ft with 5 (#sacks and material)	Usedmethod:	Pressure
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)	Contaminat:	100 ft
Tinterval:	No Data	Verrimetho:	Measured
Cementedby:	Driller	Surface:	Surface Sleeve Installed
Propertyli:	10 ft	Packers:	No Data
Variance:	No Data	Typepump:	Submersible
Staticlevel:	200 ft. below land surface on 6/6/2004	Welltests:	Pump
Flow:	No Data	Stratadept:	No Data
Cementinwe:	No Data	Undesirabl:	No
Pumpbowl:	(No Data) ft	Companyadd:	363 CR 3170
Yield:	14 GPM with 10 ft drawdown after 1 hour	Licensenum:	54429
Watertype:	No Data	Dsignature:	No Data
Chemicalma:	No	Comments:	lcs\$
Companynam:	B B PUMP CO		
Ccitystate:	Decatur , TX 76234		
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000143970		

**BJ384  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXMON6000078977**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	80369	Borehole Depth (ft):	360
Proposed Use:	Domestic		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County:	Tarrant	Long:	097 24 58 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 5/2/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146210		

**BN390  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000146209**

Database:	Well Report Database	Fid:	146208
Rec id:	146208	Edr site i:	32785
Owner:	Goff	Ownerwell:	No Data
Address:	13409 CC, Haslet , TX 76052	Grid:	32-05-3
Waddress:	No Data	Lat:	32 58 42 N
County:	Tarrant	Long:	097 24 58 W
Elevation:	No Data	Gpsused:	Map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	300 ft to 400 ft
Packsize:	Not Reported		
Finterval:	From 0 ft to 10 ft with 5 Cement (#sacks and material)		
Sinterval:	From 280 ft to 300 ft with 5 Cement (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	TXI	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	Submersible	Pumpbowl:	(No Data) ft
Welltests:	Pump	Yield:	14 GPM with 10 ft drawdown after 1 hour
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Co.	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	dt\$
Site id:	TXDOL2000146209		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BN391**  
**NW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000031835**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32785	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BN392**  
**NW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000031833**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	32783	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**393**  
**North**  
 1/2 - 1 Mile  
 Higher

**TX WELLS      TXMON6000201381**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	204600	Borehole Depth (ft):	460
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BR394**  
**SSE**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000466439**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	479512	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BR395**  
**SSE**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000466883**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	479513	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BS396**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000047047**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	48107	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BS397**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000145423**

Database:	Well Report Database	Fid:	145422
Rec id:	145533	Edr site i:	48107
Owner:	Chris Alford	Ownerwell:	No Data
Address:	740 Evergreen Drive, Hurst , TX 76054	Waddress:	13901 Barrret Green Court, Haslet , TX
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 52 N	Elevation:	No Data
Long:	097 24 08 W	Typeofwork:	New Well
Gpsused:	Magellan 315	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 7/8 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Hammer	Packsio:	.25
Packedfrom:	300 ft to 400 ft		
Finterval:	From 0 ft to 5 ft with 2 cement (#sacks and material)		
Sinterval:	From 5 ft to 100 ft with 6 quick grout (#sacks and material)		
Tinterval:	From 288 ft to 300 ft with 3 hole plug (#sacks and material)		
Usedmethod:	Grout	Cementedby:	Erwin
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	200 ft. below land surface on 8/13/2004
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	340 ft	Welltests:	Estimated
Yield:	20 GPM with 40 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Erwin Water Well Drilling	Companyadd:	6991 FM 4
Ccitystate:	Jacksboro , TX 76458	Licensenum:	2555
Wsignature:	Henry Erwin	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000145423		

**398**  
**ENE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXWDB8000011519**

Database:	Groundwater Database	Well #:	3205302
Primary Water Use:	Irrigation	Elevation (ft):	812
Well Depth (ft):	419	Observation Type:	TWDB Current Observation Well
Water Quality Review:	Yes	Aquifer:	218PLXY - Paluxy Sand
Well Type:	Withdrawal of Water		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**399**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXWDB8000011095**

Database:	Groundwater Database	Well #:	3205303
Primary Water Use:	Domestic	Elevation (ft):	825
Well Depth (ft):	992	Observation Type:	Miscellaneous Measurements
Water Quality Review:	Yes	Aquifer:	218TWMT - Twin Mountains Formation
Well Type:	Withdrawal of Water		

**BQ400**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000147489**

Database:	Well Report Database	Fid:	147488
Rec id:	147481	Edr site i:	11849
Owner:	TIM SHIRLEY	Ownerwell:	1
Address:	13917 AMANDA SPRINGS CIRCLE, HASLET , TX 76052		
Grid:	32-05-3	Waddress:	SAME, HASLET , TX 76052
Lat:	32 58 54 N	County:	Tarrant
Long:	097 24 26 W	Elevation:	No Data
Gpsused:	EAGLE	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 440 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 440 ft	Packsiz:	Not Reported
Finterval:	From +1 ft to 10 ft with (No Data) (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	METROPLEX WATER WELL SERVICE INC.
Companyadd:	3040 E. PEDEN RD.	Ccitystate:	FT WORTH , TX 76179
Licensenum:	54596	Wsignature:	JAMES R. MORROW
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000147489

**BQ401**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000011270**

Database:	Submitted Drillers Reports Database		
Well Report #:	11849	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	440
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**BO402**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000145837**

Database:	Well Report Database	Fid:	145836
Rec id:	145830	Edr site i:	40490
Owner:	D. R. Moss Construction	Ownerwell:	No Data
Address:	1800 Fairway Bend, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	Parks Court, Haslet , TX 76052
Lat:	32 58 52 N	County:	Tarrant
Long:	097 24 40 W	Elevation:	No Data
Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsiz:	Not Reported
Finterval:	From 1 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000145837

**BO403**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000039477**

Database:	Submitted Drillers Reports Database		
Well Report #:	40490	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BQ404**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000146612**

Database:	Well Report Database	Fid:	146611
Rec id:	146608	Edr site i:	23406
Owner:	Hardy & Associates	Ownerwell:	No Data
Address:	13917 Springway Dr., Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13917 Springway Dr., Haslet , TX 76052
Lat:	32 58 54 N	County:	Tarrant
Long:	097 24 30 W	Elevation:	No Data



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	Eagle	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	6 3/4 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsiz:	Not Reported
Finterval:	From +2 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146612

**BQ405**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000022653**

Database:	Submitted Drillers Reports Database		
Well Report #:	23406	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BT406**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142905**

Database:	Well Report Database	Fid:	142904
Rec id:	142894	Edr site i:	106856
Owner:	Tejas Homnes	Ownerwell:	No Data
Address:	617 Lonesome Trail, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	617 Lonesome Trail, Haslet , TX 76052
Lat:	32 58 48 N	County:	Tarrant
Long:	097 24 51 W	Elevation:	No Data
Gpsused:	map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 420 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	420 ft to 300 ft	Packsiz:	1/4
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 4/22/2005		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142905		

**BT407  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXDOL2000142326**

Database:	Well Report Database	Fid:	142325
Rec id:	142316	Edr site i:	119225
Owner:	Goff Homes	Ownerwell:	No Data
Address:	13316 Copper Canyon, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	13316 Copper Canyon, Haslet , TX 76052
Lat:	32 58 48 N	County:	Tarrant
Long:	097 24 51 W	Elevation:	No Data
Gpsused:	map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompletio:	Not Reported
Packedfrom:	400 ft to 300 ft	Packsizes:	1/4
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 11/7/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B & B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142326		

**BT408  
NNW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000117309**

Database:	Submitted Drillers Reports Database		
Well Report #:	119225	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BT409**  
**NNW**  
 1/2 - 1 Mile  
 Lower

**TX WELLS      TXMON6000105121**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	106856	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BO410**  
**NNW**  
 1/2 - 1 Mile  
 Higher

**TX WELLS      TXMON6000032233**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	33187	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BO411**  
**NNW**  
 1/2 - 1 Mile  
 Higher

**TX WELLS      TXDOL2000146197**

Database:	Well Report Database	Fid:	146196
Rec id:	146190	Edr site i:	33187
Owner:	Steve Paulsen Custom Homes	Ownerwell:	No Data
Address:	P. O. Box 1358, Aledo , TX 76008	Grid:	32-05-3
Waddress:	2403 Parks Court, Haslet , TX 76052	Lat:	32 58 52 N
County:	Tarrant	Long:	097 24 41 W
Elevation:	No Data	Gpsused:	Eagle
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	6 3/4 in From Surface To 380 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	10 ft to 380 ft
Packsize:	Not Reported		
Finterval:	From +2 ft to 10 ft with 2 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	Simmons Drilling Co.
Companyadd:	P. O. Box 1022	Ccitystate:	Rising Star , TX 76471
Licensenum:	54485	Wsignature:	Terry J. Simmons
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146197

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BU412**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000016628**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	17311	Borehole Depth (ft):	410
Proposed Use:	Industrial	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BU413**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000147048**

Database:	Well Report Database	Fid:	147047
Rec id:	147048	Edr site i:	17311
Owner:	CHIEF OIL AND GAS	Ownerwell:	1
Address:	8111 PRESTON ROAD STE 575, DALLAS , TX 75225		
Grid:	32-05-2	Waddress:	INTERSECTION OF HWY 287 AND BUSINESS 28
Lat:	32 58 13 N	County:	Tarrant
Long:	097 25 20 W	Elevation:	No Data
Gpsused:	TELETYPE	Typeofwork:	New Well
Propuse:	Industrial	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	9 7/8 in From Surface To 410 ft
Dmethod:	Air Rotary	Bcompleto:	Not Reported
Packedfrom:	(No Data) ft to 150 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 10 ft with 3 (#sacks and material)		
Sinterval:	From 10 ft to 100 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	GRAVITY
Cementedby:	DOUG JACKSON	Contaminat:	100 ft
Propertyli:	No Data	Verrimetho:	OWNER
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	Submersible	Pumpbowl:	(No Data) ft
Welltests:	Pump		
Yield:	50-60 GPM with (No Data) ft drawdown after (No Data) hours		
Watertype:	GOOD	Stratadep:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Waterwells,L.P.	Companyadd:	P.O. BOX 118
Ccitystate:	JACKSBORO , TX 76458	Licensenum:	54546
Wsignature:	DOUG JACKSON	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000147048		

**BV414**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000030140**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	31077	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BV415**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000146284**

Database:	Well Report Database	Fid:	146283
Rec id:	146280	Edr site i:	31077
Owner:	Andrew Adami	Ownerwell:	No Data
Address:	P.O. Box 126, Keller , TX 76244	Grid:	32-05-3
Waddress:	1817 Royce Springs, Haslet , TX	Lat:	32 58 51 N
County:	Tarrant	Long:	097 23 59 W
Elevation:	No Data	Gpsused:	garmin
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 7/8 in From Surface To 400 ft	Dmethod:	Air Rotary
Bcompleteio:	Not Reported	Packedfrom:	200 ft to 400 ft
Packsizes:	12/20		
Finterval:	From 0 ft to 10 ft with 5 cmt (#sacks and material)		
Sinterval:	From 10 ft to 100 ft with 5 bent. (#sacks and material)		
Tinterval:	No Data	Usedmethod:	No Data
Cementedby:	No Data	Contaminat:	100+ ft
Propertyli:	50 ft	Verrimetho:	owner
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	220 ft. below land surface on 11/26/2003		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	360 ft	Welltests:	Pump
Yield:	12 GPM with 80 ft drawdown after 1 hour		
Watertype:	good	Stratadept:	360 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	Anderson Water Well Service,Ltd.	Companyadd:	P.O. Box 1318
Ccitystate:	Bridgeport , TX 76426	Licensenum:	54546
Wsignature:	Doug Jackson	Dsignature:	No Data
Regnum:	No Data	Comments:	no data
Site id:	TXDOL2000146284		

**BW416**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXDOL2000145260**

Database:	Well Report Database	Fid:	145259
Rec id:	145254	Edr site i:	53751
Owner:	Goff	Ownerwell:	No Data
Address:	2201 Keller Creek, Haslet , TX 76052	Waddress:	No Data
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 52 N	Elevation:	No Data
Long:	097 24 43 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsizes:	.14
Packedfrom:	400 ft to 300 ft		
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	pressure
Cementedby:	driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	measured

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 1/19/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft	Stratadep:	No Data
Yield:	14 GPM with 10 ft drawdown after 1 hour	Undesirabl:	No
Watertype:	No Data	Companyadd:	363 CR 3170
Chemicalma:	No	Licensenum:	54429
Companynam:	B-B Pump Co.	Dsignature:	No Data
Ccitystate:	Decatur , TX 76234	Comments:	\$mb
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000145260		

**BW417  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS TXMON6000052644**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	53751	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**418  
WSW  
1/2 - 1 Mile  
Lower**

**TX WELLS TXWDB8000009117**

Database:	Groundwater Database	Well #:	3205204
Primary Water Use:	Domestic	Elevation (ft):	815
Well Depth (ft):	317	Observation Type:	Miscellaneous Measurements
Water Quality Review:	Yes	Aquifer:	218PLXY - Paluxy Sand
Well Type:	Withdrawal of Water		

**BW419  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS TXDOL2000143975**

Database:	Well Report Database	Fid:	143974
Rec id:	143967	Edr site i:	80343
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	L D E 124 Lonesome Trail, Haslet , TX 76052	Waddress:	Same, Same , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 52 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 420 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	14
Packedfrom:	420 ft to 300 ft		
Finterval:	From 280 ft to 300 ft with 5 (#sacks and material)	Usedmethod:	Pressure
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)	Contaminat:	100 ft
Tinterval:	No Data		
Cementedby:	Driller		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 3/19/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft	Stratadept:	No Data
Yield:	14 GPM with 10 ft drawdown after 1 hour	Undesirabl:	No
Watertype:	No Data	Companyadd:	363 CR 3170
Chemicalma:	No	Licensenum:	54429
Companynam:	B B PUMP CO	Dsignature:	No Data
Ccitystate:	Decatur , TX 76234	Comments:	Ics\$
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000143975		

**BW420  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXDOL2000143491**

Database:	Well Report Database	Fid:	143490
Rec id:	143492	Edr site i:	92618
Owner:	GOFF HOME	Ownerwell:	No Data
Address:	13601 HICKORY CREEK, HASLET , TX 76052	Waddress:	SAME, SAME , TX 76052
Grid:	32-05-3	County:	Tarrant
Lat:	32 58 52 N	Elevation:	No Data
Long:	097 24 44 W	Typeofwork:	New Well
Gpsused:	No Data	Sdate:	Not Reported
Propuse:	Domestic	Diameter:	7 in From Surface To 400 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Air Rotary	Packsiz:	1/4
Packedfrom:	400 ft to 300 ft		
Finterval:	From 280 ft to 300 ft with 5 (#sacks and material)		
Sinterval:	From 0 ft to 10 ft with 5 (#sacks and material)	Usedmethod:	PRESSUR
Tinterval:	No Data	Contaminat:	100 ft
Cementedby:	DRILLER	Verrimetho:	No Data
Propertyli:	10 ft	Surface:	Surface Sleeve Installed
Varriance:	No Data	Packers:	No Data
Staticleve:	260 ft. below land surface on 5/9/2004	Typepump:	Submersible
Flow:	No Data	Welltests:	Pump
Cementinwe:	No Data	Stratadept:	No Data
Pumpbowl:	(No Data) ft	Undesirabl:	No
Yield:	14 GPM with 10 ft drawdown after 1 hour	Companyadd:	363 CR 3170
Watertype:	No Data	Licensenum:	54429
Chemicalma:	No	Dsignature:	No Data
Companynam:	B-B PUMP CO	Comments:	Ics\$
Ccitystate:	DECATUR , TX 76234		
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000143491		

**BW421  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXMON6000091016**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	92618		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BW422**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS TXMON6000078951**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	80343	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**423**  
**NW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000488458**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	503100	Borehole Depth (ft):	380
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BV424**  
**NNE**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000192194**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	195301	Borehole Depth (ft):	420
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BW425**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXMON6000117316**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	119232	Borehole Depth (ft):	400
Proposed Use:	Domestic	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**BW426**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS TXDOL2000142324**

Database:	Well Report Database	Fid:	142323
Rec id:	142314	Edr site i:	119232
Owner:	Goff	Ownerwell:	No Data
Address:	13608 Coppoer Canyon, Haslet , TX 76052		



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Grid:	32-05-3	Waddress:	13608 Copper Canyon, Haslet , TX 76052
Lat:	32 58 52 N	County:	Tarrant
Long:	097 24 46 W	Elevation:	No Data
Gpsused:	map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	400 ft to 300 ft	Packsizes:	1/4
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	200 ft. below land surface on 7/30/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B & B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142324		

**BX427  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXMON6000078983**

Database:	Submitted Drillers Reports Database		
Well Report #:	80375	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	420
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BX428  
NNW  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXDOL2000143967**

Database:	Well Report Database	Fid:	143966
Rec id:	143959	Edr site i:	80375
Owner:	MONT CLAIRE	Ownerwell:	No Data
Address:	200 LoneSome Praire, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	Same, Same , TX 76052
Lat:	32 58 55 N	County:	Tarrant
Long:	097 24 35 W	Elevation:	No Data
Gpsused:	No Data	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 420 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	420 ft to 300 ft	Packsizes:	14
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	260 ft. below land surface on 6/9/2004	Packers:	No Data
Flow:	No Data	Typepump:	Submersible
Cementinwe:	No Data	Welltests:	Pump
Pumpbowl:	(No Data) ft	Stratadept:	No Data
Yield:	14 GPM with 10 ft drawdown after 1 hour	Undesirabl:	No
Watertype:	No Data	Companyadd:	363 CR 3170
Chemicalma:	No	Licensenum:	54429
Companynam:	B B PUMP CO	Dsignature:	No Data
Ccitystate:	Decatur , TX 76234	Comments:	Ics\$
Wsignature:	Robby Flake		
Regnum:	No Data		
Site id:	TXDOL2000143967		

**BY429**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXWDB8000006876**

Database:	Groundwater Database	Well #:	3205306
Primary Water Use:	Irrigation	Elevation (ft):	810
Well Depth (ft):	1000	Observation Type:	Miscellaneous Measurements
Water Quality Review:	Yes	Aquifer:	218TWMT - Twin Mountains Formation
Well Type:	Withdrawal of Water		

**BY430**  
**East**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000516612**

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	108975	Borehole Depth (ft):	1015
Proposed Use:	Irrigation	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

**431**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXPLU6000155330**

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	158730
Well Report #:	Not Reported	Borehole Depth (ft):	970
Well Type:	Irrigation		

**BZ432**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142901**

Database:	Well Report Database	Fid:	142900
Rec id:	142890	Edr site i:	106896
Owner:	Montclair	Ownerwell:	No Data
Address:	2805 Astonwood, Haslet , TX 76052	Grid:	32-05-3

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Waddress:	2805 Astonwood, Haslet , TX 76052	Lat:	32 58 52 N
County:	Tarrant	Long:	097 24 49 W
Elevation:	No Data	Gpsused:	map
Typeofwork:	New Well	Propuse:	Domestic
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	7 in From Surface To 360 ft	Dmethod:	Air Rotary
Bcompletio:	Not Reported	Packedfrom:	360 ft to 200 ft
Packsiz:	1/4		
Finterval:	From 200 ft to 180 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	200 ft. below land surface on 5/3/2005		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	Sdfs
Site id:	TXDOL2000142901		

**BZ433**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000105161**

Database:	Submitted Drillers Reports Database		
Well Report #:	106896	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	360
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BT434**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000104348**

Database:	Submitted Drillers Reports Database		
Well Report #:	106077	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BT435**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142945**

Database:	Well Report Database	Fid:	142944
Rec id:	142944	Edr site i:	106077
Owner:	Lexington and Tatum	Ownerwell:	No Data
Address:	12100 Rachelle Lane, Haslet , TX 76052		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Grid:	32-05-3	Waddress:	12100 Rachele Lane, Haslet , TX 76052
Lat:	32 58 51 N	County:	Tarrant
Long:	097 24 52 W	Elevation:	No Data
Gpsused:	map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	400 ft to 300 ft	Packsizes:	1/4
Finterval:	From 300 ft to 280 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measure
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	260 ft. below land surface on 3/30/2005		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B-B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142945		

**436  
NW  
1/2 - 1 Mile  
Lower**

**TX WELLS      TXMON6000435567**

Database:	Submitted Drillers Reports Database		
Well Report #:	445582	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	440
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**CA437  
North  
1/2 - 1 Mile  
Higher**

**TX WELLS      TXDOL2000147497**

Database:	Well Report Database	Fid:	147496
Rec id:	147489	Edr site i:	11767
Owner:	JASON NEW	Ownerwell:	No Data
Address:	13901 AMANDA SPRINGS CIRCLE, HASLET , TX 76052		
Grid:	32-05-3	Waddress:	SAME, HASLET , TX 76052
Lat:	32 58 58 N	County:	Tarrant
Long:	097 24 24 W	Elevation:	No Data
Gpsused:	EAGLE	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 7/8 in From Surface To 400 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	10 ft to 400 ft	Packsizes:	Not Reported
Finterval:	From +1 ft to 10 ft with (No Data) (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Sleeve Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	METROPLEX WATER WELL SERV. INC
Companyadd:	3040 E. PEDEN RD.	Ccitystate:	FT. WORTH , TX 76179
Licensenum:	54596	Wsignature:	JAMES R. MORROW
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000147497

**CA438**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000011191**

Database:	Submitted Drillers Reports Database		
Well Report #:	11767	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	400
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**439**  
**SW**  
**1/2 - 1 Mile**  
**Higher**

**TX WELLS      TXMON6000205001**

Database:	Submitted Drillers Reports Database		
Well Report #:	208237	Well Type:	New Well
Proposed Use:	Public Supply	Borehole Depth (ft):	900
Injurious Water Quality:	Not Reported	Plugging Rpt #:	Not Reported

**440**  
**WNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000202524**

Database:	Submitted Drillers Reports Database		
Well Report #:	205748	Well Type:	Replacement
Proposed Use:	Domestic	Borehole Depth (ft):	419
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

**BW441**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXMON6000107544**

Database:	Submitted Drillers Reports Database		
Well Report #:	109338	Well Type:	New Well
Proposed Use:	Domestic	Borehole Depth (ft):	360
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**BW442**  
**NNW**  
**1/2 - 1 Mile**  
**Lower**

**TX WELLS      TXDOL2000142761**

Database:	Well Report Database	Fid:	142760
Rec id:	142756	Edr site i:	109338
Owner:	Montclair	Ownerwell:	No Data
Address:	3301 S. Bay Breeze HUE, Haslet , TX 76052		
Grid:	32-05-3	Waddress:	3301 S. Bay Breeze HUE, Haslet , TX 76052
Lat:	32 58 55 N	County:	Tarrant
Long:	097 24 44 W	Elevation:	No Data
Gpsused:	map	Typeofwork:	New Well
Propuse:	Domestic	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	7 in From Surface To 360 ft
Dmethod:	Air Rotary	Bcompleteio:	Not Reported
Packedfrom:	360 ft to 260 ft	Packsizes:	1/4
Finterval:	From 260 ft to 240 ft with 5 (#sacks and material)		
Sinterval:	From 10 ft to 0 ft with 5 (#sacks and material)		
Tinterval:	No Data	Usedmethod:	Pressure
Cementedby:	Driller	Contaminat:	100 ft
Propertyli:	10 ft	Verrimetho:	Measured
Varriance:	No Data	Surface:	Surface Sleeve Installed
Staticleve:	200 ft. below land surface on 7/23/2004		
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	Submersible
Pumpbowl:	(No Data) ft	Welltests:	Pump
Yield:	14 GPM with 10 ft drawdown after 1 hour		
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No	Undesirabl:	No
Companynam:	B & B Pump Company	Companyadd:	363 CR 3170
Ccitystate:	Decatur , TX 76234	Licensenum:	54429
Wsignature:	Robby Flake	Dsignature:	No Data
Regnum:	No Data	Comments:	\$dfs
Site id:	TXDOL2000142761		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database      EDR ID Number

**A1**  
**ESE**  
**0 - 1/8 Mile**

**OIL\_GAS      TXOG90001302048**

Surface ID:            1214723  
Bottom ID:            1214723  
Current Wells #:      3H  
Radioactive:          Not Reported

Well Number:        35433  
API #:                4243935433H1  
Well Type:            Gas Well  
Side Track:           H1

**A2**  
**ESE**  
**0 - 1/8 Mile**

**OIL\_GAS      TXOG90001302046**

Surface ID:            1153380  
Bottom ID:            1153380  
Current Wells #:      1H  
Radioactive:          Not Reported

Well Number:        32025  
API #:                4243932025H1  
Well Type:            Gas Well  
Side Track:           H1

**A3**  
**ESE**  
**0 - 1/8 Mile**

**OIL\_GAS      TXOG90001302045**

Surface ID:            1155229  
Bottom ID:            1155229  
Current Wells #:      2H  
Radioactive:          Not Reported

Well Number:        32125  
API #:                4243932125H1  
Well Type:            Gas Well  
Side Track:           H1

**B4**  
**SSW**  
**1/4 - 1/2 Mile**

**OIL\_GAS      TXOG90001302187**

Surface ID:            1086159  
Bottom ID:            1086159  
Current Wells #:      1  
Radioactive:          Not Reported

Well Number:        30498  
API #:                4243930498D1  
Well Type:            Gas Well  
Side Track:           D1

**B5**  
**SSW**  
**1/4 - 1/2 Mile**

**OIL\_GAS      TXOG90001302188**

Surface ID:            1086158  
Bottom ID:            1086158  
Current Wells #:      2  
Radioactive:          Not Reported

Well Number:        30499  
API #:                4243930499D1  
Well Type:            Gas Well  
Side Track:           D1

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database      EDR ID Number

**B6**  
**SSW**  
**1/4 - 1/2 Mile**

**OIL\_GAS      TXOG90001302190**

Surface ID:      1086157  
Bottom ID:      1086157  
Current Wells #:      3  
Radioactive:      Not Reported

Well Number:      30500  
API #:      4243930500D1  
Well Type:      Gas Well  
Side Track:      D1

**C7**  
**East**  
**1/4 - 1/2 Mile**

**OIL\_GAS      TXOG90001302047**

Surface ID:      1086128  
Bottom ID:      1086128  
Current Wells #:      2  
Radioactive:      Not Reported

Well Number:      30503  
API #:      4243930503D1  
Well Type:      Gas Well  
Side Track:      D1

**C8**  
**East**  
**1/4 - 1/2 Mile**

**OIL\_GAS      TXOG90001302049**

Surface ID:      1086125  
Bottom ID:      1086125  
Current Wells #:      1  
Radioactive:      Not Reported

Well Number:      30502  
API #:      4243930502  
Well Type:      Gas Well  
Side Track:      Not Reported

**C9**  
**East**  
**1/4 - 1/2 Mile**

**OIL\_GAS      TXOG90001302050**

Surface ID:      1173305  
Bottom ID:      1173305  
Current Wells #:      1H  
Radioactive:      Not Reported

Well Number:      33200  
API #:      4243933200H1  
Well Type:      Canceled Location  
Side Track:      H1

**10**  
**SSE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302213**

Surface ID:      1095119  
Bottom ID:      1095119  
Current Wells #:      1  
Radioactive:      Not Reported

Well Number:      30655  
API #:      4243930655  
Well Type:      Gas Well  
Side Track:      Not Reported



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database EDR ID Number

<b>11</b>					
<b>SSW</b>			<b>OIL_GAS</b>	<b>TXOG90001302216</b>	
<b>1/2 - 1 Mile</b>					
Surface ID:	1071703	Well Number:	30213		
Bottom ID:	1071703	API #:	4243930213		
Current Wells #:	1	Well Type:	Gas Well		
Radioactive:	Not Reported	Side Track:	Not Reported		

---

<b>12</b>					
<b>SW</b>			<b>OIL_GAS</b>	<b>TXOG90001302181</b>	
<b>1/2 - 1 Mile</b>					
Surface ID:	1079635	Well Number:	30322		
Bottom ID:	1079635	API #:	4243930322		
Current Wells #:	5	Well Type:	Gas Well		
Radioactive:	Not Reported	Side Track:	Not Reported		

---

<b>13</b>					
<b>WSW</b>			<b>OIL_GAS</b>	<b>TXOG90001302076</b>	
<b>1/2 - 1 Mile</b>					
Surface ID:	1096405	Well Number:	30678		
Bottom ID:	1096405	API #:	4243930678H1		
Current Wells #:	4	Well Type:	Gas Well		
Radioactive:	Not Reported	Side Track:	H1		

---

<b>D14</b>					
<b>SE</b>			<b>OIL_GAS</b>	<b>TXOG90001302201</b>	
<b>1/2 - 1 Mile</b>					
Surface ID:	1086127	Well Number:	30505		
Bottom ID:	1086127	API #:	4243930505D1		
Current Wells #:	4	Well Type:	Gas Well		
Radioactive:	Not Reported	Side Track:	D1		

---

<b>D15</b>					
<b>SE</b>			<b>OIL_GAS</b>	<b>TXOG90001302202</b>	
<b>1/2 - 1 Mile</b>					
Surface ID:	1173334	Well Number:	33201		
Bottom ID:	1173334	API #:	4243933201H1		
Current Wells #:	1H	Well Type:	Canceled Location		
Radioactive:	Not Reported	Side Track:	H1		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database      EDR ID Number

**D16**

**SE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302199**

Surface ID:            1086126  
Bottom ID:            1086126  
Current Wells #:      3  
Radioactive:          Not Reported

Well Number:          30504  
API #:                  4243930504D1  
Well Type:             Gas Well  
Side Track:            D1

**E17**

**SSE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302329**

Surface ID:            1087135  
Bottom ID:            1087135  
Current Wells #:      1  
Radioactive:          Not Reported

Well Number:          30517  
API #:                  4243930517  
Well Type:             Gas Well  
Side Track:            Not Reported

**E18**

**SSE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302335**

Surface ID:            1131148  
Bottom ID:            1131148  
Current Wells #:      2H  
Radioactive:          Not Reported

Well Number:          31439  
API #:                  4243931439H1  
Well Type:             Gas Well  
Side Track:            H1

**F19**

**ENE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301840**

Surface ID:            1186207  
Bottom ID:            1186207  
Current Wells #:      16  
Radioactive:          Not Reported

Well Number:          33767  
API #:                  4243933767H1  
Well Type:             Gas Well  
Side Track:            H1

**F20**

**ENE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301839**

Surface ID:            1186199  
Bottom ID:            1186199  
Current Wells #:      15H  
Radioactive:          Not Reported

Well Number:          33766  
API #:                  4243933766H1  
Well Type:             Permitted Location  
Side Track:            H1

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database      EDR ID Number

**F21**  
**ENE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301837**

Surface ID:            1186135  
Bottom ID:            1186135  
Current Wells #:      14  
Radioactive:          Not Reported

Well Number:        33764  
API #:                4243933764H1  
Well Type:            Gas Well  
Side Track:           H1

**F22**  
**ENE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301836**

Surface ID:            1186154  
Bottom ID:            1186154  
Current Wells #:      13H  
Radioactive:          Not Reported

Well Number:        33765  
API #:                4243933765H1  
Well Type:            Permitted Location  
Side Track:           H1

**23**  
**SW**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302341**

Surface ID:            1079632  
Bottom ID:            1079632  
Current Wells #:      2  
Radioactive:          Not Reported

Well Number:        30319  
API #:                4243930319  
Well Type:            Gas Well  
Side Track:           Not Reported

**G24**  
**WSW**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302186**

Surface ID:            1172343  
Bottom ID:            1172343  
Current Wells #:      6H  
Radioactive:          Not Reported

Well Number:        32760  
API #:                4243932760H1  
Well Type:            Gas Well  
Side Track:           H1

**G25**  
**WSW**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302189**

Surface ID:            1079633  
Bottom ID:            1079633  
Current Wells #:      4  
Radioactive:          Not Reported

Well Number:        30321  
API #:                4243930321  
Well Type:            Gas Well  
Side Track:           Not Reported

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database      EDR ID Number

**26**  
**SSE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001300530**

Surface ID:	1083798	Well Number:	30493
Bottom ID:	1083798	API #:	4243930493
Current Wells #:	1	Well Type:	Gas Well
Radioactive:	Not Reported	Side Track:	Not Reported

**H27**  
**West**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301960**

Surface ID:	1109658	Well Number:	30961
Bottom ID:	1109658	API #:	4243930961H1
Current Wells #:	5H	Well Type:	Permitted Location
Radioactive:	Not Reported	Side Track:	H1

Bottom ID:	1137174	API #:	4243930961H2
Current Wells #:	5H	Well Type:	Gas Well
Radioactive:	Not Reported	Side Track:	H2

**H28**  
**West**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001305664**

Surface ID:	1109659	Well Number:	30963
Bottom ID:	1109659	API #:	4243930963DW
Current Wells #:	3	Well Type:	Gas Well
Radioactive:	Not Reported	Side Track:	DW

Bottom ID:	1327460	API #:	4243930963D1
Current Wells #:	3	Well Type:	Canceled Location
Radioactive:	N	Side Track:	D1

**H29**  
**West**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301962**

Surface ID:	1109657	Well Number:	30962
Bottom ID:	1083115	API #:	4243930962H2
Current Wells #:	4H	Well Type:	Canceled Location
Radioactive:	Not Reported	Side Track:	H2

Bottom ID:	1109657	API #:	4243930962H1
Current Wells #:	4H	Well Type:	Gas Well
Radioactive:	Not Reported	Side Track:	H1

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database      EDR ID Number

**30**  
**WSW**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302064**

Surface ID:            1127709  
Bottom ID:            1127709  
Current Wells #:      1  
Radioactive:          Not Reported

Well Number:          31363  
API #:                4243931363H1  
Well Type:            Gas Well  
Side Track:            H1

**H31**  
**West**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301961**

Surface ID:            1157423  
Bottom ID:            1157423  
Current Wells #:      11  
Radioactive:          Not Reported

Well Number:          32257  
API #:                4243932257H1  
Well Type:            Gas Well  
Side Track:            H1

**H32**  
**West**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301964**

Surface ID:            1184365  
Bottom ID:            1184365  
Current Wells #:      18  
Radioactive:          Not Reported

Well Number:          33691  
API #:                4243933691H1  
Well Type:            Gas Well  
Side Track:            H1

**I33**  
**ESE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302070**

Surface ID:            1099644  
Bottom ID:            1099644  
Current Wells #:      16D  
Radioactive:          Not Reported

Well Number:          30760  
API #:                4243930760D1  
Well Type:            Permitted Location  
Side Track:            D1

**I34**  
**ESE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001302068**

Surface ID:            1077971  
Bottom ID:            1077971  
Current Wells #:      3  
Radioactive:          Not Reported

Well Number:          30294  
API #:                4243930294  
Well Type:            Gas Well  
Side Track:            Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database      EDR ID Number

**J35**  
**SSE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001300543**

Surface ID:      1168715  
Bottom ID:      1168715  
Current Wells #:      2  
Radioactive:      Not Reported

Well Number:      32930  
API #:      4243932930H1  
Well Type:      Gas Well  
Side Track:      H1

**J36**  
**SSE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001300542**

Surface ID:      1130677  
Bottom ID:      1130677  
Current Wells #:      3  
Radioactive:      Not Reported

Well Number:      31430  
API #:      4243931430H1  
Well Type:      Gas Well  
Side Track:      H1

**37**  
**ENE**  
**1/2 - 1 Mile**

**OIL\_GAS      TXOG90001301835**

Surface ID:      1107829  
Bottom ID:      1107829  
Current Wells #:      6  
Radioactive:      Not Reported

Well Number:      30921  
API #:      4243930921H1  
Well Type:      Gas Well  
Side Track:      H1

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: TX Radon

### Radon Test Results

County	Mean	Total Sites	%>4 pCi/L	%>20 pCi/L	Min pCi/L	Max pCi/L
TARRANT	1.1	86	3.8	.0	<.5	7.4

Federal EPA Radon Zone for TARRANT County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

---

### Federal Area Radon Information for TARRANT COUNTY, TX

Number of sites tested: 77

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.048 pCi/L	97%	3%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	0.800 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Texas General Land Office

Telephone: 512-463-0745

## HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.



# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

### STATE RECORDS

#### Public Water Supply Sources Databases

Source: Texas Commission on Environmental Quality

Telephone: 512-239-6199

Locations of public drinking water sources maintained by the TCEQ.

#### Groundwater Database

Source: Texas Water Development Board

Telephone: 512-936-0837

#### Well Report Database

Source: Department of Licensing and Regulation

Telephone: 512-936-0833

#### Water Well Database

Source: Harris-Galveston Coastal Subsidence District

Telephone: 281-486-1105

#### Brackish Resources Aquifer Characterization System Database

Source: Texas Water Development Board

WDB's Brackish Resources Aquifer Characterization System (BRACS) was designed to map and characterize the brackish aquifers of Texas in greater detail than previous studies. The information is contained in the BRACS Database and project data are summarized in a project report with companion geographic information system data files.

#### Submitted Driller's Reports Database

Source: Texas Water Development Board

Telephone: 512-936-0833

The Submitted Driller's Report Database is populated from the online Texas Well Report Submission and Retrieval System which is a cooperative Texas Department of Licensing and Regulation (TDLR) and Texas Water Development Board (TWDB) application that registered water-well drillers use to submit their required reports.

## OTHER STATE DATABASE INFORMATION

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## Texas Oil and Gas Wells

Source: Texas Railroad Commission  
Telephone: 512-463-6882  
Oil and gas well locations.

## RADON

### State Database: TX Radon

Source: Department of Health  
Telephone: 512-834-6688  
Rinal Report of the Texas Indoor Radon Survey

### Area Radon Information

Source: USGS  
Telephone: 703-356-4020  
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

### EPA Radon Zones

Source: EPA  
Telephone: 703-356-4020  
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## OTHER

### Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

### Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

## **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

# **Appendix IV: Historical Research Documentation**



**Haslet Texas Tract**

2101 Avondale Haslet Road

Haslet, TX 76052

Inquiry Number: 7429838.8

August 29, 2023

# The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# EDR Aerial Photo Decade Package

08/29/23

**Site Name:**

Haslet Texas Tract  
2101 Avondale Haslet Road  
Haslet, TX 76052  
EDR Inquiry # 7429838.8

**Client Name:**

ECS Southwest, LLP  
3033 Kellway Drive Suite 110  
Carrollton, TX 75006-0000  
Contact: Quinton Ayers



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

**Search Results:**

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2020	1"=500'	Flight Year: 2020	USDA/NAIP
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2008	1"=500'	Flight Year: 2008	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
1995	1"=500'	Acquisition Date: January 31, 1995	USGS/DOQQ
1990	1"=500'	Flight Date: January 26, 1990	NAPP
1984	1"=500'	Flight Date: June 01, 1984	TXDOT
1979	1"=500'	Flight Date: November 11, 1979	USDA
1973	1"=500'	Flight Date: May 16, 1973	USDA
1968	1"=500'	Flight Date: May 01, 1968	USGS
1950	1"=500'	Flight Date: December 30, 1950	USDA
1942	1"=500'	Flight Date: April 02, 1942	USDA

**When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.**

**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.

ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.

Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.





INQUIRY #: 7429838.8

YEAR: 2020

— = 500'







INQUIRY #: 7429838.8

YEAR: 2016

— = 500'








INQUIRY #: 7429838.8

YEAR: 2012

— = 500'







INQUIRY #: 7429838.8

YEAR: 2008

— = 500'







INQUIRY #: 7429838.8

YEAR: 2005

— = 500'








INQUIRY #: 7429838.8

YEAR: 1995

— = 500'








INQUIRY #: 7429838.8

YEAR: 1990

↑ N

— = 500'

 EDR®






INQUIRY #: 7429838.8

YEAR: 1984

— = 500'







INQUIRY #: 7429838.8

YEAR: 1979

— = 500'







INQUIRY #: 7429838.8

YEAR: 1973

— = 500'







INQUIRY #: 7429838.8

YEAR: 1968

— = 500'







INQUIRY #: 7429838.8

YEAR: 1950

— = 500'







INQUIRY #: 7429838.8

YEAR: 1942

— = 500'



Haslet Texas Tract

2101 Avondale Haslet Road

Haslet, TX 76052

Inquiry Number: 7429838.3

August 29, 2023

## Certified Sanborn® Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# Certified Sanborn® Map Report

08/29/23

**Site Name:**

Haslet Texas Tract  
2101 Avondale Haslet Road  
Haslet, TX 76052  
EDR Inquiry # 7429838.3

**Client Name:**

ECS Southwest, LLP  
3033 Kellway Drive Suite 110  
Carrollton, TX 75006-0000  
Contact: Quinton Ayers



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by ECS Southwest, LLP were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn).

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

## Certified Sanborn Results:

**Certification #** 6702-47B0-958B

**PO #** 51-3688

**Project** Haslet Texas Tract ESA

### UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 6702-47B0-958B

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

*The Sanborn Library LLC Since 1866™*

### Limited Permission To Make Copies

ECS Southwest, LLP (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Haslet Texas Tract

2101 Avondale Haslet Road

Haslet, TX 76052

Inquiry Number: 7429838.4

August 29, 2023

# EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)



# EDR Historical Topo Map Report

08/29/23

**Site Name:**

Haslet Texas Tract  
2101 Avondale Haslet Road  
Haslet, TX 76052  
EDR Inquiry # 7429838.4

**Client Name:**

ECS Southwest, LLP  
3033 Kellway Drive Suite 110  
Carrollton, TX 75006-0000  
Contact: Quinton Ayers



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by ECS Southwest, LLP were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

**Search Results:**

**Coordinates:**

<b>P.O.#</b>	51-3688	<b>Latitude:</b>	32.968364 32° 58' 6" North
<b>Project:</b>	Haslet Texas Tract ESA	<b>Longitude:</b>	-97.406225 -97° 24' 22" West
		<b>UTM Zone:</b>	Zone 14 North
		<b>UTM X Meters:</b>	648944.83
		<b>UTM Y Meters:</b>	3648907.26
		<b>Elevation:</b>	846.00' above sea level

**Maps Provided:**

2019  
2016  
2012  
1982  
1972  
1968  
1955  
1894

**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## **Topo Sheet Key**

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

### **2019 Source Sheets**




Avondale  
2019  
7.5-minute, 24000

### **2016 Source Sheets**




Avondale  
2016  
7.5-minute, 24000

### **2012 Source Sheets**



Avondale  
2012  
7.5-minute, 24000

### **1982 Source Sheets**




Avondale  
1982  
7.5-minute, 24000  
Aerial Photo Revised 1981

## **Topo Sheet Key**

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

### **1972 Source Sheets**



Avondale  
1972  
7.5-minute, 24000  
Aerial Photo Revised 1972

### **1968 Source Sheets**




Avondale  
1968  
7.5-minute, 24000  
Aerial Photo Revised 1968

### **1955 Source Sheets**




Avondale  
1955  
7.5-minute, 24000  
Aerial Photo Revised 1954

### **1894 Source Sheets**



Fort Worth  
1894  
30-minute, 125000





This report includes information from the following map sheet(s).




TP, Avondale, 2019, 7.5-minute

**SITE NAME:** Haslet Texas Tract  
**ADDRESS:** 2101 Avondale Haslet Road  
 Haslet, TX 76052  
**CLIENT:** ECS Southwest, LLP







This report includes information from the following map sheet(s).




TP, Avondale, 2016, 7.5-minute

**SITE NAME:** Haslet Texas Tract  
**ADDRESS:** 2101 Avondale Haslet Road  
 Haslet, TX 76052  
**CLIENT:** ECS Southwest, LLP







This report includes information from the following map sheet(s).




TP, Avondale, 2012, 7.5-minute

**SITE NAME:** Haslet Texas Tract  
**ADDRESS:** 2101 Avondale Haslet Road  
 Haslet, TX 76052  
**CLIENT:** ECS Southwest, LLP







This report includes information from the following map sheet(s).




TP, Avondale, 1982, 7.5-minute

**SITE NAME:** Haslet Texas Tract  
**ADDRESS:** 2101 Avondale Haslet Road  
 Haslet, TX 76052  
**CLIENT:** ECS Southwest, LLP







This report includes information from the following map sheet(s).




TP, Avondale, 1972, 7.5-minute

**SITE NAME:** Haslet Texas Tract  
**ADDRESS:** 2101 Avondale Haslet Road  
 Haslet, TX 76052  
**CLIENT:** ECS Southwest, LLP







This report includes information from the following map sheet(s).




TP, Avondale, 1968, 7.5-minute

**SITE NAME:** Haslet Texas Tract  
**ADDRESS:** 2101 Avondale Haslet Road  
 Haslet, TX 76052  
**CLIENT:** ECS Southwest, LLP








This report includes information from the following map sheet(s).




TP, Avondale, 1955, 7.5-minute

SITE NAME: Haslet Texas Tract  
 ADDRESS: 2101 Avondale Haslet Road  
 Haslet, TX 76052  
 CLIENT: ECS Southwest, LLP





This report includes information from the following map sheet(s).



SITE NAME: Haslet Texas Tract  
ADDRESS: 2101 Avondale Haslet Road  
Haslet, TX 76052  
CLIENT: ECS Southwest, LLP





**Haslet Texas Tract**

2101 Avondale Haslet Road  
Haslet, TX 76052

Inquiry Number: 7429838.5  
August 31, 2023

# The EDR-City Directory Image Report

## TABLE OF CONTENTS

### SECTION

Executive Summary

Findings

City Directory Images

*Thank you for your business.*

Please contact EDR at 1-800-352-0050  
with any questions or comments.

### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

### DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available business directory data at approximately five year intervals.

### RECORD SOURCES

The EDR City Directory Report accesses a variety of business directory sources, including Haines, InfoUSA, Polk, Cole, Bresser, and Stewart. Listings marked as EDR Digital Archive access Cole and InfoUSA records. The various directory sources enhance and complement each other to provide a more thorough and accurate report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer.

### RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Target Street</u>	<u>Cross Street</u>	<u>Source</u>
2020	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	EDR Digital Archive
2017	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Information
2014	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Information
2010	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Information
2005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Information
2000	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Information
1995	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Information
1992	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Information
1989	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Criss-Cross Directory
1984	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Criss-Cross Directory
1979	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Criss-Cross Directory
1974	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cole Criss-Cross Directory

## FINDINGS

### TARGET PROPERTY STREET

2101 Avondale Haslet Road  
Haslet, TX 76052

<u>Year</u>	<u>CD Image</u>	<u>Source</u>
-------------	-----------------	---------------

### AVONDALE HASLET RD

2020	pg A2	EDR Digital Archive
2017	pg A4	Cole Information
2014	pg A5	Cole Information
2010	pg A6	Cole Information
2005	pg A7	Cole Information
2000	pg A8	Cole Information
1995	pg A9	Cole Information
1992	pg A10	Cole Information
1989	pg A11	Cole Criss-Cross Directory
1984	pg A12	Cole Criss-Cross Directory
1979	pg A13	Cole Criss-Cross Directory
1974	pg A14	Cole Criss-Cross Directory

## FINDINGS

### CROSS STREETS

<u>Year</u>	<u>CD Image</u>	<u>Source</u>	
<b><u>AVONDALE FARMS DR</u></b>			
2020	pg. A1	EDR Digital Archive	
2017	-	Cole Information	Street not listed in Source
2014	-	Cole Information	Street not listed in Source
2010	-	Cole Information	Street not listed in Source
2005	-	Cole Information	Street not listed in Source
2000	-	Cole Information	Street not listed in Source
1995	-	Cole Information	Street not listed in Source
1992	-	Cole Information	Street not listed in Source
1989	-	Cole Criss-Cross Directory	Street not listed in Source
1984	-	Cole Criss-Cross Directory	Street not listed in Source
1979	-	Cole Criss-Cross Directory	Street not listed in Source
1974	-	Cole Criss-Cross Directory	Street not listed in Source

## **City Directory Images**

**AVONDALE FARMS DR 2020**

13101 Bennett Page  
13145 Camiel Clemmer  
Johnny Green

## AVONDALE HASLET RD 2020

1714	WILLOW SPRINGS GOLF COURSE
1801	Erica Garcia
1803	Jeffrey Odell
	SAV-ON FENCE COMMERCIAL COML
	SAV-ON FENCE INC
2010	RIPPIN' IT BASEBALL-SOFTBALL
	TAGG TEAM SPORTS & MORE
2020	FOOTWEARFUND.COM
	HASLET CONTRACTING SVC OF TX
	QUALITY CONTRACTORS OF TX
2100	A+ DENT REMOVAL
	S & S CONCRETE CONTRACTORS INC
	TDH MANUFACTURING
2129	O'REILLY AUTO PARTS
2150	CAR HEART AUTOCARE
	YUMMY CAFE & SWEETS
2401	BLUE RHINO
	COINSTAR
	ECO ATM
	FIRST CONVENIENCE BANK
	JACKSON HEWITT TAX SVC-WALMART
	MINUTE KEY
	PHU EDWARD
	REDBOX
	SHERMAN KIM OD
	SMARTSTYLE
	SUBWAY
	WALMART BAKERY
	WALMART GARDEN CENTER
	WALMART GROCERY PICKUP
	WALMART PHARMACY
	WALMART PHOTO CENTER
	WALMART SUPERCENTER
	WALMART VISION & GLASSES
2412	HUYNH BRIAN
	LITTLE MARIA T
	OAK SPRINGS FAMILY DENTAL
	SUPERCUTS
2432	ASARE ADJOA K NP
	BRADY JANA MARIE
	COMMUNITYMED FAMILY URGENT
	MATTHIESEN RYAN A DO
	MCBRIDE JENA M NP
	MOORE JAMES D NP
	SAVAGE JENNIFER L NP
	VUU NHU-MAI PA
	WISE HEALTH CLINICS
2465	WESTERN UNION AGENT LOCATION
2484	ALLSTATE INSURANCE
	DOMINO'S



**AVONDALE HASLET RD 2020 (Cont'd)**

- 2484 KHANH MAI THI KHUU LLC
- MOORE FAMILY & COSMETIC
- MY CLEANERS
- QUEEN'S DOUGHNUTS
- SUBWAY
- SUMIO SUSHI
- SUPREME GARAGE DOORS
- 2485 PIZZA HUT
- 2488 CRICKET WIRELESS AUTH RETAILER
- GREAT CLIPS
- HASLET VAPE SHOP
- LESLIE POOL MART
- LESLIE'S SWIMMING POOL SUPLS
- RED DOOR PHARMACY & GIFTS
- TEXAN DINER

**AVONDALE HASLET RD 2017**

1297 GRANT, APRIL A  
1321 AVONDALE HASLET ANIMAL CLINIC  
1377 ERWIN, MICHAEL G  
1473 BLATTNER, SCOTT D  
1714 WILLOW SPRINGS GOLF COURSE  
1803 SAVON FENCE  
SAVON FENCE INC  
2010 EAGLE MTN VAPOR  
2020 QUALITY CONTRACTORS OF TX  
2100 S & S CONCRETE CONTRACTORS INC  
2150 CAR HEART AUTOCARE  
2401 FIRST CONVIENCE BANK  
LIBERTY TAX SERVICE  
SHERMAN KIM OPTOMETRIST  
SMARTSTYLE  
SUBWAY  
WALMART SUPERCENTER  
2484 ALLSTATE  
DOMINOS PIZZA  
MOORE FAMILY & COSMETIC DENTISTRY  
MY CLEANERS  
QUEENS DONUTS  
SUBWAY  
SUPREME GARAGE DOORS  
UPSCALE DAY SPA  
2485 PIZZA HUT

**AVONDALE HASLET RD 2014**

1297 GRANT, DAVID A  
1298 OCCUPANT UNKNOWN,  
1302 OCCUPANT UNKNOWN,  
1321 AVONDALE HASLET ANIMAL CLINIC  
1345 BUCHANAN, DONALD J  
1373 AVONDALE HASLET DENTAL CENTER  
OCCUPANT UNKNOWN,  
1377 TOUCHSTONE, JAMES A  
1425 TEDESCO, FRANK L  
1449 OCCUPANT UNKNOWN,  
1473 BLATTNER, SCOTT D  
1714 WILLOW SPRINGS GOLF COURSE  
1801 OCCUPANT UNKNOWN,  
1803 SAV ON FENCE INC  
2010 OCCUPANT UNKNOWN,  
2100 BULKMATIC TRANSPORT CO  
2401 FIRST CONVIENCE BANK  
MINH VU  
SMARTSTYLE 43272  
WERNER SUBS LP  
2484 ALLSTATE  
LORI DIXON ALLSTATE INSURANCE AGEN  
MOORE FAMILY & COSMETIC DENTISTRY PL  
MY CLEANERS  
QUEENS DONUTS  
SUBWAY SANDWICHES  
SUMO SUSHI  
UPSCALE DAY SPA

**AVONDALE HASLET RD 2010**

1297 GRANT, DAVID A  
1298 OCCUPANT UNKNOWN,  
1302 OCCUPANT UNKNOWN,  
1345 BUCHANAN, DONALD J  
1377 OCCUPANT UNKNOWN,  
1425 TEDESCO, FRANK L  
1449 COMPTON, BRENDA J  
1473 BLATTNER, SCOTT D  
1714 ERIKS TREE SVC  
WILLOW SPRINGS GOLF COURSE  
1801 GARCIA, ERICA M  
1803 SAVON FENCE  
2010 GREEN, MICHAEL L

**AVONDALE HASLET RD 2005**

1297 GRANT, DAVID A  
1321 OCCUPANT UNKNOWN,  
1345 BUCHANAN, DONALD J  
1377 TOUCHSTONE, JAMES A  
1425 JACKSON, DANIEL L  
1449 COMPTON, CHARLES R  
1473 BLATTNER, SCOTT D  
1714 WILLOW SPRINGS GOLF COURSE  
1774 LINDSEY, JOE B  
1801 OCCUPANT UNKNOWN,  
2010 GREEN, MICHAEL L  
2460 ALLEN, THOMAS

**AVONDALE HASLET RD 2000**

1297 CARTER, R  
GRANT, DAVID  
1298 GARCIA, D T  
1321 HEMMERT, OWEN  
1345 WOODS, DAVID  
1377 TOUCHSTONE, T R  
TROTTER, R  
1425 JACKSON, DAN  
1473 SHORT, STEPHEN  
1714 WILLOW SPRINGS GOLF COURSE  
1774 LINDSEY, JOE B  
1801 THOMPkins, JAMEY  
2010 GREEN, MIKE  
2100 BULKMATIC TRANSPORT COMPANY

Target Street

Cross Street

Source

✓

-

Cole Information

**AVONDALE HASLET RD 1995**

1297 GRANT, DAVID  
1714 WILLOW SPRINGS GOLF COURSE  
WLW SPGS GOLF CRSE  
1774 LINDSEY, JOE B  
2460 WEEMAN, A

**AVONDALE HASLET RD 1992**

1297 GRANT, DAVID  
1302 ROGERS, DAVID J  
1714 WILLW SPGS GLF CRS  
1772 LINDSEY, JOE B  
2460 BOURKE, EDWARD J



**AVONDALE HASLET RD 1989**

4 RESIDENCE

● **AVONDALE HASLET RD**

County Rd-N On Highway 81 15.5  
Mile Turn E

● RR 1 . . . . . 76052  
1- END CT1141 \$A..C 2

● MAPSCO LOC F 6T

● MAPSCO LOC F 5T

- 1334 David J Rogers . . . . . - 439-3208
- 1714★ Willw Spgs Glf CRS . 87 439-4653
- 1772 Joe B Lindsey . . . . . - 439-3356
- NO # J Bennett . . . . . 87 439-1171
- NO # Edward J Bourke . . . . . 86 439-1136
- NO # Rose R Curtis . . . . . □ 439-3364
- NO # David Grant . . . . . 85 439-3474
- NO # M B Harrell . . . . . □ 439-3364
- NO # John D Kerr . . . . . 85 439-3415
- NO # Elmer J Kostelnik . . . . . 86 439-3414
- NO # Dawn Lindsey . . . . . 87 439-1224
- NO # K C Price . . . . . 73 439-3368
- NO # Sunny Reeves . . . . . 85 439-3326
- NO # Carl D Woodard . . . . . 85 439-5950
- NO #★ Hicks Airfield Inc . . . . . 86 439-1040
- NO #★ Hicks Airfield Inc . . . . . 86 439-1041
- NO #★ S&S Aviators . . . . . 87 439-1047
- NO #★ Willw Spgs Glf CRS . 87 439-3230

13 RESIDENCE

5 BUSINESS

● **AVONDALE SCHOOL RD**

AVONDALE HASLET RD 1984

● AVONDALE HASLET RD HASLET  
 County Rd-N On Highway 81 15.5  
 Mile Turn E

● 76052  
 1- END TZ1141 SA.C 2

	003930			
NO #	B K Handshumaker	83	439 - 3015	
NO #	L D Hicks	76	439 - 3320	
NO #	Robert L Hicks	71	439 - 3173	
NO #	Marshall F Hogue	77	439 - 3367	
NO #	Gary Knox	□	439 - 3280	
NO #	Price E Knox	79	439 - 3499	
NO #	K C Price	73	439 - 3368	
NO #	R Satterfield	□	439 - 3012	
NO #	D V Singleton	71	439 - 3364	
NO #	Gary W Stepp	81	439 - 5916	
NO #	David R Williamson	78	439 - 3380	
	11 RESIDENCE			

AVONDALE HTS

AVONDALE HASLET RD 1979

Table with columns for street names (LE'S, AVONDALE HTS, AVONDALE SCHOOL RD, AVONDALE ST, AVONDALE HASLET RD), page number (PAGE 41), and section (AVRIL CT S). It lists numerous addresses and names, such as 3836 Jessie Creech, 3840 E D True, 3843 Robert E Davis, etc.

PHOTOGRAPHED IN ANY MANNER WHATSOEVER WITHOUT THE WRITING OF THE PUBLISHER... Year First Listed 1973/74/75 etc. \$48/52/58 ETC. - Census Tract Wealth Rating CL10 - Map Location


AVONDALE HASLET RD 1974

00	7	RESIDENCE		
78		AVONDALE HASLET RD	HASLET	
		.....		
01		COUNTY RD-N ON HIGHWAY 81	15.5	
		MILE TURN E		
		.....		76052
	NC #	JONNA HICKS		4393287
40	NC #	ROBERT L HICKS	1	4393173
	NC #	K C PRICE	3	4393368
	NC #	D V SINGLETON	1	4393364
12		4 RESIDENCE		
15		AVONDALE		

# **Appendix V: Site Photographs**



1 - North boundary looking east



2 - Adjoining property to the north





3 - North boundary looking south



4 - North boundary looking west



5 - East boundary looking south



6 - Adjoining property to the east





7 - East boundary looking west



8 - East boundary looking north



9 - South boundary looking west




10 - Adjoining property to the south





11 - South boundary looking north



12 - South boudnary looking east



13 - West boundary looking north



14 - Adjoining property to the west





15 - West boundary looking east



16 - West boundry looking south

# **Appendix VI: Statement of Qualifications**

# Statement of Qualifications

2023

## CONSTRUCTION MATERIALS



GEOTECHNICAL




ENVIRONMENTAL

## FACILITIES



# COMPANY OVERVIEW



“What I like most about ECS are the people. They are experts with a wide-range of knowledge. I never hesitate using ECS on projects.”

— Crystal Morphis, Founder and CEO  
Creative Economic Development Consulting, LLC

## ABOUT OUR COMPANY

Engineering Consulting Services (ECS) is one of the largest and most rapidly growing engineering and consulting companies in the US. Founded in 1988, ECS is a leader in geotechnical, environmental, construction materials and facilities engineering. We are currently ranked 64 in *Engineering News-Record's* Top 500 Design Firms (April 2022) and 38 in Zweig Group's 2022 Hot Firms.

2,200  
employees

80+  
locations

30+  
years' experience

## ECS CORE SERVICES

- Geotechnical
- Construction Materials

## ECS FOOTPRINT

Whether your project requires local project management, specialty expertise or both, we have you covered. ECS provides the best of both worlds - the attention your projects deserve from our local team, coupled with abundant staffing and technical resources. With 2,200 employees, ECS has grown to more than 80 locations spread across the Mid-Atlantic, Midwest, Southeast and Southwest.

## WHY ECS? WE HAVE GRIT.


What does that mean for you? That one descriptive word defines our company culture. It sets just the right tone for what our clients can expect our team to deliver each and every day. At ECS, GRIT is made up of four characteristics: guts, resilience, initiative and tenacity. Our boots are made for working. Click [here](#) for an inside look at what we do, who we are and why we have GRIT.

As a culture of doers, we roll up our sleeves and use our skills to help solve problems. We hustle.





# WHEREVER YOUR PROJECT TAKES YOU, ECS HAS... BOOTS ON THE GROUND



CORPORATE HEADQUARTERS

**OFFICES KEY**

- ⦿ Corporate Headquarters
- Full Service Office
- Testing Services Office
- Drilling Services Office

**SERVICES KEY**

*Materials Testing Service Area is approximately a 75-mile radius around each office.*

- Environmental and Facilities
- Geotechnical, Environmental, Materials Testing, and Facilities
- Geotechnical, Environmental, and Facilities



# DUE DILIGENCE



As part of typical commercial, industrial and residential real estate transactions, many services need to be completed prior to closing that should not be overlooked. ECS provides environmental and engineering due diligence services common to real estate transaction-driven work, including:

## Environmental Due Diligence Services:

- Phase I Environmental Site Assessments (ESAs)
- Wetland and Stream Determination and Delineation Services
- Phase II Environmental Site Assessments (ESAs)
- Underground Storage Tank (UST) Assessments and Closures
- Environmental Transaction Screens (ETS)
- Regulatory Record Reviews
- HUD Assessments
- Endangered Species Assessments
- Historical and Cultural Surveys/Assessments
- Radon Assessment
- Asbestos Surveys and Abatement Design
- Lead-Based Paint Surveys and Abatement Design
- Microbial and Indoor Air Quality Assessments
- Vapor Intrusion Assessments
- Fannie Mae and Freddie Mac Assessments
- Contaminated soil management plans

## Facilities Due Diligence Services:

- Accessibility Consulting
- Bank Draw Review
- Pre and Post Construction Surveys
- Property Condition Assessments (PCAs)
- Forensic Investigations
- GPR Surveys
- EIFS Services

## Engineering Due Diligence Services:

- Subsurface Geotechnical Explorations
- Test Pit Evaluations
- Seismic Studies
- Cost estimating for construction
- Geologic Assessments

# JARED HOVLAND

STAFF PROJECT MANAGER

## CERTIFICATIONS

APNGA Portable Guage/Hazmat

## SKILLS

Phase I and II Environmental Site Assessments

Wetland Delineations

Project Management

## EDUCATION

Bachelor of Science, 2014  
Environmental and Earth Science,  
Texas A&M University,  
College Station, TX

## PROFESSIONAL PROFILE

Mr. Hovland is a staff project manager responsible for coordinating and preparing Phase I Environmental Site Assessments in Texas, Oklahoma, and the southwest region. Project types have ranged from undeveloped and agricultural land, commercial and retail businesses, multi-family complexes, high-rise buildings, institutional sites, and industrial facilities. The assessments involved the identification of recognized environmental conditions and business environmental risks related to petroleum or hazardous substances, underground storage tanks, vapor encroachment, asbestos, wetlands, and similar environmental concerns.

## PROJECT EXPERIENCE

- Anna Commons, TDHCA Phase I ESA, Anna, TX
- Cross Roads Market Square, Phase I ESA, Crossroads, TX
- El Carrizal Ballroom, Phase I ESA, Dallas, TX
- Energy Plaza, Phase I ESA, Dallas, TX
- Inn Town Lofts, TDHCA Phase I ESA, Lubbock, TX
- Lakeridge Shopping Center, Phase I ESA, Dallas, TX
- Meacham International Airport Site 3C, Phase I ESA, Fort Worth, TX
- Melissa Davis Tract, HUD Phase I ESA & HUD HEROS, Melissa, TX
- Metro Lofts, Part 58 HUD EA, Dallas, TX
- Rocking D Ranch, Phase I ESA, Trent, TX
- SAIA Amarillo Terminal, Phase I ESA, Amarillo, TX
- Thompson Ranch, Phase I ESA, Colorado City, TX
- Urban Inter-Tribal Center of Texas, ACM, Dallas, TX
- Valley Ranch Plaza, Phase I ESA, Coppell, TX
- Bryant Retail Center, Phase I ESA, Oklahoma City, OK
- Checkered Flag Oil Change Facility, Phase I ESA, Ada, OK
- Kwik Dry Clean, Phase I ESA, Tulsa, OK
- Okmulgee Office Building, Phase I ESA & ACM, Okmulgee, OK
- Proposed Arby's, Phase I ESA, Atoka, OK
- Southlake Learning Experience, Southlake, TX
- Dickens County Parcel, Afton, TX
- West Dallas Community School, Dallas, TX
- Okmulgee Office Building, Okmulgee, TX
- R.E.C. Magness Switchyard, Quinlan, TX



## **Bridget Sedlack / Regional Manager Environmental Services**

Ms. Sedlack is the Regional Manager for Environmental for ECS Southwest, LLP (ECS) in our Carrollton, Texas office. She has extensive experience in coordinating and preparing Phase I and Phase II Environmental Site Assessments throughout the US and worldwide, as well as, remediation oversight, site acquisitions and divestitures, environmental due diligence of real estate and commodities. Ms. Sedlack is an expert in analyzing, mitigating, and managing environmental risk and planning for risk reduction or improvement of commercial outcomes while maintaining or reducing risk.

Project types have ranged from undeveloped and agricultural land, commercial and retail businesses, multi-family complexes, high-rise buildings, institutional sites, industrial facilities, U.S. Army and Navy bases, U.S. Corps of Engineers locations, oil and gas sites, and nuclear power plants.

### **PROJECT EXPERIENCE**

- Provided permitting guidance for SPCC, SWPPP, Title V, NPDES, TPDES, NEPA, OSHA, TxDOT, Class 3 Hazardous Waste permits, Air permits, pipeline permits, and other related permits.
- Conducted Phase I, Phase II ESA's, RCRA, CLEAN, Asbestos, and lead-based paint investigations.
- Conducted environmental and transportation investigations for expanding nuclear power facilities.
- Conducted Munitions and Explosives of Concern (MEC), Munitions constituents (MC), and Unexploded Ordinance (UXO) investigations for naval facilities in Texas.
- Louisiana Office of Coastal Preservation and Restoration (OCPR) representative on Deep Water Horizon MC 252 BP release in the Gulf of Mexico.
- AST and UST investigation, removal, and remediation.
- Inhouse environmental risk management for over \$11B in transactions and activities for Goldman Sachs.
- Managed systemic risk, and risk appetite metrics and limits and their impact on the firm and clients in relation to environmental issues.
- Managed the largest commercial real estate project in CBRE history with 457 properties including the Environmental Site Assessments, Property Condition Assessments, American Disability Act adherence, and Zoning portions. Retained supplemental personnel to complete the task within the six-week timeline and within the agreed-upon budget.
- Experienced in reviews of Small Business loans and Small Mortgage Loans in association with Freddie Mac and Fannie Mae requirements.

### **EDUCATION**

B.S., Geology, 2001, University of Montana, Missoula, MT

### **REGISTRATIONS**

Department of Defense Information Assurance Awareness – 2009

Member, U.S. Women in Nuclear – 2009

Naval Installation Restoration Information Solution (NRIS) 2009

### **CERTIFICATIONS**

Transportation Worker Identification Credential (TWIC)

OSHA 1910.120 40-Hour HAZWOPER Training

40-Hour Hazwoper Training Personal Protection and Safety for Hazardous Materials Activities

DoD Information Assurance Awareness

EPA Chain-of-Custody Procedures for Samples and Data  
OSHA 30-Hour Construction Safety Training  
OSHA 29 CFR 1910.120 General Site Worker Refresher Training  
OSHA CPL 2-2.51 Post Emergency Spilled Oil Cleanup Training  
DOT Drug and Alcohol Reasonable Suspicion  
Root Cause Analysis Training  
Zurich Insurance 10-4 Driver Awareness Training  
H2S Alive Training  
Environmental Recordkeeping and Reporting Requirements  
DOT Hazardous Materials Awareness  
FEMA ICS-100.b Introduction to Incident Command System  
FEMA ICS-200 Single Resources and Initial Action Incident

### **SKILLS**

Environmental Consulting  
Real Estate Environmental Due Diligence  
Environmental Risk Management  
Phase I & II Environmental Site Assessments  
Freddie Mac/Fannie Mae/SBL/SBL  
Environmental Remediation  
Soil & Groundwater Sampling  
Midstream Oil & Gas Management

### **Memberships**

Department of Defense Information Assurance Awareness – 2009  
Member, U.S. Women in Nuclear – 2009  
Naval Installation Restoration Information Solution (NRIS) 2009

# **Appendix VII: Acronyms**

## List of Common Acronyms

AULs	Activity and Use Limitations
AST	Aboveground Storage Tank
ASTM	American Society for Testing and Materials
ACM	Asbestos Containing Materials
BER	Business Environmental Risk
CORRACTS	CERCLA Corrective Action List
NPL	CERCLA National Priorities List
NFRAP	CERCLA No Further Remedial Action Planned
CERCLA	Comprehensive Environmental Response Cleanup Liability Act
CESQG	Conditionally Exempt Small Quantity Generator
CREC	Controlled Recognized Environmental Condition
ERNS	Emergency Response Notification System
EC	Engineering Controls
HIST LF	Historical Landfill
HREC	Historical Recognized Environmental Condition
IC	Institutional Controls
LQG	Large Quantity Generator
LBP	Lead Based Paint
LTANKS	Leaking Tanks
LUST	Leaking Underground Storage Tank
REC	Recognized Environmental Condition
RCRA	Resource Conservation and Recovery Act
RCRIS	Resource Conservation and Recovery Information System
SQG	Small Quantity Generator
SWF/LF	Solid Waste Facility/Landfill
SHWS	State Hazardous Waste Sites
UST	Underground Storage Tank
USGS	United States Geological Survey

